



SERVICE PARTS CATALOGUE

MODEL

**ES 1060 - International - Version A - 01-2018 - Serial No.:
B030240171064 (01/18 -)**

Print Date: 08/2024



All rights reserved by **CNH Industrial**.

The information contained in this catalogue is intended to be of a general nature only. **CNH Industrial** may at any time and from time to time, for technical or other necessary reasons, modify any of the details or specifications of the product described in this catalogue.

To be sure of getting accurate, detailed, and up-to-date information, an intending buyer should consult his nearest **CNH Industrial** dealer or distributor. The updated version of this Service Parts Catalog is available on ePARTS4.0, accessible through the Dealer Portal.

Single item numeration method used in this catalogue may not be used without written consent from **CNH Industrial**.


31.220.AD

01

p1

10/2014

VAR - 123782, 789101,987654 - PTO - D650



STANDARD



23

9

10

31.220.AD

01

p1


10/2014

VAR - 123782, 789101,987654 - PTO - D650



REF	FN	PART NUMBER	YR/SN	QTY	DESCRIPTION
1	1	86529340	20	1	SHAFT PTO, Incl 2 - 11
2	15	84014007		1	YOKE, Incl 4 - 7
3	16	NSS		1	NOT SERVICED SEPARATELY, SHAFT, 350mm, Incl In 1
4		84004292		1	KIT, Seal KIT, Incl 6, 7
4		{84058743}		1	KIT, Seal KIT, Incl 6, 7
2				21	
18				22	
19					
1 - FOR ITALY ONLY		5			

MODELS



- 1 Model Number and Model Description
- 2 Reference - Figure call-out of the part number.
- 3 Parts supplied in repair kits per symbol reference.
- 4

31.220.AD

 Part illustrated on the **Page** or in the **Figure** indicated, or calls for **Variations or Details**. Indicates components shown in detail elsewhere in the catalogue under the figure number shown.
- 5 Footnote references
- 6 Figure notes
- 7

1

2

 Includes item(s) (See Description within partlist).
- 8 Orientation. (Arrow indicates front of the machine). 
- 9 Figure description.
- 10 General information of the figure.
- 11 Figure title number that aligns with the SRT. Standard Repair Time.
- 12 **Sequence** code within the assembly.
- 13 Page number within the sequence code.
- 14 **Date** of printing or updating of page (month-year).
- 15 **Note** - Relating to the Part Number. There is a key to symbols and abbreviations at the bottom of the text page.
- 16 Non-serviced parts.
- 17 Further description of the part to help confirm identification.
- 18 Not available as service part.
- 19 Part Number.
- 20 To be defined.
- 21 Total **Quantity** of the Part referred to in the page.
The quantity can be replaced by the following indications:
AR = quantity as requested.
- 22 Part **Description**.
- 23 Variant Codes

TABLE OF CONTENTS

001	001
002	002
003	003
004	004
005	005
006	006
007	007
008	008
009	009
010	010
011	011
012	012
016	016
020	020
030	030
040	040
041	041
060	060
080	080
081	081
082	082


SECTION INDEX
GENERAL

001	001
002	002
003	003
004	004
005	005
006	006
007	007
008	008
009	009
010	010
011	011
012	012
016	016
020	020
030	030
040	040
041	041
060	060
080	080
081	081
082	082

001

p1

001




001

REF	PN	QTY	DESCRIPTION	USAGE
1	813750-501X	1	DRAWBAR	DRAWBAR
2	813750-572X	1	FRAME	FRAME
3	811317-3055	2	HYDRAULIC CYLINDER	CYLINDER, DAC
4	813750-775X	2	THREADED ROD	THREADED SCREW
4a	811220-7226	1	NUT	
5	812750-778X	4	DOWEL	DOWEL
5a	811252-5299	4	COTTER PIN	
6	811317-9859	1	SEAL KIT	SET OF GASKETS
7	812750-790X	2	SCREW	STEEL SCREW
7a	811220-7724	1	NUT	
7b	811252-5402	1	COTTER PIN	
8	812750-620X	2	BUSHING	BUSH
9	811241-7601	2	WASHER 30-56-4 - USE 100331063 DIN 125 GALV.	WASHER 30-56-4
10	813064-190X	1	GEAR	GEAR
10a	811213-5424	4	SET SCREW QY-Sruba M16-45 =300304093 - fantom / STEEL M16-45 - USE 300304093 DIN 933 GALV.	
10b	811241-9983	4	WASHER SPEC. 17-25,4-3,4	
11	813750-385X	1	TUBE	TUBE
11a	811213-3126	1	SET SCREW STEEL M10-16 - USE 300304028 DIN 933 GALV.	
11b	811241-2402	1	WASHER 10,5-20-2,0 DIN 125 GALV.	
12	812065-480X	2	CLAMP	CLAMP
13	811335-5401	2	SPH ROLLER BEARING	BEARING GLISSA 42-46-40
14	812750-336X	1	COVER	COVER FOR GUARD
14a	811213-2124	2	SET SCREW STEEL M8-12 - USE 300304150 DIN 933 GALV.	
14b	811220-2321	2	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
14c	811241-1202	2	WASHER 8,4-16-1,6 DIN 125-A8,4 ST. GALV VERZ. GELB CHROM GALV.	
15	812750-335X	1	BRACKET	BRACKET FOR GUARD
15a	811213-3126	2	SET SCREW STEEL M10-16 - USE 300304028 DIN 933 GALV.	

001

p2

001




001

REF	PN	QTY	DESCRIPTION	USAGE
15b	811241-2402	2	WASHER 10,5-20-2,0 DIN 125 GALV.	
16	812750-334X	1	BRACKET	BRACKET FOR GUARD
16a	811213-3126	2	SET SCREW STEEL M10-16 - USE 300304028 DIN 933 GALV.	
16b	811241-2402	2	WASHER 10,5-20-2,0 DIN 125 GALV.	
17	811340-7137	1	JOINT	UNIVERSAL JOINT
17a	811213-3324	6	SET SCREW STEEL M10-35 - USE 300304035 DIN 933 GALV.	
17b	811214-4326	1	SCREW STEEL M12-80 - USE 300304066 DIN 931 GALV.	
17c	811220-3321	6	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
17d	811220-4321	1	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
17e	811241-2402	6	WASHER 10,5-20-2,0 DIN 125 GALV.	
18	812750-300X	1	SHAFT	SHAFT
18a	811338-0106	2	KEY	
19	811340-7120	1	JOINT	UNIVERSAL JOINT
20	812750-980B	1	SHAFT	SHAFT
20a	811241-9201	3	WASHER	
20b	811338-0157	1	KEY	
21	811331-4310	2	BALL BEARING	BALL BEARING 6310 RS1
22	813750-995A	1	BEARING HOUSING	BEARING HOUSING
22a	811214-5422	1	SCREW	
22b	811220-5321	2	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
22c	811313-1101	1	LUBE NIPPLE	
23	812750-330X	1	GUARD	GUARD, UPPER
23a	811220-2321	6	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
23b	811241-1202	6	WASHER 8,4-16-1,6 DIN 125-A8,4 ST. GALV VERZ. GELB CHROM GALV.	
24	811165-0149	3	PROTECTOR	PROTECTION HOOP
25	813750-328X	1	GUARD	GUARD, LOWER
25a	811220-2321	3	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	

001

p3

001



001

p3


001

REF	PN	QTY	DESCRIPTION	USAGE
25b	811241-1202	2	WASHER 8,4-16-1,6 DIN 125-A8,4 ST. GALV VERZ. GELB CHROM GALV.	
26	813750-333X	1	GUARD	GUARD, LOWER
26a	811213-2124	2	SET SCREW STEEL M8-12 - USE 300304150 DIN 933 GALV.	
26b	811241-1202	2	WASHER 8,4-16-1,6 DIN 125-A8,4 ST. GALV VERZ. GELB CHROM GALV.	
27	812750-331X	1	GUARD	HOLDER FOR GUARD
28	812750-301A	1	TUBE	DISTANCE TUBE
29	812750-991X	1	PULLEY	PULLEY
30	812750-689X	1	LOCK WASHER	LOCK WASHER
30a	811213-5422	1	SET SCREW STEEL M16-40 - USE 300304092 DIN 933 GALV.	
31	813750-668A	1	TIGHTENER	TIGHTENER
31a	811241-7401	2	WASHER 30,5-45-2,5 DIN 522 GALV.	
31b	811252-4301	1	PIN 5-40 DIN 94 GALV.	
31c	811313-2101	1	LUBE NIPPLE	
32	811331-3303	2	BALL BEARING	BALL BEARING 6206 2RS
33	813750-663X	1	ROLLER	TIGHTENING ROLLER
33a	811255-3201	1	SNAP RING QY-SNAP 30 MM OUTER - USE 300407011 - fantom DIN 471	
34	812750-746X	1	BOLT	TIGHTENING BOLT
34a	811241-3403	1	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
34b	811252-4202	1	COTTER PIN	
35	811431-5498	1	SPRING	COMPRESSION SPRING
36	812085-128X	1	WASHER	WASHER
36a	811220-4122	2	NUT STEEL M12 - USE 300315003 DIN 934 GALV.	
37	811362-4106	1	SET OF 4 BELTS	V-BELT SET (4 PCS)
38	811399-0256	AR1	BALL JOINT	BALLJOINT
38a	811214-6322	12	SCREW	
38b	811241-5503	12	WASHER 21.0-42-3.5 ISO 7089 GALV.	
39	814240-0211	1	DRAWBAR	DRAWBAR

001

p4

001



001


REF	PN	QTY	DESCRIPTION	USAGE
39a	811214-6322	12	SCREW	
39b	811241-5503	12	WASHER 21.0-42-3.5 ISO 7089 GALV.	
39c	811313-1101	1	LUBE NIPPLE	
40	812750-306X	1	GUARD	GUARD
40a	811213-5224	2	SET SCREW STEEL M16-25 - USE 300304091 DIN 933 GALV.	
40b	811241-4502	2	WASHER 17-30-3 STEEL Replaces 811241-3504 DIN 125 GALV.	
41	811350-0073	1	PTO	PTO
42	811241-9201	3	WASHER	WASHER 51,5-65-1,00
43	811214-6324	6	SCREW	STEEL SCREW M20-75
43a	811220-6321	1	NUT NYLOC M20 - USE 300316016 DIN 985 GALV.	
44	811213-7720	4	SET SCREW	STEEL SET SCREW M24-80
44a	811220-7321	1	NUT	

REF	FIGURE NUMBER	FIGURE NAME
030	030	030
040	040	040

002

p1

002




002

REF	PN	QTY	DESCRIPTION	USAGE
1	812750-983X	1	GUARD	SIDE GUARD, RIGHT
1a	811213-2224	3	SET SCREW STEEL M8-25 - USE 300304155 DIN 933 GALV.	
1b	811220-2321	3	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
1c	811241-1502	3	WASHER 8,5-30-3 DIN 522 GALV.	GUARD, LEFT
2	813750-344X	1	GUARD	
2a	811241-7401	3	WASHER 30,5-45-2,5 DIN 522 GALV.	
3	812080-384X	4	HINGE	HINGE
3a	811213-3222	1	SET SCREW STEEL M10-20 - USE 300304031 DIN 933 GALV.	
3b	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
4	811399-0237	2	HANDLE	HANDLE
4a	811216-1126	2	SCREW	
4b	811220-1323	2	NUT NYLOC M6 - USE 300316026 DIN 985 GALV.	
4c	811241-1206	2	WASHER 6,4-18-1,6 - USE 300332052 DIN 9021 GALV.	SUPPORT RAIL
5	813750-377X	1	SUPPORT	
5a	811213-3424	4	SET SCREW STEEL M10-45 - USE 300304037 DIN 933 GALV.	
5b	811220-3321	4	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	RUBBER STRAP
5c	811241-2502	8	WASHER 10,5-22-3 DIN 522 GALV.	
6	812080-387X	4	RUBBER RING	
6a	811213-3322	1	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
6b	811213-3324	1	SET SCREW STEEL M10-35 - USE 300304035 DIN 933 GALV.	
6c	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
6d	811241-2402	1	WASHER 10,5-20-2,0 DIN 125 GALV.	GUARD
7	813064-293X	1	GUARD	
7a	811213-3522	2	SET SCREW STEEL M10-50 - USE 300304038 DIN 933 GALV.	
7b	811220-3122	2	NUT STEEL M10 - USE 300315001 DIN 934 GALV.	

002

p2

002




002

REF	PN	QTY	DESCRIPTION	USAGE
7c	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
7d	811241-2402	8	WASHER 10,5-20-2,0 DIN 125 GALV.	
8	813750-340X	1	GUARD	GUARD, RIGHT
8a	811241-7401	3	WASHER 30,5-45-2,5 DIN 522 GALV.	
10	812750-879B	1	COVER	SIDE GUARD, LEFT
10a	811213-2222	2	SET SCREW STEEL M8-20 - USE 300304153 DIN 933 GALV.	
10b	811213-3322	1	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
10c	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
10d	811241-1202	2	WASHER 8,4-16-1,6 DIN 125-A8,4 ST. GALV VERZ. GELB CHROM GALV.	
10e	811241-2402	1	WASHER 10,5-20-2,0 DIN 125 GALV.	
11	812750-845X	1	SHIM	DISTANCE PIECE
12	813750-324X	1	GUARD	GUARD
12a	811241-3403	2	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
12b	811252-4201	2	COTTER PIN 5-30 DIN 94 GALV.	
13	813750-358X	1	TUBE	TUBE
13a	811214-3326	2	SCREW	
13b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
13c	811241-2402	2	WASHER 10,5-20-2,0 DIN 125 GALV.	
16	812750-446X	3	CLAMP	CLAMP
16a	811214-3224	2	SCREW STEEL M10-55 - USE 300304039 DIN 931 GALV.	
16b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
16c	811241-2402	2	WASHER 10,5-20-2,0 DIN 125 GALV.	
17	812228-249X	1	HOOK	RAIL
17a	811241-3403	1	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
17b	811252-3102	1	COTTER PIN 4-25 DIN 94 GALV.	
18	813750-636X	1	DOWEL	DOWEL FOR CASTOR JACK
19	813750-632X	1	JACK	CASTOR JACK

002

p3

002




002

REF	PN	QTY	DESCRIPTION	USAGE
19a	811251-5802	1	PIN 8-90 - DELTA-coating DIN1481	
21	812750-736A	1	TUBE	SUPPORT FOR TUBE
21a	811213-3126	4	SET SCREW STEEL M10-16 - USE 300304028 DIN 933 GALV.	
21b	811241-2402	4	WASHER 10,5-20-2,0 DIN 125 GALV.	
22	812080-469X	4	BUSHING	BUSH
23	813750-785X	2	WHEEL	HOLDER FOR WHEEL
24	811343-0112	1	SPECIAL TOOL	SPANNER NV 55
25	812750-897X	1	GUARD	GUARD, RIGHT
26	812750-896X	1	GUARD	GUARD, LEFT
27	811393-0131	1	HOSE PROTECTION	PLASTIC MOULDING
28	811393-0131	1	HOSE PROTECTION	PLASTIC MOULDING
29	812750-007X	1	PLATE	PLATE
29a	811214-4426	3	SET SCREW STEEL M12-120 - USE 300304053 DIN 931 GALV.	
29b	811220-4321	3	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
29c	811241-3403	6	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
30	812750-320X	1	GUARD	FRONT GUARD
30a	811215-2222	7	CARRIAGE BOLT M8-20 - USE 300304190 DIN 603 GALV.	
30b	811220-2321	7	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
30c	811241-1202	7	WASHER 8,4-16-1,6 DIN 125-A8,4 ST. GALV VERZ. GELB CHROM GALV.	
31	812750-321X	1	SHIELD	REAR CUARD
31a	811215-2222	7	CARRIAGE BOLT M8-20 - USE 300304190 DIN 603 GALV.	
31b	811220-2321	7	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
31c	811241-1202	7	WASHER 8,4-16-1,6 DIN 125-A8,4 ST. GALV VERZ. GELB CHROM GALV.	
32	812750-323X	2	HINGE	HINGE
32a	811213-3224	4	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	

002

p4

002



002


REF	PN	QTY	DESCRIPTION	USAGE
32b	811220-3321	4	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
32c	811241-2502	8	WASHER 10,5-22-3 DIN 522 GALV.	
33	811213-3126	1	SET SCREW STEEL M10-16 - USE 300304028 DIN 933 GALV.	STEEL SET SCREW M10-16
33a	811241-2408	1	WASHER 10,5-30-2,5 - USE 300332043 DIN 9021 GALV.	
34	812750-326X	1	GUARD	GUARD
34a	811219-0603	1	SCREW M8-16 BN 13916 GALV	
35	812114-175X	3	BUSHING	BUSH
36	812750-371X	2	HOLDER	HOLDER
37	813750-369X	1	LADDER	LADDER
37a	811213-4322	4	SET SCREW STEEL M12-30 - USE 300304056 DIN 933 GALV.	
37b	811220-4321	4	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
37c	811241-3403	8	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
38	811393-0100	2	TIP	RUBBER TIP
39	813750-017X	1	GUARD	GUARD
39a	811213-2224	2	SET SCREW STEEL M8-25 - USE 300304155 DIN 933 GALV.	
39b	811220-2321	2	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
39c	811241-1403	2	WASHER 9-16-2,0 DIN 1441 GALV.	
40	811393-0125	2	TIP	PLASTIC TIP

REF	FIGURE NUMBER	FIGURE NAME
001	001	001

003

p1

003




003

REF	PN	QTY	DESCRIPTION	USAGE
1	813750-791X	1	GRINDSTONE	GRINDING DEVICE CPL.
2	812750-755X	1	HANDLE	HANDLE
3	813062-592X	1	HOUSING	HOUSING ASSEMBLED
3a	811214-2224	4	SCREW	
3b	811220-2321	4	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
3c	811313-1101	1	LUBE NIPPLE	
4	812062-594X	1	SPROCKET	SPROCKET WHEEL
4a	811251-4103	1	PIN	
5	812062-593X	1	SPROCKET	SPROCKET WHEEL
6	813062-595X	1	SUPPORT	SUPPORT F/STONE
7	813062-596X	1	DISC	SHARPENING STONE
7a	811213-2222	4	SET SCREW STEEL M8-20 - USE 300304153 DIN 933 GALV.	
8	812062-450X	1	STOP	STOP
8a	811252-3101	2	COTTER PIN	
8b	811254-2101	1	SPRING 4 MM	
9	812062-449X	1	GUARD	GUARD
10	812062-389X	1	STOP	STOP
10a	811252-3102	2	COTTER PIN 4-25 DIN 94 GALV.	
10b	811254-2101	1	SPRING 4 MM	
11	812062-463X	2	PLATE	END PLATE
11a	811219-0263	2	SCREW M10-20 ISO 7380 GALV.	
12	812062-455X	2	GUIDE	GUIDE
13	812062-447X	8	SUPPORT	SUPPORT
13a	811213-3324	2	SET SCREW STEEL M10-35 - USE 300304035 DIN 933 GALV.	
14	812064-135X	2	TIGHTENER	TIGHTENING PIECE
15	811421-2799	1	BEARING HOUSING	FLANGE BEARING
15a	811213-4622	2	SET SCREW STEEL M12-60 DIN 933 GALV.	
15b	811220-4122	2	NUT STEEL M12 - USE 300315003 DIN 934 GALV.	
15c	811313-1101	1	LUBE NIPPLE	
16	811255-4202	2	SNAP RING SNAP 45 MM OUTER - USE 7000515145 - fantom DIN 471	SNAP RING 45 MM OUTER
17	811331-4104	2	BALL BEARING	BALL BEARING 6309

003

p2

003




003

REF	PN	QTY	DESCRIPTION	USAGE
18	813064-059X	2	TIGHTENER	SEAL
18a	811339-5501	2	RING	
19	811421-5702	1	BEARING HOUSING	FLANGE BEARING
19a	811213-4622	2	SET SCREW STEEL M12-60 DIN 933 GALV.	
19b	811220-4122	2	NUT STEEL M12 - USE 300315003 DIN 934 GALV.	
19c	811313-1101	1	LUBE NIPPLE	
20	813064-767X	2	THREADED ROD	READED ROD LEFT
21	813064-766X	2	THREADED ROD	READED ROD RIGHT
22	811255-3201	1	SNAP RING QY-SNAP 30 MM OUTER - USE 300407011 - fantom DIN 471	SNAP RING 30 MM OUTER
23	811331-3311	2	BALL BEARING	BALL BEARING 6206 RS
24	813068-382X	1	BEARING HOUSING	BEARING HOUSING
25	812062-422X	1	DOWEL	DOWEL
25a	811313-1101	1	LUBE NIPPLE	
26	813062-444X	1	SPROCKET	SPROCKET WHEEL 20-TEETH
26a	811251-5404	1	PIN 8-55 - DELTA-coating DIN1481	
27	813064-250X	1	PTO SHAFT	PTO-SHAFT
27a	811214-3122	6	SCREW STEEL M10-45 - USE 71301210450 DIN 931 GALV.	
27b	811241-9981	6	WASHER	
28	812062-718X	2	BUSHING	BUSH
29	811340-9153	1	CROSS	CENTRE CROSS
29a	811340-9153	1	CROSS	
31	813068-386A	4	TINE	THRUST PAD
32	812064-636B	1	BRACKET	BRACKET
32a	811219-0323	2	HEX SOC SCREW	
33	812064-637B	1	BRACKET	BRACKET
33a	811219-0323	2	HEX SOC SCREW	
34	812062-423X	1	WASHER	TENSION WASHER
34a	811213-2222	6	SET SCREW STEEL M8-20 - USE 300304153 DIN 933 GALV.	
34b	811242-2221	6	BELLEVILLE WASHER	
35	811165-0113	1	RUBBER WASHER	WASHER RUBBER
36	812062-433X	1	PULLEY	PULLEY

003

p3

003




003

REF	PN	QTY	DESCRIPTION	USAGE
37	812060-790X	AR3	KNIFE BLADE	KNIFE BLADE, WOLFRAM
38	813060-337X	2	GAUGE	RANGE GAUGE
39	812062-392B	1	SCRAPER	STRIPPER
40	812062-266B	1	SHEAR BAR	SHEARBAR
40a	811214-4425	8	SCREW	
40b	811241-3403	8	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
41	813064-769B	1	ROTOR	ROTOR, 32 KNIVES;OUT ECO35304661; OUT ECO35299199
41	51640788	1	ROTOR	ROTOR, 32 KNIVES;IN ECO35299199
41	813064-754A	1	ROTOR	ROTOR, 24 KNIVES;IN ECO35304661
42	811214-5333	64	BOLT	STEEL SCREW M18-80 10.9
42a	811220-6119	1	NUT	
43	812064-096X	32	KNIFE BLADE	KNIFE BLADE
44	812064-732X	32	KNIFE	SUPPORT
46	813750-999B	1	SHAFT	SHAFT; (Prod Date) Before 28 Jul 2020
46	90375144	1	DRIVE SHAFT	(Prod Date) After 29 Jul 2020
46a	811241-5201	3	WASHER 20,0-28-1 DIN 988 GALV.	
47	811338-0157	1	KEY	FLAT KEY A 14-9-80
48	811331-4310	2	BALL BEARING	BALL BEARING 6310 RS1
49	813750-996A	1	BEARING HOUSING	BEARING HOUSING
49a	811214-5422	4	SCREW	
49b	811220-5321	4	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
49c	811313-1101	1	LUBE NIPPLE	
50	812750-302A	1	TUBE	DISTANCE TUBE
51	812750-991X	1	PULLEY	PULLEY
52	811241-9201	3	WASHER	WASHER 51,5-65-1,00
53	812750-689X	1	LOCK WASHER	LOCK WASHER
53a	811213-5422	1	SET SCREW STEEL M16-40 - USE 300304092 DIN 933 GALV.	
54	813064-234A	1	TUBE	TUB
54a	811213-5427	6	SET SCREW STEEL M16-45 Q.10,9 - USE 71309416455 DIN 933 GALV.	

003

p4


003



REF	PN	QTY	DESCRIPTION	USAGE
54b	811220-5323	6	NUT	
54c	811241-4605	12	WASHER 17-34-4 G	
55	812068-204X	32	BRACKET	BRACKET
56	811213-6425	2	BOLT	STEEL SET SCREW M18-45
57	811214-5420	2	SCREW	STEEL SCREW M18-110
58	813062-641X	1	PULLEY	PULLEY


REF	FIGURE NUMBER	FIGURE NAME
001	001	001
016	016	016

004




004

REF	PN	QTY	DESCRIPTION	USAGE
1	812065-774A	1	DISC	FRICTION DISC
1a	811213-4324	1	SET SCREW STEEL M12-35 - USE 300304057 DIN 933 GALV.	
1b	811241-3702	1	WASHER	
2	811338-0111	2	KEY	FLAT KEY 10-8-70
3	812064-215X	1	SHAFT	SHAFT
3a	811255-3202	1	SNAP RING SNAP 35 MM OUTER - USE 200215288 - fantom DIN 471	
4	811331-3306	5	BALL BEARING	BALL BEARING 6207 2RS
5	812063-196X	1	CLAMP	CLAMP
6	813068-789X	1	LEVER	ROCKER BEARING
7	812064-440X	1	SPROCKET	SPROCKET WHEEL 12 TEETH
7a	811251-2401	1	PIN	
7b	811251-5401	1	PIN	
7c	811251-7401	1	PIN	
8	813064-454X	2	SPROCKET	SPROCKET WHEEL 12 TEETH
8a	811213-5721	1	SET SCREW STEEL M16-90 DIN 933 GALV.	
8b	811215-5724	1	SCREW	
8c	811220-5321	3	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
8d	811241-4502	1	WASHER 17-30-3 STEEL Replaces 811241-3504 DIN 125 GALV.	
9	812060-938X	1	BUSHING	BUSH
9a	811241-5201	2	WASHER 20,0-28-1 DIN 988 GALV.	
10	812064-452X	1	SPROCKET	SPROCKET WHEEL 12 TEETH
10a	811255-4102	1	SNAP RING SNAP 47 MM INNER - USE 500053424 - fantom DIN 472	
11	811331-3301	2	BALL BEARING	BALL BEARING 6204 2RS
12	812068-787X	2	ROD	THREADED ROD
12a	811220-6122	1	NUT STEEL M20 - USE 300315009 DIN 934 GALV.	
13	811317-3040	1	HYDRAULIC CYLINDER	CYLINDER
14	813064-328X	1	TIGHTENER	TIGHTENING ANGLE
14a	811220-4122	2	NUT STEEL M12 - USE 300315003 DIN 934 GALV.	
15	812064-212X	1	SHAFT	SHAFT



004


REF	PN	QTY	DESCRIPTION	USAGE
15a	811254-2102	1	PIN QN-FM-5 MM	
15b	811255-3202	4	SNAP RING SNAP 35 MM OUTER - USE 200215288 - fantom DIN 471	
16	811431-7691	1	SPRING	COMPRESSION SPRING
17	812068-788X	1	FOOT	STOP
18	812750-575X	2	BRACKET	BRACKET
18a	811214-4422	6	SCREW STEEL M12-100 - USE 300304051 DIN 931 GALV.	
18b	811220-4321	6	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
18c	811241-3403	6	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
19	812062-671X	3	RING	DISTANCE RING
20	811220-7124	1	NUT	STEEL NUT M30 Q01
20a	811241-7601	1	WASHER 30-56-4 - USE 100331063 DIN 125 GALV.	
21	812068-791X	1	SPINDLE	SPINDLE
22	812066-075X	4	DOWEL	DOWEL
22a	811241-5503	4	WASHER 21.0-42-3.5 ISO 7089 GALV.	
22b	811251-3301	2	PIN 5-40 - DELTA-coating DIN1481	
23	812068-272X	1	FOOT	STOP
23a	811214-3228	1	SET SCREW STEEL SCHREW M10-65 Q 8.8 - USE 300304040 DIN 931 GALV.	
23b	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
23c	811241-2402	1	WASHER 10,5-20-2,0 DIN 125 GALV.	
24	812114-175X	12	BUSHING	BUSH
25	812064-445A	1	SPROCKET	SPROCKET WHEEL 39 TEETH
25a	811213-3225	6	SET SCREW	
25b	811241-9981	6	WASHER	
26	813750-386X	1	GUIDE	BELT GUIDE
26a	811213-4522	1	SET SCREW STEEL M12-50 DIN 933 GALV.	
26b	811220-4322	2	LOCK NUT	
27	811241-8402	1	WASHER SUPPORT 35-45-2,5	SUPPORT WASHER 35-45-2,5



004

REF	PN	QTY	DESCRIPTION	USAGE
28	811340-7141	1	COUPLING	COUPLING
29	812062-647X	1	THRUST WASHER	THRUST WASHER
30	812064-449A	1	SPROCKET	SPROCKET WHEEL 18 TEETH
30a	811241-8202	2	WASHER 36-52-1,5 DIN 522 GALV.	
30b	811254-3201	1	PIN SECU8 MM	
31	812064-450A	AR1	SPROCKET	SPROCKET WHEEL 25 TEETH
31a	811241-8202	2	WASHER 36-52-1,5 DIN 522 GALV.	
31b	811254-3201	1	PIN SECU8 MM	
32	812064-451A	1	SPROCKET	SPROCKET WHEEL 30-TEETH
33	812064-448X	AR1	SPROCKET	SPROCKET WHEEL 14 TEETH
34	812064-441X	1	TOOTH	PROCKET WHEEL 16 TEETH
34a	811251-2401	1	PIN	
34b	811251-5401	1	PIN	
34c	811251-7401	1	PIN	
35	812064-456X	1	SPROCKET	SPROCKET WHEEL 16/18 TEETH
35a	811251-2601	1	PIN 4-70 - DELTA-coating DIN1481	
35b	811251-5601	1	PIN	
35c	811251-7601	1	PIN	
36	811421-6483	2	BEARING HALF	HALF OF BEARING HOUSING
36a	811213-1126	4	SET SCREW	
36b	811215-5422	2	SCREW	
36c	811220-1323	4	NUT NYLOC M6 - USE 300316026 DIN 985 GALV.	
36d	811220-5321	2	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
36e	811241-1207	4	WASHER 6,4-12-1,6 - USE 300332038 DIN 125 GALV.	
36f	811241-4502	4	WASHER 17-30-3 STEEL Replaces 811241-3504 DIN 125 GALV.	
36g	811313-1101	1	LUBE NIPPLE	
37	811331-7503	2	BALL BEARING	BALL BEARING GRAE-NPPB 35
38	811421-4492	2	BEARING HALF	HALF OF BEARING HOUSING
39	812064-236X	1	SHAFT	SHAFT
39a	811255-3202	1	SNAP RING SNAP 35 MM OUTER - USE 200215288 - fantom DIN 471	
40	811317-9538	1	GASKET	SET OF GASKETS F. 1317-3040/42
41	812062-416X	1	BRACKET	BRACKET

004



004


REF	PN	QTY	DESCRIPTION	USAGE
41a	811214-4126	4	SCREW STEEL M12-45 - USE 300304059 DIN 931 GALV.	
41b	811220-4321	4	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
41c	811241-3403	4	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
42	813064-458X	1	TOOTH	PROCKET WHEEL 12-TEETH
42a	811215-5724	1	SCREW	
42b	811220-5321	1	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
42c	811241-4304	1	WASHER	
42d	811241-4502	2	WASHER 17-30-3 STEEL Replaces 811241-3504 DIN 125 GALV.	
43	812064-457X	1	SPROCKET	SPROCKET WHEEL 12-TEETH
43a	811255-4102	1	SNAP RING SNAP 47 MM INNER - USE 500053424 - fantom DIN 472	
44	812068-271X	1	BUSHING	BUSH
45	813064-455X	1	SPROCKET	SPROCKET WHEEL 14 TEETH
45a	811214-5328	1	SET SCREW STEEL M16-90 - USE 300304097 DIN 931 GALV.	
45b	811220-4321	1	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
45c	811241-4403	4	WASHER 17,5-35-2 DIN 522 GALV.	
46	812064-453X	1	SPROCKET	SPROCKET WHEEL 14 TEETH

REF	FIGURE NUMBER	FIGURE NAME
001	001	001
016	016	016

005

p1

005




005

REF	PN	QTY	DESCRIPTION	USAGE
1	812750-964X	1	PLATE	FISH PLATE
2	811432-5695	2	SPRING	TENSION SPRING DM48 T9
3	811250-3601	1	BOLT	COTTER BOLT B20 H11-60
3a	811254-2102	1	PIN QN-FM-5 MM	
4	812221-137X	1	NUT	NUT
5	812062-374X	1	DOWEL	DOWEL
5a	811251-5603	2	PIN 8,0-70 - DELTA-coating DIN1481	
6	812060-694A	1	BUSHING	BUSH
6a	811251-4302	1	PIN	
6b	811251-6302	1	PIN	
7	813750-760A	1	STUD	SCREW
7a	811254-2101	1	SPRING 4 MM	
9	812068-914X	1	DOWEL	DOWEL
9a	811241-4403	2	WASHER 17,5-35-2 DIN 522 GALV.	
9b	811241-4503	2	WASHER 17,5-35-3 DIN 522 GALV.	
9c	811252-5299	2	COTTER PIN	
10	812068-913X	1	FOOT	STOP
11	812065-375X	1	DOWEL	DOWEL
11a	811254-2101	2	SPRING 4 MM	
12	813062-504X	1	ROCKER ARM	ROCKER ARM
12a	811251-5504	1	PIN 8-65 - DELTA-coating DIN1481	
13	812010-187A	1	DOWEL	DOWEL
13a	811252-4202	2	COTTER PIN	
14	811317-3017	1	HYDRAULIC CYLINDER	CYLINDER
14a	811317-9547	1	NOZZLE	
15	811317-9850	1	GASKET	SET OF GASKETS
16	812063-546X	1	BRACKET	BRACKET
17	812064-459X	1	SPROCKET	SPROCKET WHEEL
17a	811251-2401	1	PIN	
17b	811251-5401	1	PIN	
17c	811251-7401	1	PIN	
18	811421-5898	4	BEARING HOUSING	HALF OF BEARING HOUSING
18a	811213-3322	3	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
18b	811220-3321	3	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	

005

p2

005




005

REF	PN	QTY	DESCRIPTION	USAGE
18c	811241-2402	3	WASHER 10,5-20-2,0 DIN 125 GALV.	
19	811331-3306	3	BALL BEARING	BALL BEARING 6207 2RS
20	811421-7492	1	BEARING HOUSING	HALF OF BEARING HOUSING
20a	811219-0301	5	SCREW	
20b	811313-2101	1	LUBE NIPPLE	
21	811331-9905	2	BALL BEARING	BALL BEARING
22	811421-4494	2	SPH ROLLER BEARING	HALF OF BEARING HOUSING
23	812065-310X	2	SHARE	FILLER
24	812065-147X	2	WASHER	SPRING WASHER
25	813064-274X	1	ROLLER	ROLLER
25a	811241-8909	4	WASHER 35-45-1.0 DIN 988 BLACK	
25b	811241-8913	10	WASHER 35-45-2,5 DIN 988 GALV.	
26	811421-7493	1	BEARING HOUSING	HALF OF BEARING HOUSING
26a	811219-0301	5	SCREW	
26b	811313-2101	1	LUBE NIPPLE	
27	812064-442X	1	SPROCKET	SPROCKET WHEEL 21 TEETH
27a	811251-2401	1	PIN	
27b	811251-5401	1	PIN	
27c	811251-7401	1	PIN	
28	813068-375X	1	ARM	ROCKER ARM, RIGHT
28a	811213-3324	1	SET SCREW STEEL M10-35 - USE 300304035 DIN 933 GALV.	
28b	811220-3122	2	NUT STEEL M10 - USE 300315001 DIN 934 GALV.	
28c	811251-5203	1	PIN	
29	811421-4392	1	BEARING HALF	HALF OF BEARING HOUSING
29a	811213-2222	3	SET SCREW STEEL M8-20 - USE 300304153 DIN 933 GALV.	
29b	811220-2321	3	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
29c	811313-2101	1	LUBE NIPPLE	
30	811331-3303	1	BALL BEARING	BALL BEARING 6206 2RS
31	813064-062X	1	BEARING HALF	HALF OF BEARING HOUSING
31a	811213-2222	3	SET SCREW STEEL M8-20 - USE 300304153 DIN 933 GALV.	
31b	811220-2321	3	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	

005

p3

005




005

REF	PN	QTY	DESCRIPTION	USAGE
31c	811313-2101	1	LUBE NIPPLE	
32	813062-291X	1	ROLLER	ROLLER
32a	811255-3202	1	SNAP RING SNAP 35 MM OUTER - USE 200215288 - fantom DIN 471	
33	813064-042X	1	SPH ROLLER BEARING	BEARING HOUSING
33a	811213-2222	3	SET SCREW STEEL M8-20 - USE 300304153 DIN 933 GALV.	
33b	811220-2321	3	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
33c	811313-2101	1	LUBE NIPPLE	
34	811421-4895	1	BEARING HALF	BEARING HALF
34a	811213-2222	3	SET SCREW STEEL M8-20 - USE 300304153 DIN 933 GALV.	
34b	811220-2321	3	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
34c	811313-2101	1	LUBE NIPPLE	
35	813068-374X	1	ARM	ROCKER ARM, LEFT
35a	811213-3324	1	SET SCREW STEEL M10-35 - USE 300304035 DIN 933 GALV.	
35b	811220-3122	2	NUT STEEL M10 - USE 300315001 DIN 934 GALV.	
35c	811251-5203	1	PIN	
36	812064-443X	1	SPROCKET	SPROCKET WHEEL 30 TEETH
36a	811251-2401	1	PIN	
36b	811251-5401	1	PIN	
36c	811251-7401	1	PIN	
37	811432-4596	2	SPRING	TENSION SPRING
38	813068-377X	1	TUBE	CROSS TUBE
38a	811213-3322	4	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
38b	811220-3321	4	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
38c	811241-2402	4	WASHER 10,5-20-2,0 DIN 125 GALV.	
39	812062-672X	1	TUBE	TUBE
39a	811214-3226	1	SET SCREW STEEL M10-60 - USE 300304197 DIN 931 GALV.	
39b	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	

005

p4


005



REF	PN	QTY	DESCRIPTION	USAGE
40	811343-0406	1	BAR	SPANNER NV 27
41	812060-619X	2	DOWEL	DOWEL
41a	811254-2102	1	PIN QN-FM-5 MM	
42	811392-0506	2	EYEBOLT	EYE SCREW M10-70 GALV
42a	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
42b	811241-2402	1	WASHER 10,5-20-2,0 DIN 125 GALV.	

REF	FIGURE NUMBER	FIGURE NAME
001	001	001
003	003	003
016	016	016


006



006

REF	PN	QTY	DESCRIPTION	USAGE
1	812068-380A	1	ARM	LEVER ARM, LEFT
1a	811213-3322	5	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
1b	811220-3321	5	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
3	812064-361X	2	PLATE	STRIKER PLATE
4	813064-302B	1	SIDE PLATE	SIDEPBOARD, RIGHT
4a	811219-0307	2	SCREW M12-30	
4b	811220-4321	2	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
4c	811241-3403	2	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
5	813062-721X	1	PLATE	BOTTOM PLATE
5a	811213-4322	4	SET SCREW STEEL M12-30 - USE 300304056 DIN 933 GALV.	
5b	811220-4321	4	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
5c	811241-3403	4	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
6	813064-304B	1	SIDE PLATE	SIDE PLATE, LEFT
6a	811219-0307	2	SCREW M12-30	
6b	811220-4321	2	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
6c	811241-3403	2	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
7	813064-455X	2	SPROCKET	SPROCKET WHEEL 14 TEETH
7a	811215-5824	1	SCREW	
7b	811220-5321	1	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
7c	811241-4503	6	WASHER 17,5-35-3 DIN 522 GALV.	
8	812060-938X	1	BUSHING	BUSH
8a	811241-5201	2	WASHER 20,0-28-1 DIN 988 GALV.	
9	812064-453X	1	SPROCKET	SPROCKET WHEEL 14 TEETH
9a	811255-4102	1	SNAP RING SNAP 47 MM INNER - USE 500053424 - fantom DIN 472	
10	811331-3301	2	BALL BEARING	BALL BEARING 6204 2RS
11	812065-433X	1	TIGHTENER	TIGHTENER


006



006

REF	PN	QTY	DESCRIPTION	USAGE
11a	811213-4722	1	SET SCREW STEEL M12-80 DIN 933 GALV.	
11b	811220-4122	1	NUT STEEL M12 - USE 300315003 DIN 934 GALV.	
12	812064-460X	1	SPROCKET	SPROCKET WHEEL, 25-TEETH
12a	811251-2401	1	PIN	
12b	811251-5401	1	PIN	
12c	811251-7401	1	PIN	
13	813064-288B	1	TUBE	CROSS TUBE
13a	811213-5322	4	SET SCREW STEEL M16-30 - USE 300304208 DIN 933 GALV.	
14	811331-7408	2	BALL BEARING Ball, 40mm ID x 80mm OD x 56.5mm W	BALL BEARING GE 40 KRRB CC
15	812068-381A	1	ARM	LEVER ARM, RIGHT
15a	811213-3322	5	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
15b	811220-3321	5	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
16	811432-5693	2	TENSION SPRING	TENSION SPRING
17	811392-0507	2	EYEBOLT M10-110 GALV	EYE BOLT M10 GALV
17a	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
17b	811241-2402	1	WASHER 10,5-20-2,0 DIN 125 GALV.	
18	811331-7503	2	BALL BEARING	BALL BEARING GRAE-NPPB 35
19	811421-7498	4	BEARING HALF	HALF OF BEARING HOUSING
19a	811313-1101	1	LUBE NIPPLE	
20	813065-988X	2	BEARING HALF	HALF OF BEARING HOUSING
21	813062-287X	1	ROLLER	ROLLER
21a	811241-8202	6	WASHER 36-52-1,5 DIN 522 GALV.	
21b	811255-3202	1	SNAP RING SNAP 35 MM OUTER - USE 200215288 - fantom DIN 471	
22	811421-7491	2	BEARING HOUSING	HALF OF BEARING HOUSING
23	813062-296X	2	BEARING HALF	HALF OF BEARING HOUSING
24	813062-313A	2	SEAL	SEALING PLATE
24a	811220-3321	6	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
25	813062-298B	1	ROLLER	ROLLER

006



006


REF	PN	QTY	DESCRIPTION	USAGE
26	812064-447X	1	SPROCKET	SPROCKET WHEEL 40 TEETH
26a	811251-2401	1	PIN	
26b	811251-5401	1	PIN	
26c	811251-7401	1	PIN	
27	811393-0183	2	RUBBER BUSHING	RUBBER BUFFER
27a	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
27b	811241-2402	1	WASHER 10,5-20-2,0 DIN 125 GALV.	

REF	FIGURE NUMBER	FIGURE NAME
003	003	003

007

p1


007



007

REF	PN	QTY	DESCRIPTION	USAGE
1	812750-462X	1	PLATE	TOP PLATE
1a	811213-3224	4	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
1b	811220-3321	4	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
1c	811241-2502	4	WASHER 10,5-22-3 DIN 522 GALV.	
4	812064-193X	1	TIGHTENER	TIGHTENING
4a	811213-2126	2	SET SCREW STEEL M8-15 - USE 300304152 DIN 933 GALV.	
4b	811220-2321	2	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
4c	811241-1502	2	WASHER 8,5-30-3 DIN 522 GALV.	
5	812750-460X	1	BOTTOM	BOTTOM, RIGHT
5a	811215-3228	8	SCREW M10-20 Q 8,8 - USE 300304164 DIN 603 GALV.	
5b	811220-3321	8	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
5c	811241-3403	8	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
6	812750-406X	1	STRIPPER	STRIPPER, RIGHT
7	812065-224X	1	DEFLECTOR	DEFLECTOR
8	812064-495X	1	BOARD	SIDEBOARD, RIGHT
8a	811215-2222	3	CARRIAGE BOLT M8-20 - USE 300304190 DIN 603 GALV.	
8b	811220-2321	3	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
8c	811241-1202	3	WASHER 8,4-16-1,6 DIN 125-A8,4 ST. GALV VERZ. GELB CHROM GALV.	
9	812750-419X	1	TUBE	TUB
10	812750-405X	1	STRIPPER	STRIPPER, LEFT
10a	811215-3228	8	SCREW M10-20 Q 8,8 - USE 300304164 DIN 603 GALV.	
10b	811220-3122	8	NUT STEEL M10 - USE 300315001 DIN 934 GALV.	
10c	811241-2308	8	WASHER 11,5-23-1,5 DIN 522 GALV.	
10d	811242-3221	8	WASHER M10 DIN 7980 GALV.	
11	812750-461X	1	BOTTOM	BOTTOM, LEFT


007



007

REF	PN	QTY	DESCRIPTION	USAGE
11a	811215-3228	8	SCREW M10-20 Q 8,8 - USE 300304164 DIN 603 GALV.	
11b	811220-3321	8	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
11c	811241-3403	8	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
12	812065-225X	1	DEFLECTOR	DEFLECTOR
13	812064-496X	1	SIDE PLATE	SIDE PLATE, LEFT
13a	811215-2222	3	CARRIAGE BOLT M8-20 - USE 300304190 DIN 603 GALV.	
13b	811220-2321	3	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
13c	811241-1202	3	WASHER 8,4-16-1,6 DIN 125-A8,4 ST. GALV VERZ. GELB CHROM GALV.	
14	812750-402X	1	PLATE	MIDDLE PIECE
14a	811213-2222	9	SET SCREW STEEL M8-20 - USE 300304153 DIN 933 GALV.	
14b	811220-2321	9	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
14c	811241-1202	18	WASHER 8,4-16-1,6 DIN 125-A8,4 ST. GALV VERZ. GELB CHROM GALV.	
15	812062-753X	1	BRACKET	BRACKET
16	813062-757X	1	STOP	STOP
16a	811220-5122	1	NUT STEEL M16 - USE 300315006 DIN 934 GALV.	
17	813062-550X	1	TUBE	BEARING TUBE
17a	811213-5324	2	SET SCREW STEEL M16-35 - USE 300304081 DIN 933 GALV.	
17b	811213-5424	2	SET SCREW QY-Sruba M16-45 =300304093 - fantom / STEEL M16-45 - USE 300304093 DIN 933 GALV.	
17c	811220-5321	4	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
18	813064-180A	1	SIDE PLATE	SIDE PLATE. RIGHT
18a	811213-5224	6	SET SCREW STEEL M16-25 - USE 300304091 DIN 933 GALV.	


007



007

REF	PN	QTY	DESCRIPTION	USAGE
18b	811220-3924	2	NUT M10 3.8.6.2 A2	
18c	811242-5421	8	WASHER	
19	813750-400C	1	FRAME	FRAME
19a	811220-3321	12	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
19b	811241-2308	24	WASHER 11,5-23-1,5 DIN 522 GALV.	
20	813065-865X	1	TUBE	BEARING TUBE
20a	811313-2101	1	LUBE NIPPLE	
21	813064-175B	1	SIDE PLATE	SIDE PLATE, LEFT
21a	811213-5324	6	SET SCREW STEEL M16-35 - USE 300304081 DIN 933 GALV.	
21b	811220-3924	2	NUT M10 3.8.6.2 A2	
21c	811242-5421	4	WASHER	
22	813750-857X	1	WHEEL	WHEEL HOLDER, LEFT
23	813750-422A	1	GUARD	GUARD HOLDER
24	812750-421X	1	GUARD	GUARD
24a	811213-3222	2	SET SCREW STEEL M10-20 - USE 300304031 DIN 933 GALV.	
24b	811241-2308	2	WASHER 11,5-23-1,5 DIN 522 GALV.	
27	812064-191X	1	FOOT	STOP
27a	811213-5424	1	SET SCREW QY-Sruba M16-45 =300304093 - fantom / STEEL M16-45 - USE 300304093 DIN 933 GALV.	
27b	811242-5421	1	WASHER	
28	813750-856X	1	WHEEL	WHEEL HOLDER, RIGHT
29	812062-668X	1	SUPPORT	SUPPORT
29a	811213-3324	2	SET SCREW STEEL M10-35 - USE 300304035 DIN 933 GALV.	
29b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
29c	811241-2308	4	WASHER 11,5-23-1,5 DIN 522 GALV.	
30	811214-5626	2	SCREW STEEL M16-220 - USE 200215449 DIN 931 GALV.	STEEL SCREW M16-220
30a	811220-5321	1	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
31	813060-940X	2	WHEEL	WHEEL

007




007

REF	PN	QTY	DESCRIPTION	USAGE
32	811323-2105	1	RIM	RIM 4,50-6
32a	811213-3224	8	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
32b	811220-3122	8	NUT STEEL M10 - USE 300315001 DIN 934 GALV.	
32c	811242-3221	8	WASHER M10 DIN 7980 GALV.	
33	811323-9396	2	LINING	LINING
34	811331-3302	2	BALL BEARING	BALL BEARING
35	811325-9028	1	TUBE	DISTANCE TUBE
36	812062-754X	1	FORK	FORK
37	811323-9073	2	WASHER	TIGHTENING WASHER
38	811322-1104	1	TUBE	TUBE
39	811321-1308	1	TYRE/TIRE	TYRE 140-6/6 PLY
40	812064-174X	1	PLATE	UPPER PLATE
40a	811215-3222	17	SCREW M10-20 H-3 8.8 - USE 7000552510 DIN 603 GALV. - fantom	
40b	811219-0263	10	SCREW M10-20 ISO 7380 GALV.	
40c	811220-3321	10	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
40d	811220-3922	10	NUT M10 1.8-3.2 cynk.	
40e	811241-2308	17	WASHER 11,5-23-1,5 DIN 522 GALV.	
40f	811241-2502	10	WASHER 10,5-22-3 DIN 522 GALV.	
41	811214-5424	1	SCREW	STEEL SCREW M16-110
42	813064-455X	2	SPROCKET	SPROCKET WHEEL 14 TEETH; (SN Break) Before 3020102041
43	812060-938X	1	BUSHING	BUSH
44	812064-453X	1	SPROCKET	SPROCKET WHEEL 14 TEETH; (SN Break) Before 3020102041
45	811331-3301	2	BALL BEARING	BALL BEARING 6204 2RS
46	812064-647X	1	FOOT	STOP
46a	811219-0264	1	SCREW	
46b	811219-0812	1	SCREW	
99	813889-187X	1	DECAL	TRANSFER F/PICK-UP

008

p1


008



008

REF	PN	QTY	DESCRIPTION	USAGE
1	812062-533X	1	BUSHING	BUSH
1a	811213-5322	1	SET SCREW STEEL M16-30 - USE 300304208 DIN 933 GALV.	
1b	811220-5321	1	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
2	813064-988X	1	ARM	LEVER ARM
2a	811213-3322	4	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
2b	811220-3321	4	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
3	811421-6491	2	BEARING HALF	HALF OF BEARING HOUSING
4	811331-7503	2	BALL BEARING	BALL BEARING GRAE-NPPB 35
5	812228-275X	2	BEARING HALF	HALF OF BEARING HOUSING
6	813062-218X	2	TIGHTENER	TIGHTENING
6a	811220-3321	6	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
6b	811255-3202	1	SNAP RING SNAP 35 MM OUTER - USE 200215288 - fantom DIN 471	
7	813065-193X	1	SPROCKET	CLUTCH W./SPROCKET WH. ASS.
8	811341-9164	1	FLANGE	FLANGE
8a	811213-3324	3	SET SCREW STEEL M10-35 - USE 300304035 DIN 933 GALV.	
9	811341-9566	2	PLATE	FRICTION PLATE
10	811341-9631	1	RING	RALE
11	811341-9557	1	PLATE	PRESSURE PLATE
12	811341-9591	1	SPRING	DISC SPRING
13	811341-9592	1	SPRING	DISC SPRING
14	811341-9567	1	FLANGE	PRESSURE FLANGE
15	812062-251A	1	SPROCKET	SPROCKET WHEEL 28-TEETH
16	812062-647X	1	THRUST WASHER	THRUST WASHER
16a	811213-4322	1	SET SCREW STEEL M12-30 - USE 300304056 DIN 933 GALV.	
16b	811242-4221	1	WASHER M12 DIN 7980 GALV.	
18	813750-767X	1	SUSPENSION	SUSPENSION, LEFT
18a	811213-3322	4	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	

008




008

REF	PN	QTY	DESCRIPTION	USAGE
18b	811220-3321	4	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
18c	811241-3403	4	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
19	812750-388X	2	FOOT	STOP
19a	811254-2101	2	SPRING 4 MM	
20	813750-768X	1	SUSPENSION	SUSPENSION, RIGHT
20a	811213-3224	4	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
20b	811220-3321	5	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
20c	811241-3403	4	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
21	812062-677X	1	GUARD	GUARD
22	812064-650X	1	SUPPORT	SUPPORTING IRON
22a	811219-0286	2	SCREW	
22b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
24	813062-660X	1	GUARD	GUARD
24a	811213-3222	2	SET SCREW STEEL M10-20 - USE 300304031 DIN 933 GALV.	
24b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
24c	811241-2308	2	WASHER 11,5-23-1,5 DIN 522 GALV.	
25	813750-411X	1	AUGER	AUGER
25a	811241-8202	10	WASHER 36-52-1,5 DIN 522 GALV.	
26	811338-0107	1	KEY	FLAT KEY 10-8-32
27	813750-716X	1	PLATE	FEEDER PLATE
28	812063-553X	2	BUSHING	BUSH
28a	811213-5422	1	SET SCREW STEEL M16-40 - USE 300304092 DIN 933 GALV.	
28b	811220-5321	1	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
28c	811241-4601	1	WASHER 17,5-42-4 DIN 522 GALV.	
33	811399-0204	2	RING	DISTANCE RING
34	812064-987X	1	ARM	LEVER ARM
35	812064-648X	1	ECCENTRIC	EXCENTRIC

008

p3

008



008

REF	PN	QTY	DESCRIPTION	USAGE
36	812064-649X	1	PLATE	TIGHTENING PLATE
36a	811213-3224	2	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	


REF	FIGURE NUMBER	FIGURE NAME
-----	---------------	-------------

016 016 016

009

p1

009




009

REF	PN	QTY	DESCRIPTION	USAGE
1	812062-442X	1	SPROCKET	SPROCKET 36-TEETH
1a	811251-3501	1	PIN 5-60 - DELTA-coating DIN1481	
1b	811251-5503	1	PIN 8-60 - DELTA-coating DIN1481	
1c	811251-7503	1	PIN 13-60 - DELTA-coating DIN1481	
2	811241-8202	6	WASHER 36-52-1,5 DIN 522 GALV.	WASHER 36-52-1,5
3	811254-3203	1	PIN	SECURING PIN 6 MM
7	812062-644X	1	TUBE	DISTANCE TUBE
8	812750-409A	1	SHAFT	SHAFT
9	811241-9403	2	WASHER	WASHER 40-50-2,5
10	811331-4306	2	BALL BEARING	BALL BEARING 6308 RS
11	811255-4201	2	SNAP RING SNAP 40 MM OUTER - USE 7000515140 - fantom DIN 471	SNAP RING 40 MM OUTER
12	813060-956X	AR1	WHEEL	SPROCKET WHEEL 17/22 TEETH
14	812064-449A	AR1	SPROCKET	SPROCKET WHEEL 18 TEETH
15	813064-455X	3	SPROCKET	SPROCKET WHEEL 14 TEETH
15a	811214-5424	1	SCREW	
15b	811220-5321	1	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
15c	811241-4503	5	WASHER 17,5-35-3 DIN 522 GALV.	
16	812060-938X	2	BUSHING	BUSH
17	812064-453X	1	SPROCKET	SPROCKET WHEEL 14 TEETH
18	811331-3301	3	BALL BEARING	BALL BEARING 6204 2RS
19	811255-4102	2	SNAP RING SNAP 47 MM INNER - USE 500053424 - fantom DIN 472	SNAP RING 47 MM INNER
21	812064-186X	1	SUPPORT	SUPPORT
21a	811219-0334	1	SCREW	
21b	811220-5321	1	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
21c	811241-4403	10	WASHER 17,5-35-2 DIN 522 GALV.	
22	811331-3306	2	BALL BEARING	BALL BEARING 6207 2RS
23	813063-221X	1	SPROCKET	SPROCKET WHEEL, 28 TEETH
23a	811213-5324	1	SET SCREW STEEL M16-35 - USE 300304081 DIN 933 GALV.	
23b	811242-5421	1	WASHER	
24	811255-3202	2	SNAP RING SNAP 35 MM OUTER - USE 200215288 - fantom DIN 471	SNAP RING 35 MM OUTER
25	812062-929X	1	TIGHTENER	TIGHTENING PIECE

009

p2

009



009

REF	PN	QTY	DESCRIPTION	USAGE
25a	811213-3522	1	SET SCREW STEEL M10-50 - USE 300304038 DIN 933 GALV.	
25b	811213-3722	1	SCREW	
26	812060-281X	1	TIGHTENER	TIGHTENING PIECE
26a	811220-3122	1	NUT STEEL M10 - USE 300315001 DIN 934 GALV.	
28	811331-4103	1	BALL BEARING	BALL BEARING 6308
34	813065-183X	1	SPROCKET	SPROCKET WHEEL 20-TEETH CPL.
34a	811219-0813	1	SCREW	
34b	811220-5321	1	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
35	813065-169X	1	SPROCKET	SPROCKET WHEEL 20-TEETH
35a	811241-5201	2	WASHER 20,0-28-1 DIN 988 GALV.	
36	813065-170A	1	SPROCKET	SPROCKET WHEEL 20/22 TEETH

REF	FIGURE NUMBER	FIGURE NAME
007	007	007

p1



010


p1

010

REF	PN	QTY	DESCRIPTION	USAGE
1	813064-418X	4	SHAFT	PICK-UP SHAFT
2	813064-417X	1	TUBE	TUBE F/PICK-UP
2a	811251-4501	2	PIN	
2b	811251-6501	2	PIN 10-60 - DELTA-coating DIN1481	
3	812065-647X	2	SPRING	SPRING HOLDER
4	811435-0027	10	TINE	PU TINE
4a	811214-2222	1	SCREW STEEL M8-50 - USE 300304160 DIN 931 GALV.	
4b	811220-2321	1	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
4c	811241-1202	1	WASHER 8,4-16-1,6 DIN 125-A8,4 ST. GALV VERZ. GELB CHROM GALV.	
5	813065-690X	1	ROLLER	ROLLER ASSY.
5a	811220-5222	1	NUT STEEL M16 H 8M/M DIN 439 GALV.	
5b	811255-1202	1	SNAP RING	
6	811435-0026	2	TINE	TINE
6a	811214-2222	1	SCREW STEEL M8-50 - USE 300304160 DIN 931 GALV.	
6b	811220-2321	1	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
6c	811241-1202	1	WASHER 8,4-16-1,6 DIN 125-A8,4 ST. GALV VERZ. GELB CHROM GALV.	
7	811331-9998	1	ROLLER	ROLLER
8	813065-135X	3	BRACKET	LAGER BRACKET
8a	811251-5501	1	PIN	
8b	811251-7501	1	PIN 12-60 - DELTA-coating DIN1481	
9	812065-131X	12	BUSHING	BUSH
10	812065-657X	1	SHAFT	SHAFT
11	813065-415X	1	SIDE PLATE	SIDE PLATE, RIGHT
11a	811213-3224	6	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
11b	811220-3321	6	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
12	813065-411X	1	SIDE PLATE	SIDE PLATE, LEFT

p2

010




010

REF	PN	QTY	DESCRIPTION	USAGE
12a	811213-3224	6	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
12b	811220-3321	6	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
13	813750-854X	1	GUARD	GUARD
13a	811213-3222	2	SET SCREW STEEL M10-20 - USE 300304031 DIN 933 GALV.	
13b	811241-2308	2	WASHER 11,5-23-1,5 DIN 522 GALV.	
14	813750-853X	1	GUARD	GUARD
15	811421-6485	2	BEARING HALF	HALF OF BEARING HOUSING
16	811331-7503	2	BALL BEARING	BALL BEARING GRAE-NPPB 35
17	813065-640X	1	BEARING HOUSING	BEARING HOUSING
17a	811213-5522	2	SET SCREW STEEL M16-50 - USE 300304094 DIN 933 GALV.	
17b	811220-5122	4	NUT STEEL M16 - USE 300315006 DIN 934 GALV.	
17c	811313-1101	1	LUBE NIPPLE	
18	812065-638X	1	TUBE	DISTANCE TUBE
19	812065-408X	1	TUBE	DISTANCE TUBE, LONG
20	813065-404X	1	BEARING HOUSING	BEARING HOUSING, LEFT
20a	811213-5522	2	SET SCREW STEEL M16-50 - USE 300304094 DIN 933 GALV.	
20b	811220-5122	4	NUT STEEL M16 - USE 300315006 DIN 934 GALV.	
20c	811313-1101	1	LUBE NIPPLE	
21	813065-184X	1	SPROCKET	SPROCKET WHEEL
22	811432-1197	1	TENSION SPRING	TENSION SPRING
22a	811213-1126	1	SET SCREW	
22b	811241-1203	2	WASHER 6,5-13-1,2 G DIN 522 GALV.	
22c	811252-4102	1	COTTER PIN 5-25 DIN 94 GALV.	
23	812063-059A	1	PAWL	PAWL
23a	811214-2126	1	SCREW STEEL M8-45 - USE 7000550245 DIN 931 GALV.	
23b	811220-2321	1	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
24	812063-065X	1	SUPPORT	SUPPORT

010

p3


010



010**p3****010**

REF	PN	QTY	DESCRIPTION	USAGE
24a	811214-3122	2	SCREW STEEL M10-45 - USE 71301210450 DIN 931 GALV.	
24b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
25	812063-066X	2	ADJUSTER	FILLER
26	812065-236X	1	HUB	HUB
26a	811251-5402	1	PIN	
26b	811251-7402	1	PIN	
27	813750-772A	1	SPROCKET	SPROCKET WHEEL
27a	811313-1101	1	LUBE NIPPLE	
28	811335-4300	1	SPH ROLLER BEARING	BEARING GLISSA 35-39-50
29	812065-175X	1	RING	DISTANCE RING
32	812064-405X	1	PLATE	GIRDER
32a	811220-3924	8	NUT M10 3.8.6.2 A2	
33	812064-760X	23	STRIPPER	STRIPPER
33a	811219-0603	3	SCREW M8-16 BN 13916 GALV	
34	812063-216X	1	GUARD	GUARD
38	811331-9988	8	TIGHTENER	TIGHTENING RING


REF	FIGURE NUMBER	FIGURE NAME
007	007	007
016	016	016



011

REF	PN	QTY	DESCRIPTION	USAGE
1	813068-363X	1	COVER	CHUTE
1a	811213-3322	2	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
1b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
1c	811241-2402	2	WASHER 10,5-20-2,0 DIN 125 GALV.	
2	813064-970A	1	CHUTE	CHUTE
3	812125-303X	2	STOP	STOP RING
3a	811213-3222	3	SET SCREW STEEL M10-20 - USE 300304031 DIN 933 GALV.	
3b	811241-2502	3	WASHER 10,5-22-3 DIN 522 GALV.	
4	813068-655X	1	CONNECTING BLOCK	CONNECTING PIECE
4a	811220-4321	10	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
4b	811241-3403	10	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
5	813062-606A	1	HANDLE	HANDLE
6	812067-434X	1	SPACER	DISTANCE RAIL
7	812066-093A	1	CLAMP	LOCK FOR CHAIN
7a	811213-4424	2	SET SCREW STEEL M12-45 - USE 300304048 DIN 933 GALV.	
7b	811220-4321	2	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
7c	811241-3403	2	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
8	811363-0259	1	CHAIN	ROLLER CHAIN 75 LINK
8a	811363-9044	1	JOINT	
8b	811363-9046	1	CHAIN LINK	
9	813064-373A	1	HOUSING	HOUSING
9a	811214-5224	2	SET SCREW STEEL M16-55 DIN 931 GALV.	
9b	811220-5321	2	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
10	812125-546X	2	BUSHING	BUSH
11	813064-411X	3	CLAMP	LOCK CLAMP
12	812125-264X	1	HANDLE	HANDLE
12a	811214-2122	1	SCREW STEEL M8-35 - USE 7000550235 DIN 931 GALV.	


011



011

REF	PN	QTY	DESCRIPTION	USAGE
12b	811220-2321	1	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
13	812125-267X	1	DOWEL	DOWEL
14	812060-230X	1	RING	HOOP
14a	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
14b	811434-0101	8	SPRING	
15	813064-160X	1	ROD	STOP ROD
15a	811241-2202	1	WASHER 12-15-1.5 DIN 522 GALV.	
15b	811241-3403	3	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
15c	811254-2101	1	SPRING 4 MM	
16	813064-161X	1	ROD	STOP ROD
16a	811220-4322	2	LOCK NUT	
16b	811241-2202	4	WASHER 12-15-1.5 DIN 522 GALV.	
17	812064-927X	1	COVER	COVER
17a	811220-2321	2	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
17b	811241-1202	2	WASHER 8,4-16-1,6 DIN 125-A8,4 ST. GALV VERZ. GELB CHROM GALV.	
18	812068-699X	1	GUARD	COVER PLATE
18a	811219-0603	4	SCREW M8-16 BN 13916 GALV	
19	812068-698X	1	BRACKET	BRACKET
19a	811213-4322	2	SET SCREW STEEL M12-30 - USE 300304056 DIN 933 GALV.	
19b	811214-5321	2	SCREW STEEL M16-70 8.8 G DIN 931 GALV.	
19c	811241-3403	2	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
19d	811241-4503	2	WASHER 17,5-35-3 DIN 522 GALV.	
20	813068-696X	1	PLATE	TIGHTENING BRACKET
21	813068-691X	1	BRACKET	BRACKET FOR MOTOR
21a	811213-4324	3	SET SCREW STEEL M12-35 - USE 300304057 DIN 933 GALV.	
21b	811220-4321	3	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
21c	811220-4924	2	NUT	


011



011


REF	PN	QTY	DESCRIPTION	USAGE
21d	811241-3403	6	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
22	813225-564X	2	SPROCKET	SPROCKET WHEEL 14 TEETH
22a	811214-5321	1	SCREW STEEL M16-70 8.8 G DIN 931 GALV.	
22b	811241-4503	4	WASHER 17,5-35-3 DIN 522 GALV.	
23	812111-769X	1	TOOTH	BEVEL GEAR 10 TEETH
23a	811213-2126	1	SET SCREW STEEL M8-15 - USE 300304152 DIN 933 GALV.	
23b	811241-1502	1	WASHER 8,5-30-3 DIN 522 GALV.	
24	812060-985X	1	THRUST RING	THRUST RING
25	813701-952X	1	MOTOR-PUMP	MOTOR
26	813068-694X	1	BRACKET	TIGHTENING BRACKET
26a	811213-4622	2	SET SCREW STEEL M12-60 DIN 933 GALV.	
26b	811214-4126	2	SCREW STEEL M12-45 - USE 300304059 DIN 931 GALV.	
26c	811220-4122	2	NUT STEEL M12 - USE 300315003 DIN 934 GALV.	
26d	811241-3403	2	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
27	813064-821X	1	BRACKET	BRACKET
27a	811215-3226	6	SCREW M10-25 Q 8,8 - USE 7000601587 DIN 603 GALV.	
27b	811220-3321	6	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
27c	811241-2402	6	WASHER 10,5-20-2,0 DIN 125 GALV.	
28	811317-3039	1	HYDRAULIC CYLINDER	CYLINDER
28a	811214-5324	2	SCREW STEEL M16-75 DIN 931 GALV.	
28b	811220-5321	2	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
28c	811241-4502	4	WASHER 17-30-3 STEEL Replaces 811241-3504 DIN 125 GALV.	
29	812750-372X	2	SPACER	DISTANCE PIECE
29a	811213-2224	1	SET SCREW STEEL M8-25 - USE 300304155 DIN 933 GALV.	

011




011

REF	PN	QTY	DESCRIPTION	USAGE
29b	811213-4224	1	SET SCREW STEEL M12-25 - USE 300304055 DIN 933 GALV.	
29c	811220-2321	1	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
29d	811220-4321	1	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
30	813062-454X	1	GUARD	GUARD
30a	811213-3322	2	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
30b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
30c	811241-2402	4	WASHER 10,5-20-2,0 DIN 125 GALV.	
31	811399-0237	1	HANDLE	HANDLE
31a	811216-1126	2	SCREW	
31b	811220-1323	2	NUT NYLOC M6 - USE 300316026 DIN 985 GALV.	
31c	811241-1206	2	WASHER 6,4-18-1,6 - USE 300332052 DIN 9021 GALV.	
32	811393-0131	1	HOSE PROTECTION	PLASTIC MOULDING
33	812080-469X	2	BUSHING	BUSH
34	812064-978X	1	WEAR PLATE	WEAR PLATE UPPER
34a	811215-3222	9	SCREW M10-20 H-3 8.8 - USE 7000552510 DIN 603 GALV. - fantom	
34b	811220-3321	9	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
34c	811241-2402	9	WASHER 10,5-20-2,0 DIN 125 GALV.	
35	812064-979X	3	WEAR PLATE	WEAR PLATE LOWEST
35a	811215-3222	5	SCREW M10-20 H-3 8.8 - USE 7000552510 DIN 603 GALV. - fantom	
35b	811220-3321	5	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
35c	811241-2402	5	WASHER 10,5-20-2,0 DIN 125 GALV.	
36	811317-9537	1	GASKET KIT	SET OF GASKETS F. 1317-3039
37	812068-682X	1	SUPPORT	BRACKET
38	811311-8537	3	BRACKET	SUPPORT FOR TUBE
39	811311-8600	3	PLATE	TOP PLATE
39a	811214-1124	1	SET SCREW STEEL M6-35 GALV. DIN 931 GALV.	




REF	PN	QTY	DESCRIPTION	USAGE
-----	----	-----	-------------	-------

39b	811214-1222	1	SCREW
39c	811220-1323	1	NUT NYLOC M6 - USE 300316026 DIN 985 GALV.
39d	811241-1207	1	WASHER 6,4-12-1,6 - USE 300332038 DIN 125 GALV.




012

REF	PN	QTY	DESCRIPTION	USAGE
1	812750-008X	1	BRACKET	MOUNTING BRACKET
1a	811213-2224	4	SET SCREW STEEL M8-25 - USE 300304155 DIN 933 GALV.	
1b	811213-3224	4	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
1c	811220-2321	4	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
1d	811220-3321	4	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
1e	811241-1403	4	WASHER 9-16-2,0 DIN 1441 GALV.	
1f	811241-2402	4	WASHER 10,5-20-2,0 DIN 125 GALV.	
3	811391-9080	1	RING	MOUNTING F. STEERING
5	811391-0983	1	BOX	CONTROL BOX FCT W. PLUG
6	811391-9089	1	STEERING BOX	STEERING BOX F. 1391-0983
7	811391-9090	1	PLATE	BOX F. 1391-0983
8	811391-9085	1	SWITCH	SWITCH MOM-OFF-ON
8a	812068-922X	1	COVER	
9	811391-9083	1	SWITCH	SWITCH MOM-OFF-MOM
9a	812068-932X	1	COVER	
10	811391-9088	1	JOYSTICK	JOYSTICK W. BUTTON
11	811317-9545	2	CLUTCH	NOZZLE
12	811311-8600	2	PLATE	TOP PLATE
12a	811213-2422	1	SET SCREW STEEL M8-40	
12b	811220-2321	1	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
12c	811241-1403	1	WASHER 9-16-2,0 DIN 1441 GALV.	
13	811311-8502	2	COUPLING	STRAIGHT COUPLING
14	811311-8603	11	COUPLING	ANGLE COUPLING
15	811391-9098	1	CABLE	CABLE
17	811311-2304	3	NIPPLE	NIPPLE
18	811311-8538	5	GASKET	GASKET
20	811311-8550	2	LUBE NIPPLE	NIPPLE
22	811311-8406	3	TEE	T-PIECE
23	811311-8562	2	PLUG	PLUG
24	811311-8610	1	TUBE	SUPPORT FOR TUBE
24a	811214-2224	1	SCREW	




012

REF	PN	QTY	DESCRIPTION	USAGE
24b	811220-2321	1	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
24c	811241-1403	1	WASHER 9-16-2,0 DIN 1441 GALV.	
25	811311-8543	2	BRACKET	SUPPORT FOR TUBE
25a	811214-2320	1	SCREW	
25b	811220-2321	1	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
25c	811241-1403	1	WASHER 9-16-2,0 DIN 1441 GALV.	
26	811317-0302	4	COUPLING	CONNECTION F/QUICK-COUPLING
27	811393-0139	2	CAP	PROTECTION CAP RED
28	811393-0140	2	CAP	PROTECTION CAP BLUE
29	811317-0757	1	VALVE	NON-RETURN VALVE
30	811311-8539	4	WASHER	GASKET
31	811317-1048	1	HYDRAULIC VALVE	VALVE BLOCK - NON MD
31a	811213-1120	4	SET SCREW	
31b	811242-1221	4	WASHER M6 DIN 7980 GALV.	
33	811311-1409	2	PIPE COUPLING	PIPE COUPLING
34	811311-8603	4	COUPLING	ANGLE COUPLING
35	811311-8535	2	PIPE	PIPE STUB
36	811311-8533	1	VALVE	BALL TAP
37	812750-774X	2	PIPE	OIL PIPING
38	811311-8595	2	HYD CONNECTOR	SCREWED CONNECTION
39	811311-2609	2	HYD CONNECTOR	SCREWED CONNECTION
40	811317-0313	1	HOSE	HYDRAULIC HOSE L=5880
41	811317-0313	1	HOSE	HYDRAULIC HOSE L=5880
42	811317-0324	1	HOSE	HYDRAULIC HOSE L=4200
43	811317-0324	1	HOSE	HYDRAULIC HOSE L=4200
44	811317-0447	1	HOSE	HYDRAULIC HOSE L=3000
45	811317-0447	1	HOSE	HYDRAULIC HOSE L=3000
46	811317-0447	1	HOSE	HYDRAULIC HOSE L=3000
47	811317-0434	1	HOSE	HYDRAULIC HOSE L=350
48	811317-0434	1	HOSE	HYDRAULIC HOSE L=350
49	811317-0849	1	HYDRAULIC HOSE	HYDRAULIC HOSE L=2860
50	811317-0849	1	HYDRAULIC HOSE	HYDRAULIC HOSE L=2860
51	811317-0869	1	HOSE	HYDRAULIC HOSE L=450
52	811317-0869	1	HOSE	HYDRAULIC HOSE L=450



012


REF	PN	QTY	DESCRIPTION	USAGE
53	811317-0896	1	HYDRAULIC HOSE	HYDRAULIC HOSE L=740
54	811317-0310	1	HOSE	HYDRAULIC HOSE L=4650
55	811317-5053	1	HOSE	HYDRAULIC HOSE L=5300
56	811317-0348	1	HOSE	HYDRAULIC HOSE L=1600
57	811317-0348	1	HOSE	HYDRAULIC HOSE L=1600
58	811317-0348	1	HOSE	HYDRAULIC HOSE L=1600
59	811317-0339	1	HOSE	HYDRAULIC HOSE L=5500
60	811317-0339	1	HOSE	HYDRAULIC HOSE L=5500
61	811317-0349	1	HOSE	HYDRAULIC HOSE L=5500
62	811317-0349	1	HOSE	HYDRAULIC HOSE L=5500
63	811317-0304	1	COUPLING	QUICK CLUTCH 1/2
63a	811216-1156	1	SCREW M5-15 DIN 7985 GALV.	
63b	811220-1322	1	NUT NYLOC M5 - USE 300316025 DIN 985 GALV.	
63c	811241-1206	1	WASHER 6,4-18-1,6 - USE 300332052 DIN 9021 GALV.	
64	811311-8508	1	HYD CONNECTOR	SCREWED CONNECTION
65	811317-0800	1	HOSE	HYDRAULIC HOSE L=6850
66	811317-0435	1	HYDRAULIC HOSE	HYDRAULIC HOSE L=1100
70	811317-1019	1	VALVE	VALVE BLOCK
72	811317-9490	1	COIL	MAGNET COIL
72a	811317-9491	1	O-RING	
73	811317-0958	5	VALVE	CYLINDERMODULE - L10
73a	811317-9491	2	O-RING	
74	811317-9489	1	PLATE	ENDPLATE
75	811317-9485	1	COIL	MAGNET COIL
76	811317-1057	1	VALVE	BY-PASS VALVE
76a	811317-9491	2	O-RING	
77	811317-1058	1	SET OF SCREWS	BOLT KIT BW05 L=244X6
77a	811220-2922	1	NUT	
78	811317-1051	1	SET OF SCREWS	SET OF BOLTS L = 104
78a	811220-2922	1	NUT	
79	811317-1021	1	SPACER	DISTANCE PIECE
80	811311-8534	11	SCREW	SCREWED CONNECTION
81	811317-0961	1	LOCK	BOGIELOCKMODULE SINGLEAC - L10



012

REF	PN	QTY	DESCRIPTION	USAGE
81a	811317-9491	2	O-RING	SUPPORT FOR TUBE
82	811311-8537	6	BRACKET	
82a	811214-2320	1	SCREW	
82b	811220-2321	1	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
82c	811241-1403	1	WASHER 9-16-2,0 DIN 1441 GALV.	
83	811311-2630	4	HYD CONNECTOR	NIPPLE
84	811311-8538	5	GASKET	GASKET
85	811311-1411	1	PIPE COUPLING	PIPE COUPLING
86	811317-9487	1	PLUG	PLUG F. GEARSHIFT (T)
87	811317-9853	1	VALVE	VALVE



REF	FIGURE NUMBER	FIGURE NAME
001	001	001
002	002	002
004	004	004
005	005	005
011	011	011



016

REF	PN	QTY	DESCRIPTION	USAGE
1	811362-1207	2	SET OF 2 BELTS	V-BELT SET (2 PCS)
2	811363-0242	1	CHAIN	ROLLER CHAIN 3/4
2a	811363-9053	1	JOINT	
2b	811363-9054	1	CHAIN LINK	
3	811363-0239	1	CHAIN	ROLLER CHAIN 55 LINKS
3a	811363-9058	1	LINK	
3b	811363-9068	1	OFFSET LINK	
4	811363-0247	1	CHAIN	ROLLER CHAIN 69 LINKS
4a	811363-9053	1	JOINT	
5	811363-0122	1	CHAIN	ROLLER CHAIN LONG 63 LINKS
5a	811363-9044	1	JOINT	
5b	811363-9046	1	CHAIN LINK	
6	811363-0125	1	CHAIN	ROLLER CHAIN SHORT 10 LINKS
6a	811363-9044	1	JOINT	
6b	811363-9046	1	CHAIN LINK	
7	811363-0237	1	CHAIN	ROLLER CHAIN 43 LINKS
7a	811363-9053	1	JOINT	
7b	811363-9054	1	CHAIN LINK	
8	811363-0250	1	CHAIN	ROLLER CHAIN 111 LINKS
8a	811363-9074	1	LINK	
8b	811363-9075	1	CHAIN LINK	
9	811363-0131	1	CHAIN	ROLLER CHAIN 53 LINKS
9a	811363-9044	1	JOINT	
9b	811363-9046	1	CHAIN LINK	
10	811363-0251	1	CHAIN	ROLLER CHAIN 113 LINKS
10a	811363-9074	1	LINK	
10b	811363-9075	1	CHAIN LINK	
11	811363-0401	1	CHAIN	ROLLER CHAIN 105 LINKS
11a	811363-9044	1	JOINT	
11b	811363-9046	1	CHAIN LINK	

020




020

REF	PN	QTY	DESCRIPTION	USAGE
0	813890-112X	1	DECAL	STICKERS ES 1060
1	81PR80-0841	1	INSTRUCTION	READ INSTRUCTION MANUAL
2	81PR80-0842	1	DECAL	STOP THE ENGINE
3	81PR80-0811	1	WARNING DECAL	WARNING: CHILDREN
4	81PR80-0805	1	DECAL	1000 RPM CCW
5	81PR80-0125	1	DECAL	ILL. OF TIGHTENING
6	81PR80-0826	2	DECAL	WARNING: CHAIN DRIVE
7	81PR80-0735	1	DECAL	DECAL TRANSPORT
8	81PR80-1069	1	DECAL	TORQUE 40 KGM
9	81PR80-0814	1	DECAL	WARNING: OIL UNDER PRESSURE
10	81PR80-0832	1	DECAL	STICKER MAX 210 BAR
11	81PR80-0293	1	WARNING DECAL	STICKER: WARNING
12	81PR80-0752	1	DECAL	DECAL +/-
13	81PR80-0837	1	DECAL	PTO SHAFT/ROTOR
14	81PR80-0518	5	DECAL	SLIP PROTECTION
15	81PR80-0821	2	DECAL	WARNING: ROTATING PARTS
16	81PR80-0823	1	DECAL	WARNING: REMEMBER GUARD
17	81PR80-0824	3	DECAL	WARNING: ROTATING ROLLERS
18	81PR80-8436	1	DECAL	LOGO ES 1060
19	81PR80-8209	2	DECAL	KONGSKILDE LOGO
20	81PR80-8205	2	DECAL	JF-ORIGIN
21	81PR80-8437	1	DECAL	LOGO ES 1060

030

p1







030



030**p1****030**

REF	PN	QTY	DESCRIPTION	USAGE
1	811213-3224	18	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	STEEL SET SCREW M10-25
2	811315-9418	2	WASHER	WASHER 99,7
3	811315-9358	2	SPH ROLLER BEARING	BEARING 30309
4	811315-9132	2	WASHER	DISTANCE WASHER
5	811315-9937	1	COVER	COVER
6	811213-3222	10	SET SCREW STEEL M10-20 - USE 300304031 DIN 933 GALV.	STEEL SET SCREW M10-20
7	811315-9359	1	NUT	NUT
8	811315-9315	1	COTTER PIN	COTTER PIN B4-60
9	811315-9360	1	GEAR	CROWN WHEEL
10	811315-9118	1	PLUG	PLUG
11	811315-9938	1	SHAFT	SHAFT
12	811332-5802	2	OIL SEAL	OIL SEAL M 45-85-10
13	811315-9385	1	SET OF WASHERS	SET AF WASHERS
14	811315-9356	1	SHIM KIT	SET AF WASHERS
15	811315-9365	1	SPH ROLLER BEARING	BEARING 30310
16	811315-9366	1	ROLLER CAGE BEARING	ROLLER BEARING, LONE 30210
17	811315-9367	1	SHAFT	SHAFT
18	811315-9368	1	OIL SEAL	OIL TIGHTENING RING
19	811315-9369	1	EXTENSION	EXTENSION
20	811311-2201	2	PLUG	PLUG
21	811315-9371	1	COVER	COVER
22	811315-9370	1	BEVEL PINION	BEVEL PINION WHEEL
23	811315-9939	1	HOUSING	HOUSING
24	811315-9272	1	PLATE	PLATE
251	811315-9116	1	PLUG	AIR ESCAPE PLUG
252	811315-9362	1	EXTENSION	EXTENSION
253	811315-9361	1	WASHER	WASHER

040




040

p1

040

REF	PN	QTY	DESCRIPTION	USAGE
2	811350-2116	1	CROSSBAR	CENTRE CROSS
12	811601-0015	1	TUBE	PROFILE TUBE, OUTER
13	811601-0016	1	TUBE	PROFILE TUBE, INNER
22	811350-2117	1	SPIDER	CENTRE CROSS
61	811350-1105	1	PIN	SPECIAL PIN
66	811350-2126	4	PLATE	FRICTION PLATE
75	811350-2127	1	SPRING	SPRING
97	811350-1106	1	SHIELD	SHIELD, COMPLETE
98	811350-7530	AR1	YOKE	YOKE 1 3/4 -20 (ACCESSORIES)
99	811350-7531	AR1	YOKE	YOKE 1 3/4 -6 (ACCESSORIES)

041



041

p1


041

REF	PN	QTY	DESCRIPTION	USAGE
3	811341-9572	1	SPRING	DISC SPRING 3MM
4	811340-9204	1	SPRING	DISC SPRING 3MM
6	811341-9566	4	PLATE	FRICTION PLATE

060


p1

060



060

REF	PN	QTY	DESCRIPTION	USAGE
2	812064-441X	1	TOOTH	PROCKET WHEEL 16 TEETH
2a	811251-2401	1	PIN	
2b	811251-5401	1	PIN	
2c	811251-7401	1	PIN	
3	811331-9986	2	SEALING RING	SEALING RING
4	811331-3302	1	BALL BEARING	BALL BEARING
5	811391-0914	1	RING	MAGNET RING
6	812063-089X	1	BUSHING	BUSH
6a	811219-0234	1	HEX SOC SCREW	
6b	811241-2408	1	WASHER 10,5-30-2,5 - USE 300332043 DIN 9021 GALV.	
6c	811241-6403	1	WASHER	
7	811391-0923	1	MAGNET	MAGNET
7a	811216-1226	1	SCREW	
7b	811220-1321	1	NUT NYLOC M4 DIN 985-8 GALV.	
7c	811241-1101	1	WASHER 4,3-12-1 GALV. - USE 200213143 DIN 9021 GALV.	
8	812750-011X	1	BRACKET	BRACKET F. SENSOR
8a	811213-2222	2	SET SCREW STEEL M8-20 - USE 300304153 DIN 933 GALV.	
8b	811213-2522	1	SET SCREW STEEL M8-50 DIN 933 GALV.	
8c	811220-2321	1	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
8d	811241-1403	4	WASHER 9-16-2,0 DIN 1441 GALV.	
9	811391-9061	1	SENSOR	REED SENSOR
9a	811391-9079	2	NUT	
10	813064-231X	1	WHEEL	RATCHET WHEEL
11	813064-255X	1	SIDE PLATE	SIDE PLATE, RIGHT
11a	811219-0307	2	SCREW M12-30	
11b	811241-3403	2	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
12	813064-256X	1	SIDE PLATE	SIDE PLATE, LEFT
12a	811219-0307	2	SCREW M12-30	
12b	811241-3403	2	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
13	813064-667X	1	BRACKET	BRACKET




060**p2****060**

REF	PN	QTY	DESCRIPTION	USAGE
14	813064-232X	1	LATCH	LATCH
14a	811313-1101	1	LUBE NIPPLE	
15	812064-279X	1	REINFORCEMENT	REINFORCEMENT
15a	811213-4222	1	SET SCREW STEEL M12-20 - USE 300304054 DIN 933 GALV.	
15b	811214-3326	3	SCREW	
15c	811220-3321	3	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
15d	811241-2602	3	WASHER	
15e	811241-3502	1	WASHER 13-42-3 DIN 522 GALV.	
16	811391-0913	1	SOLENOID	EL-MAGNET
16a	811220-2122	1	NUT STEEL M8 - USE 300315018 DIN 934 GALV.	
16b	811220-2922	1	NUT	
17	811335-5511	2	SPH ROLLER BEARING	PLAIN BEARING 30-34-15
18	811432-2299	1	TENSION SPRING	TENSION SPRING
19	812068-684X	1	BRACKET	BRACKET
19a	811219-0294	3	SCREW	
19b	811242-1222	3	LOCK WASHER	
20	811392-0509	1	EYEBOLT	EYE BOLT M8-80
20a	811220-2122	2	NUT STEEL M8 - USE 300315018 DIN 934 GALV.	
21	811219-0333	36	SCREW	ALLEN SCREW C-SUNK M10-40
22	812064-220X	2	DRUM	DRUM
23	813064-221X	1	FLANGE	FLANGE, LEFT
24	813064-222X	1	FLANGE	FLANGE, RIGHT
25	813064-345A	2	BEARING HOUSING	HALF OF BEARING HOUSING
25a	811213-3322	5	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
25b	811220-3321	5	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
26	811331-7503	2	BALL BEARING	BALL BEARING GRAE-NPPB 35
27	811421-7498	2	BEARING HALF	HALF OF BEARING HOUSING
28	812064-444X	1	SPROCKET	SPROCKET WHEEL 31 TEETH
28a	811251-2401	1	PIN	
28b	811251-5401	1	PIN	
28c	811251-7401	1	PIN	

060


p3

060



060

REF	PN	QTY	DESCRIPTION	USAGE
29	812064-447X	1	SPROCKET	SPROCKET WHEEL 40 TEETH
29a	811251-2401	1	PIN	
29b	811251-5401	1	PIN	
29c	811251-7401	1	PIN	
30	811331-9905	1	BALL BEARING	BALL BEARING
31	811331-9922	1	BEARING HOUSING	BEARING HOUSING
32	811338-0111	1	KEY	FLAT KEY 10-8-70
33	813064-284X	1	FLANGE	FLANGE, LEFT
33a	811219-0333	12	SCREW	
34	811331-2303	1	BALL BEARING	BALL BEARING 6005 2RS
35	813064-283X	1	FLANGE	FLANGE, RIGHT
35a	811219-0333	12	SCREW	
36	811331-3306	1	BALL BEARING	BALL BEARING 6207 2RS
37	812062-197A	1	SHAFT	SHAFT
37a	811255-2203	1	SNAP RING QY-SNAP 25 MM OUTER - USE 300407009 - fantom DIN 471	
37b	811313-1501	1	LUBE NIPPLE	
37c	811323-9060	1	RING	
37d	811391-0921	1	CONNECTING LINK	
38	812064-377X	1	MAGNET	MAGNET TROUGH
38a	811219-0274	4	SCREW	
38b	811242-2621	4	TOOTH	
39	812063-152X	1	BRACKET	BRACKET
39a	811213-3224	2	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
39b	811241-2402	2	WASHER 10,5-20-2,0 DIN 125 GALV.	
40	812063-153X	1	CLAMP	CLAMP
40a	811214-3120	2	SCREW Sruba M10-40 =300304036 - fantom / STEEL M10-40 - USE 300304036 DIN 931 GALV.	
40b	811241-9981	2	WASHER	
41	811391-0985	1	CONTROL	CONTROL BOX METAL DETECTOR
42	811391-9080	1	RING	MOUNTING F. STEERING
43	811317-1029	1	COIL	VALVE COIL
44	811317-9401	1	COIL	COIL
45	812068-391A	1	ARM	LEVER ARM, LEFT



060


REF	PN	QTY	DESCRIPTION	USAGE
45a	811213-3322	6	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
45b	811220-3321	6	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
46	812068-392A	1	ARM	LEVER ARM, RIGHT
46a	811213-3322	6	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
46b	811220-3321	6	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
47	811391-9091	1	CABLE	CABLE F. MAGNET TROUGH
48	811363-0238	1	CHAIN	ROLLER CHAIN 46 LINKS
48a	811363-9053	1	JOINT	
48b	811363-9054	1	CHAIN LINK	

REF	FIGURE NUMBER	FIGURE NAME
002	002	002
003	003	003
004	004	004
005	005	005
012	012	012

080

p1


080



080**p1****080**

REF	PN	QTY	DESCRIPTION	USAGE
0	814750-1221	1	SPOUT	FOLDABLE CHUTE FOR ES 1060
1	812064-834X	2	GUIDE	GUIDE ROD
1a	811241-3506	2	WASHER 15-28-3 DIN 1441 GALV.	
1b	811252-4202	2	COTTER PIN	
2	812364-685X	1	DOWEL	DOWEL
2a	811241-5301	2	WASHER 20,2-34-1,5 DIN 522 GALV.	
2b	811251-3201	2	PIN 5-30 - DELTA-coating DIN1481	
3	813068-671X	1	REINFORCEMENT	REINFORCEMENT
3a	811215-2222	8	CARRIAGE BOLT M8-20 - USE 300304190 DIN 603 GALV.	
3b	811220-2321	8	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
3c	811241-1502	8	WASHER 8,5-30-3 DIN 522 GALV.	
4	812064-838X	1	LOCKING PLATE	LOCKING PLATE
4a	811215-1123	12	SCREW M6-16 - USE 200215314 DIN 603 GALV.	
4b	811220-1323	12	NUT NYLOC M6 - USE 300316026 DIN 985 GALV.	
4c	811241-1407	12	WASHER	
5	811432-2296	2	TENSION SPRING	SPRING
6	811311-8534	2	SCREW	SCREWED CONNECTION
7	813068-364X	1	FLAP	CHUTE
7a	811213-3322	2	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
7b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
7c	811241-2402	2	WASHER 10,5-20-2,0 DIN 125 GALV.	
8	812125-546X	2	BUSHING	BUSH
9	813064-411X	2	CLAMP	LOCK CLAMP
10	813068-890A	1	EXTENSION	EXTENSIONER LOWEST
10a	811313-2101	4	LUBE NIPPLE	
11	811311-8537	4	BRACKET	SUPPORT FOR TUBE
12	812064-895X	2	ECCENTRIC	EXCENTRIC
12a	811213-4422	2	SET SCREW STEEL M12-40 - USE 300304058 DIN 933 GALV.	
12b	811220-4321	2	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	

080




080

REF	PN	QTY	DESCRIPTION	USAGE
13	812064-883X	1	DOWEL	DOWEL ?25X330
13a	811241-6409	2	WASHER 25,5-39-2,5	
13b	811255-2203	2	SNAP RING QY-SNAP 25 MM OUTER - USE 300407009 - fantom DIN 471	
13c	811313-1101	2	LUBE NIPPLE	
14	812125-303X	2	STOP	STOP RING
14a	811213-3222	3	SET SCREW STEEL M10-20 - USE 300304031 DIN 933 GALV.	
14b	811241-2502	3	WASHER 10,5-22-3 DIN 522 GALV.	
15	811311-8600	4	PLATE	TOP PLATE
15a	811214-1224	1	SET SCREW STEEL M6-55 - USE 300304145 DIN 931 GALV.	
15b	811220-1323	1	NUT NYLOC M6 - USE 300316026 DIN 985 GALV.	
15c	811241-1201	2	WASHER	
16	812068-892X	1	FOOT	STOP
16a	811213-3224	4	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
16b	811241-2402	4	WASHER 10,5-20-2,0 DIN 125 GALV.	
17	813068-674X	1	REINFORCEMENT	REINFORCEMENT
17a	811215-2222	8	CARRIAGE BOLT M8-20 - USE 300304190 DIN 603 GALV.	
17b	811220-2321	8	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
17c	811241-1502	8	WASHER 8,5-30-3 DIN 522 GALV.	
18	813064-846X	1	EXTENSION	EXTENSION
18a	811215-3226	4	SCREW M10-25 Q 8,8 - USE 7000601587 DIN 603 GALV.	
18b	811220-3321	4	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
18c	811241-2408	4	WASHER 10,5-30-2,5 - USE 300332043 DIN 9021 GALV.	
19	813068-878X	1	EXTENSION	EXTENSIONER UPPER
20	812064-893X	2	SUPPORT	SUPPORT
20a	811213-3224	2	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
20b	811241-2402	2	WASHER 10,5-20-2,0 DIN 125 GALV.	



080

REF	FIGURE NUMBER	FIGURE NAME
011	011	011
012	012	012
081	081	081




081

REF	PN	QTY	DESCRIPTION	USAGE
1	811317-3063	1	HYDRAULIC CYLINDER	CYLINDER
2	811311-8525	1	COUPLING	ANGLE COUPLING - L10
3	811311-1416	1	PIPE	PIPE STUB
4	811311-8620	1	COUPLING	ANGLE COUPLING
5	811311-8603	1	COUPLING	ANGLE COUPLING
6	811311-8406	1	TEE	T-PIECE
7	811317-0847	1	HOSE	HYDRAULIC HOSE L=350
8	812307-111X	1	NOZZLE	NOZZLE
9	811317-0315	2	HOSE	HYDRAULIC HOSE L=5680
10	811317-9536	1	GASKET KIT	SET OF GASKET F. 1317-3037/1317-3063
11	811317-9854	1	VALVE	VALVE

082

p1

082



				082	p1
082					
REF	PN	QTY	DESCRIPTION	USAGE	
0	814060-0908	1	DIA KIT, HARVESTER	IL PRESSURE FILTER KIT	
1	811317-1046	1	HYDRAULIC OIL FILTER	IL PRESSURE FILTER	
2	811311-8539	2	WASHER	GASKET	
3	811311-8550	1	LUBE NIPPLE	NIPPLE	
REF	FIGURE NUMBER		FIGURE NAME		
012	012		012		