

SERVICE PARTS CATALOGUE

MODEL

**FCT 1060MD - International - Version B - 03-2018 - Serial No.:
B026240172109 (03/18 -)**

Print Date: 08/2024



All rights reserved by **CNH Industrial**.

The information contained in this catalogue is intended to be of a general nature only. **CNH Industrial** may at any time and from time to time, for technical or other necessary reasons, modify any of the details or specifications of the product described in this catalogue.

To be sure of getting accurate, detailed, and up-to-date information, an intending buyer should consult his nearest **CNH Industrial** dealer or distributor. The updated version of this Service Parts Catalog is available on ePARTS4.0, accessible through the Dealer Portal.

Single item numeration method used in this catalogue may not be used without written consent from **CNH Industrial**.


31.220.AD

01

p1

10/2014

VAR - 123782, 789101,987654 - PTO - D650



STANDARD



23

9

10

31.220.AD

01

p1


10/2014

VAR - 123782, 789101,987654 - PTO - D650



REF	FN	PART NUMBER	YR/SN	QTY	DESCRIPTION
1	1	86529340	20	1	SHAFT PTO, Incl 2 - 11
2	15	84014007		1	YOKE, Incl 4 - 7
3	16	NSS		1	NOT SERVICED SEPARATELY, SHAFT, 350mm, Incl In 1
4		84004292		1	KIT, Seal Kit, Incl 6, 7
4		{84058743}		1	KIT, Seal Kit, Incl 6, 7
2				21	
18				22	
19					
1 - FOR ITALY ONLY		5			

MODELS



- 1 Model Number and Model Description
- 2 Reference - Figure call-out of the part number.
- 3 Parts supplied in repair kits per symbol reference.
- 4

31.220.AD

 Part illustrated on the **Page** or in the **Figure** indicated, or calls for **Variations or Details**. Indicates components shown in detail elsewhere in the catalogue under the figure number shown.
- 5 Footnote references
- 6 Figure notes
- 7

1

2

 Includes item(s) (See Description within partlist).
- 8 Orientation. (Arrow indicates front of the machine). 
- 9 Figure description.
- 10 General information of the figure.
- 11 Figure title number that aligns with the SRT. Standard Repair Time.
- 12 **Sequence** code within the assembly.
- 13 Page number within the sequence code.
- 14 **Date** of printing or updating of page (month-year).
- 15 **Note** - Relating to the Part Number. There is a key to symbols and abbreviations at the bottom of the text page.
- 16 Non-serviced parts.
- 17 Further description of the part to help confirm identification.
- 18 Not available as service part.
- 19 Part Number.
- 20 To be defined.
- 21 Total **Quantity** of the Part referred to in the page.
The quantity can be replaced by the following indications:
AR = quantity as requested.
- 22 Part **Description**.
- 23 Variant Codes

TABLE OF CONTENTS

001	001
002	002
003	003
004	004
006	006
007	007
008	008
009	009
011	011
012	012
013	013
014	014
015	015
020	020
030	030
040	040
041	041
042	042
043	043
044	044
050	050
051	051
060	060
061	061
063	063
064	064
065	065
067	067
080	080
081	081
082	082
083	083
084	084
085	085
086	086
087	087
088	088
090	090

SECTION INDEX


GENERAL

001	001
002	002
003	003
004	004
006	006
007	007
008	008
009	009
011	011
012	012
013	013
014	014
015	015
020	020
030	030
040	040
041	041
042	042
043	043
044	044
050	050
051	051
060	060
061	061
063	063
064	064
065	065
067	067
080	080
081	081
082	082
083	083
084	084
085	085
086	086
087	087
088	088
090	090

001

p1

001




001

p1

001

REF	PN	QTY	DESCRIPTION	USAGE
1	812068-835X	1	CLAMP	CLAMP
1a	811433-0289	1	SPRING	
2	812062-355X	1	DOWEL	DOWEL
2a	811251-2602	2	PIN	
2b	811251-5604	2	PIN	
2c	811251-7604	2	PIN	
3	812062-342X	3	CABLE	SUPPORT FOR CABLE
3a	811213-3423	2	SET SCREW	
3b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
3c	811241-2402	4	WASHER 10,5-20-2,0 DIN 125 GALV.	
4	812068-830X	1	GUARD	GUARD
4a	811213-4224	6	SET SCREW STEEL M12-25 - USE 300304055 DIN 933 GALV.	
4b	811220-4321	6	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
4c	811241-3403	6	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
5	812210-961X	1	GUARD	PTO GUARD
5a	811213-3222	4	SET SCREW STEEL M10-20 - USE 300304031 DIN 933 GALV.	
5b	811220-3321	4	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
5c	811241-2402	4	WASHER 10,5-20-2,0 DIN 125 GALV.	
6	811421-7491	2	BEARING HOUSING	HALF OF BEARING HOUSING
6a	811313-1101	1	LUBE NIPPLE	
7	811331-7408	2	BALL BEARING Ball, 40mm ID x 80mm OD x 56.5mm W	BALL BEARING GE 40 KRRB CC
8	812068-831X	1	TUBE	TUBE SUPPORT
8a	811213-3322	2	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
8b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
8c	811241-2402	2	WASHER 10,5-20-2,0 DIN 125 GALV.	
9	812062-343A	1	SHAFT	SHAFT
9a	811255-4201	1	SNAP RING SNAP 40 MM OUTER - USE 7000515140 - fantom DIN 471	



001

p2

001


REF	PN	QTY	DESCRIPTION	USAGE
10	812068-832X	2	SUPPORT	SUPPORT
10a	811213-3224	3	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
10b	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
10c	811241-2402	4	WASHER 10,5-20-2,0 DIN 125 GALV.	
11	813065-988X	2	BEARING HALF	HALF OF BEARING HOUSING
11a	811213-3224	4	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
11b	811220-3321	4	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
12	813064-171X	1	DRAWBAR	DRAWBAR
12a	811214-6326	2	SCREW STEEL M20-80 - USE 100306069 DIN 931 GALV.	
12b	811220-6321	2	NUT NYLOC M20 - USE 300316016 DIN 985 GALV.	
12c	811241-5504	4	WASHER 21-37-3 - USE 300332034 DIN 125 GALV.	
13	812063-167X	1	BRACKET	HOOP
13a	811241-2507	1	WASHER 13-29-3 DIN 6796 GALV.	
13b	811252-3102	1	COTTER PIN 4-25 DIN 94 GALV.	
14	813062-351D	1	DRAWBAR	DRAWBAR
14a	811433-0289	2	SPRING	
15	811340-1449	1	PTO SHAFT	PTO SHAFT
16	812068-836X	1	SUPPORT	SUPPORT
17	812750-737X	2	CLAMP	CLAMP
17a	811214-3122	2	SCREW STEEL M10-45 - USE 71301210450 DIN 931 GALV.	
17b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
17c	811241-2402	2	WASHER 10,5-20-2,0 DIN 125 GALV.	
18	811340-1450	1	AXLE	PTO SHAFT PWE 580 SPGF25SW
19	812068-833X	1	GUARD	GUARD
20	812068-848X	1	SUPPORT	SUPPORT
20a	811213-3224	4	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
20b	811220-3321	4	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	

p3



001

REF	PN	QTY	DESCRIPTION	USAGE
20c	811241-2402	4	WASHER 10,5-20-2,0 DIN 125 GALV.	
21	811330-0103	1	SUPPORT	SUPPORT
22	811330-9034	1	HANDLE	HANDLE
23	812065-538X	1	BUSHING	BUSH
23a	811213-3222	4	SET SCREW STEEL M10-20 - USE 300304031 DIN 933 GALV.	
23b	811241-2402	4	WASHER 10,5-20-2,0 DIN 125 GALV.	
24	813083-733X	1	DOWEL	DOWEL
24a	811254-2102	1	PIN QN-FM-5 MM	
25	812068-925X	1	TUBE	TUBE SUPPORT
25a	811213-3224	2	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
25b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
25c	811241-2402	2	WASHER 10,5-20-2,0 DIN 125 GALV.	
26	811393-0176	1	PTO SHAFT	PTO GUARD
26a	811213-2222	4	SET SCREW STEEL M8-20 - USE 300304153 DIN 933 GALV.	
26b	811220-2321	4	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
26c	811241-1503	4	WASHER 9-28-3 DIN 440R GALV.	
27	812068-813X	1	BRACKET	BRACKET
27a	811213-3322	2	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
27b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
27c	811241-2402	2	WASHER 10,5-20-2,0 DIN 125 GALV.	
28	811317-3043	1	HYDRAULIC CYLINDER	CYLINDER
29	811317-9540	1	GASKET	SET OF GASKETS
31	812134-239X	AR1	HITCH	HITCH EYE
31a	811214-6328	2	SCREW	
31b	811220-6321	2	NUT NYLOC M20 - USE 300316016 DIN 985 GALV.	
32	812062-085X	1	ARM	RELEASE ARM
33	812062-348X	1	DOWEL	DOWEL
33a	811241-7401	2	WASHER 30,5-45-2,5 DIN 522 GALV.	
33b	811251-4302	1	PIN	




001

REF	PN	QTY	DESCRIPTION	USAGE
33c	811251-7406	1	PIN	
34	811431-5398	1	SPRING	COMPRESSION SPRING
35	812062-349X	1	TUBE	DISTANCETUBE
36	813123-034X	1	ROPE	STRING FOR LATCH
36a	811399-0121	1	HOOK	
37	812068-483X	1	PANEL	PANEL
37a	811220-3922	4	NUT M10 1.8-3.2 cynk.	
37b	811393-0132	1	PLASTIC PLUG	
38	811391-0711	1	PLUG	PLUG BOX 7-POLES
38a	811216-1322	3	SCREW	
38b	811220-1122	3	NUT STEEL M5 - USE 300315016 DIN 934 GALV.	
38c	811242-1222	3	LOCK WASHER	
39	811340-1455	1	PTO SHAFT	PTO-SHAFT

REF	FIGURE NUMBER	FIGURE NAME
002	002	002
015	015	015
040	040	040
041	041	041
043	043	043


002



002

REF	PN	QTY	DESCRIPTION	USAGE
1	813064-162X	1	WIRE	WIRE
1a	811215-4328	1	SCREW M12-30 Q. 8.8 - USE 300304180 DIN 603 GALV.	
1b	811220-4321	1	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
1c	811241-3502	2	WASHER 13-42-3 DIN 522 GALV.	
2	811392-0110	1	EYEBOLT M12-123 GALV	EYE BOLT M12-123
2a	811220-4321	1	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
3	812060-964X	2	PULLEY	PULLEY
4	812060-966X	1	BRACKET	BRACKET
4a	811213-4322	2	SET SCREW STEEL M12-30 - USE 300304056 DIN 933 GALV.	
4b	811214-4228	1	SET SCREW STEEL M12-65 Q. 10.9 - USE 300304237 DIN 931 GALV.	
4c	811220-4321	3	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
4d	811241-3403	10	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
6	811432-6795	1	TENSION SPRING	TENSION SPRING
7	812060-968X	1	BRACKET	BRACKET
7a	811214-4228	2	SET SCREW STEEL M12-65 Q. 10.9 - USE 300304237 DIN 931 GALV.	
7b	811220-4321	2	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
7c	811241-3403	7	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
7d	811241-3502	2	WASHER 13-42-3 DIN 522 GALV.	
8	812064-595X	2	LOCKING PLATE	LOCKING PLATE
9	813068-805X	1	HINGE	HINGE
9a	811213-3322	2	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
9b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
9c	811241-2402	2	WASHER 10,5-20-2,0 DIN 125 GALV.	
10	811393-0100	2	TIP	RUBBER TIP
17	813064-201B	1	FRAME	FRAME
18	813064-317X	2	HUB	HUB


002



002

REF	PN	QTY	DESCRIPTION	USAGE
18a	811214-5220	6	SET SCREW STEEL M16-60 - USE 100306058 DIN 931 GALV.	
18b	811220-5321	6	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
18c	811241-4502	12	WASHER 17-30-3 STEEL Replaces 811241-3504 DIN 125 GALV.	
19	812062-831X	1	BRACKET	BRACKET
19a	811213-3222	2	SET SCREW STEEL M10-20 - USE 300304031 DIN 933 GALV.	
19b	811220-1323	1	NUT NYLOC M6 - USE 300316026 DIN 985 GALV.	
19c	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
20	812062-830X	1	CABLE	CABLE SUPPORT
20a	811252-5501	1	COTTER PIN	
21	812061-249X	1	GUARD	GUARD
21a	811213-3322	2	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
21b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
21c	811241-2402	4	WASHER 10,5-20-2,0 DIN 125 GALV.	
22	812061-248X	1	GUARD	GUARD
22a	811213-3322	2	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
22b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
22c	811241-2402	4	WASHER 10,5-20-2,0 DIN 125 GALV.	
23	812060-619X	2	DOWEL	DOWEL
23a	811254-2102	1	PIN QN-FM-5 MM	
30	814000-1051	2	TYRE/TIRE	WHEEL 14,00-16 14-PR
40	813064-626X	AR2	HUB	HUB
40a	811214-5220	6	SET SCREW STEEL M16-60 - USE 100306058 DIN 931 GALV.	
40b	811220-5321	6	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
40c	811331-3102	12	BALL BEARING	
41	811323-9089	AR2	HUB CAP	WHEEL


002



002

REF	FIGURE NUMBER	FIGURE NAME
050	050	050
051	051	051


003



003


REF	PN	QTY	DESCRIPTION	USAGE
1	812062-451X	1	HANDLE	HANDLE
1a	811251-4103	1	PIN	
2	813062-637X	1	BLOCK	SHARPENING DEVICE
3	813062-592X	1	HOUSING	HOUSING ASSEMBLED
3a	811213-2322	2	SET SCREW STEEL M8-30 - USE 300304156 DIN 933 GALV.	
3b	811214-2224	2	SCREW	
3c	811220-2321	4	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
3d	811313-1101	1	LUBE NIPPLE	
4	812062-594X	1	SPROCKET	SPROCKET WHEEL
5	812062-593X	1	SPROCKET	SPROCKET WHEEL
6	813062-595X	1	SUPPORT	SUPPORT F/STONE
6a	811213-2222	4	SET SCREW STEEL M8-20 - USE 300304153 DIN 933 GALV.	
7	813062-596X	1	DISC	SHARPENING STONE
8	812062-463X	2	PLATE	END PLATE
9	812062-455X	2	GUIDE	GUIDE
9a	811219-0263	2	SCREW M10-20 ISO 7380 GALV.	
10	811343-0406	1	BAR	SPANNER NV 27
12	812062-672X	1	TUBE	TUBE
13	812062-450X	1	STOP	STOP
13a	811252-3101	3	COTTER PIN	
14	812062-449X	1	GUARD	GUARD
14a	811220-3922	2	NUT M10 1.8-3.2 cynk.	
15	812062-389X	1	STOP	STOP
15a	811252-3101	3	COTTER PIN	
16	812062-447X	8	SUPPORT	SUPPORT
16a	811213-3324	2	SET SCREW STEEL M10-35 - USE 300304035 DIN 933 GALV.	
17	812064-135X	2	TIGHTENER	TIGHTENING PIECE
18	811421-2799	1	BEARING HOUSING	FLANGE BEARING
18a	811213-6425	2	BOLT	
18b	811313-1101	1	LUBE NIPPLE	
19	811255-4202	2	SNAP RING SNAP 45 MM OUTER - USE 7000515145 - fantom DIN 471	SNAP RING 45 MM OUTER
20	811331-4104	2	BALL BEARING	BALL BEARING 6309

003



003


REF	PN	QTY	DESCRIPTION	USAGE
21	813064-059X	2	TIGHTENER	SEAL
21a	811339-5501	1	RING	
22	813064-766X	2	THREADED ROD	READED ROD RIGHT
23	813064-767X	2	THREADED ROD	READED ROD LEFT
24	811255-3201	1	SNAP RING QY-SNAP 30 MM OUTER - USE 300407011 - fantom DIN 471	SNAP RING 30 MM OUTER
25	811331-3311	2	BALL BEARING	BALL BEARING 6206 RS
26	812062-422X	1	DOWEL	DOWEL
26a	811313-1101	1	LUBE NIPPLE	
27	813068-382X	1	BEARING HOUSING	BEARING HOUSING
28	811421-5702	1	BEARING HOUSING	FLANGE BEARING
28a	811214-5420	2	SCREW	
28b	811313-1101	1	LUBE NIPPLE	
29	812062-718X	2	BUSHING	BUSH
30	813062-444X	1	SPROCKET	SPROCKET WHEEL 20-TEETH
30a	811251-5404	1	PIN 8-55 - DELTA-coating DIN1481	
31	812060-964X	2	PULLEY	PULLEY
31a	811213-4424	1	SET SCREW STEEL M12-45 - USE 300304048 DIN 933 GALV.	
31b	811241-2202	3	WASHER 12-15-1.5 DIN 522 GALV.	
32	812064-152X	1	BRACKET	BRACKET
32a	811213-4322	2	SET SCREW STEEL M12-30 - USE 300304056 DIN 933 GALV.	
32b	811213-4422	2	SET SCREW STEEL M12-40 - USE 300304058 DIN 933 GALV.	
32c	811220-4321	4	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
33	812060-966X	1	BRACKET	BRACKET
33a	811213-4422	2	SET SCREW STEEL M12-40 - USE 300304058 DIN 933 GALV.	
33b	811214-4228	1	SET SCREW STEEL M12-65 Q. 10.9 - USE 300304237 DIN 931 GALV.	
33c	811220-4321	1	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
33d	811241-3403	11	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	



003


REF	PN	QTY	DESCRIPTION	USAGE
34	813065-495X	1	GEAR	GEAR
34a	811213-5424	4	SET SCREW QY-Sruba M16-45 =300304093 - fantom / STEEL M16-45 - USE 300304093 DIN 933 GALV.	
34b	811241-9983	4	WASHER SPEC. 17-25,4-3,4	
35	812065-480X	2	CLAMP	CLAMP
37	811393-0176	1	PTO SHAFT	PTO GUARD
37a	811213-3224	4	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
37b	811241-2402	4	WASHER 10,5-20-2,0 DIN 125 GALV.	
38	812061-225X	1	SUPPORT	SUPPORT
38a	811213-3324	2	SET SCREW STEEL M10-35 - USE 300304035 DIN 933 GALV.	
38b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
39	813064-234A	1	TUBE	TUB
39a	811213-5524	6	SET SCREW STEEL M16-50 Q 10,9 DIN 933 BLACK	
39b	811220-5323	6	NUT	
40	812062-266B	1	SHEAR BAR	SHEARBAR
40a	811214-4425	8	SCREW	
40b	811241-3403	8	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
41	812062-392B	1	SCRAPER	STRIPPER
42	812064-636B	1	BRACKET	BRACKET
42a	811219-0323	2	HEX SOC SCREW	
43	812064-637B	1	BRACKET	BRACKET
43a	811219-0323	2	HEX SOC SCREW	
44	812062-423X	1	WASHER	TENSION WASHER
45	811165-0113	1	RUBBER WASHER	WASHER RUBBER
46	813062-641X	1	PULLEY	PULLEY
46a	811213-2222	6	SET SCREW STEEL M8-20 - USE 300304153 DIN 933 GALV.	
46b	811242-2221	6	BELLEVILLE WASHER	
47	812068-204X	24	BRACKET	BRACKET
48	813060-337X	1	GAUGE	RANGE GAUGE

003



003

REF	PN	QTY	DESCRIPTION	USAGE
49	811214-5333	48	BOLT	STEEL SCREW M18-80 10.9
49a	811220-6119	1	NUT	
50	812064-096X	24	KNIFE BLADE	KNIFE BLADE
51	812064-732X	24	KNIFE	SUPPORT
53	813064-754A	1	ROTOR	ROTOR, 24 KNIVES
54	811341-9526	1	PIN	SLIDING PIN
55	811340-9153	2	CROSS	CENTRE CROSS
55a	811341-9187	1	LUBE NIPPLE	
56	811340-0197	1	TUBE	PROFILE TUBE WITH FORK
57	811340-9051	1	FLANGE	FLANGE FORK
58	813064-250X	1	PTO SHAFT	PTO-SHAFT
58a	811214-3122	6	SCREW STEEL M10-45 - USE 71301210450 DIN 931 GALV.	
58b	811242-3621	6	WASHER	
60	811340-0196	1	TUBE	PROFILE SHAFT WITH FORK
61	812060-790X	AR3	KNIFE BLADE	KNIFE BLADE, WOLFRAM
62	813064-769B	AR ²	ROTOR	ROTOR, 32 KNIVES;OUT ECO35299199
62	51640788	AR1	ROTOR	ROTOR, 32 KNIVES;IN ECO35299199
63	812064-096X	AR3	KNIFE BLADE	KNIFE BLADE
64	812064-732X	AR ²	KNIFE	SUPPORT
66	811214-5333	AR ²	BOLT	STEEL SCREW M18-80 10.9
67	813068-386A	4	TINE	THRUST PAD
67a	811213-4622	1	SET SCREW STEEL M12-60 DIN 933 GALV.	
67b	811220-4122	1	NUT STEEL M12 - USE 300315003 DIN 934 GALV.	
67c	811241-4502	1	WASHER 17-30-3 STEEL Replaces 811241-3504 DIN 125 GALV.	
68	812068-204X	AR3	BRACKET	BRACKET
99	813064-483X	4	TOOL KIT	SET OF TOOLS F/HD

FCT 1060
FCT 1060 MD


004

REF	PN	QTY	DESCRIPTION	USAGE
1	812065-774A	1	DISC	FRICITION DISC
1a	811213-4324	1	SET SCREW STEEL M12-35 - USE 300304057 DIN 933 GALV.	
1b	811241-3702	1	WASHER	
2	812062-647X	2	THRUST WASHER	THRUST WASHER
2a	811214-4126	1	SCREW STEEL M12-45 - USE 300304059 DIN 931 GALV.	
2b	811242-4421	1	LOCK WASHER	
3	812064-215X	1	SHAFT	SHAFT
3a	811255-3202	1	SNAP RING SNAP 35 MM OUTER - USE 200215288 - fantom DIN 471	
3b	811338-0111	1	KEY	
4	811331-3306	5	BALL BEARING	BALL BEARING 6207 2RS
5	812063-196X	1	CLAMP	CLAMP
6	813068-789X	1	LEVER	ROCKER BEARING
7	812064-440X	1	SPROCKET	SPROCKET WHEEL 12 TEETH
7a	811251-2401	1	PIN	
7b	811251-5401	1	PIN	
7c	811251-7401	1	PIN	
8	813064-458X	1	TOOTH	PROCKET WHEEL 12-TEETH
9	812060-938X	1	BUSHING	BUSH
10	812064-457X	1	SPROCKET	SPROCKET WHEEL 12-TEETH
10a	811255-4102	1	SNAP RING SNAP 47 MM INNER - USE 500053424 - fantom DIN 472	
11	811331-3301	2	BALL BEARING	BALL BEARING 6204 2RS
12	813064-312X	1	GUIDE	BELT GUIDE
12a	811213-4522	1	SET SCREW STEEL M12-50 DIN 933 GALV.	
12b	811220-4322	2	LOCK NUT	
12c	811241-3403	3	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
13	812064-449A	1	SPROCKET	SPROCKET WHEEL 18 TEETH
13a	811241-8202	1	WASHER 36-52-1,5 DIN 522 GALV.	
13b	811241-8402	1	WASHER SUPPORT 35-45-2,5	
13c	811254-3201	1	PIN SECU8 MM	
14	812064-450A	1	SPROCKET	SPROCKET WHEEL 25 TEETH
14a	811241-8202	1	WASHER 36-52-1,5 DIN 522 GALV.	

004



FCT 1060
FCT 1060 MD




004

REF	PN	QTY	DESCRIPTION	USAGE
14b	811241-8402	1	WASHER SUPPORT 35-45-2,5	
14c	811254-3201	1	PIN SECU8 MM	
15	812064-212X	1	SHAFT	SHAFT
15a	811254-3201	1	PIN SECU8 MM	
15b	811255-3202	4	SNAP RING SNAP 35 MM OUTER - USE 200215288 - fantom DIN 471	
16	812064-445A	1	SPROCKET	SPROCKET WHEEL 39 TEETH
16a	811213-3225	6	SET SCREW	
16b	811241-8402	2	WASHER SUPPORT 35-45-2,5	
16c	811242-3221	6	WASHER M10 DIN 7980 GALV.	
17	811340-7141	1	COUPLING	COUPLING
18	812064-216X	1	BRACKET	BRACKET, LEFT
18a	811214-4126	4	SCREW STEEL M12-45 - USE 300304059 DIN 931 GALV.	
18b	811220-4321	4	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
18c	811241-3403	4	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
19	812062-671X	3	RING	DISTANCE RING
19a	811241-8402	2	WASHER SUPPORT 35-45-2,5	
19b	811255-3202	1	SNAP RING SNAP 35 MM OUTER - USE 200215288 - fantom DIN 471	
20	812068-788X	1	FOOT	STOP
21	811220-7124	1	NUT	STEEL NUT M30 Q01
22	811317-3040	1	HYDRAULIC CYLINDER	CYLINDER
23	812068-787X	2	ROD	THREADED ROD
23a	811220-6122	1	NUT STEEL M20 - USE 300315009 DIN 934 GALV.	
24	812066-075X	4	DOWEL	DOWEL
24a	811241-5503	4	WASHER 21.0-42-3.5 ISO 7089 GALV.	
24b	811251-3301	2	PIN 5-40 - DELTA-coating DIN1481	
25	811431-7691	1	SPRING	COMPRESSION SPRING
26	812068-791X	1	SPINDLE	SPINDLE
26a	811241-7601	1	WASHER 30-56-4 - USE 100331063 DIN 125 GALV.	
27	813064-454X	2	SPROCKET	SPROCKET WHEEL 12 TEETH

004



FCT 1060
FCT 1060 MD




004

REF	PN	QTY	DESCRIPTION	USAGE
28	811331-3301	2	BALL BEARING	BALL BEARING 6204 2RS
29	812060-938X	1	BUSHING	BUSH
30	812064-452X	1	SPROCKET	SPROCKET WHEEL 12 TEETH
31	813064-328X	1	TIGHTENER	TIGHTENING ANGLE
32	812064-236X	1	SHAFT	SHAFT
33	811421-6483	2	BEARING HALF	HALF OF BEARING HOUSING
33a	811313-1101	1	LUBE NIPPLE	
34	812064-441X	1	TOOTH	PROCKET WHEEL 16 TEETH
34a	811251-2401	1	PIN	
34b	811251-5401	1	PIN	
34c	811251-7401	1	PIN	
35	812064-456X	1	SPROCKET	SPROCKET WHEEL 16/18 TEETH
35a	811251-2601	1	PIN 4-70 - DELTA-coating DIN1481	
35b	811251-5601	1	PIN	
35c	811251-7601	1	PIN	
36	811421-4492	2	BEARING HALF	HALF OF BEARING HOUSING
36a	811213-1126	4	SET SCREW	
36b	811215-5422	2	SCREW	
36c	811220-1323	4	NUT NYLOC M6 - USE 300316026 DIN 985 GALV.	
36d	811220-5321	2	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
36e	811241-1207	4	WASHER 6,4-12-1,6 - USE 300332038 DIN 125 GALV.	
37	811331-7503	2	BALL BEARING	BALL BEARING GRAE-NPPB 35
40	812065-460X	AR1	WHEEL	CHAIN WHEEL 21-TEETH
41	812064-448X	AR1	SPROCKET	SPROCKET WHEEL 14 TEETH
42	812064-464X	AR1	SPROCKET	SPROCKET WHEEL 28 TEETH
43	812064-451A	AR1	SPROCKET	SPROCKET WHEEL 30-TEETH
44	812068-272X	1	FOOT	STOP
44a	811214-3228	1	SET SCREW STEEL SCHREW M10-65 Q 8.8 - USE 300304040 DIN 931 GALV.	
44b	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
44c	811241-2402	1	WASHER 10,5-20-2,0 DIN 125 GALV.	
45	812068-271X	1	BUSHING	BUSH



FCT 1060
FCT 1060 MD



004


REF	PN	QTY	DESCRIPTION	USAGE
46	811317-9538	1	GASKET	SET OF GASKETS 1317-3040/42
50	813068-802X	1	BRACKET	BRACKET FOR GUARD
51	811393-0100	2	TIP	RUBBER TIP
52	812068-808X	1	BRACKET	BRACKET
53	812068-807X	1	ROD	ROD
54	812068-809X	1	SUPPORT	FITTINGS
55	813068-792A	1	BRACKET	REVERSIBLE BRACKET
56	812114-175X	6	BUSHING	BUSH
57	812068-801X	2	SUPPORT	SUPPORT
58	811241-3702	1	WASHER	WASHER 13-35-5HARDENED
59	811215-5724	1	SCREW	CARRIAGE SCREW M16-90
59a	811220-5321	1	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
59b	811241-4502	1	WASHER 17-30-3 STEEL Replaces 811241-3504 DIN 125 GALV.	

REF	FIGURE NUMBER	FIGURE NAME
002	002	002
011	011	011

006

p1

006




006

REF	PN	QTY	DESCRIPTION	USAGE
1	812060-691X	1	PLATE	COUPLING PLATE
2	811432-6698	2	TENSION SPRING	TENSION SPRING
3	811250-3601	1	BOLT	COTTER BOLT B20 H11-60
3a	811254-2102	1	PIN QN-FM-5 MM	
4	812221-137X	1	NUT	NUT
4a	811251-5603	1	PIN 8,0-70 - DELTA-coating DIN1481	
5	812062-374X	1	DOWEL	DOWEL
5a	811251-5603	2	PIN 8,0-70 - DELTA-coating DIN1481	
6	812060-694A	1	BUSHING	BUSH
6a	811251-4302	1	PIN	
6b	811251-6302	1	PIN	
7	812062-368X	1	SPINDLE	SPINDLE
7a	811254-2101	1	SPRING 4 MM	
8	813060-767X	1	HANDLE	HANDLE
9	812068-914X	1	DOWEL	DOWEL
9a	811241-4403	2	WASHER 17,5-35-2 DIN 522 GALV.	
9b	811241-4503	2	WASHER 17,5-35-3 DIN 522 GALV.	
9c	811252-5299	2	COTTER PIN	
10	812068-913X	1	FOOT	STOP
11	812065-375X	1	DOWEL	DOWEL
11a	811254-2101	2	SPRING 4 MM	
12	813062-504X	1	ROCKER ARM	ROCKER ARM
12a	811251-5504	1	PIN 8-65 - DELTA-coating DIN1481	
13	812010-187A	1	DOWEL	DOWEL
13a	811252-4202	2	COTTER PIN	
14	811317-3017	1	HYDRAULIC CYLINDER	CYLINDER
14a	811317-9547	1	NOZZLE	
15	813068-375X	1	ARM	ROCKER ARM, RIGHT
15a	811213-3324	1	SET SCREW STEEL M10-35 - USE 300304035 DIN 933 GALV.	
15b	811220-3122	2	NUT STEEL M10 - USE 300315001 DIN 934 GALV.	
15c	811251-5203	1	PIN	
16	811421-4392	1	BEARING HALF	HALF OF BEARING HOUSING
16a	811213-2222	3	SET SCREW STEEL M8-20 - USE 300304153 DIN 933 GALV.	

006

p2

006




006

REF	PN	QTY	DESCRIPTION	USAGE
16b	811220-2321	3	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
16c	811313-2101	1	LUBE NIPPLE	
17	811331-3303	1	BALL BEARING	BALL BEARING 6206 2RS
18	813064-062X	1	BEARING HALF	HALF OF BEARING HOUSING
19	812239-062X	1	HOSE	HOSE
20	813062-291X	1	ROLLER	ROLLER
20a	811255-3202	1	SNAP RING SNAP 35 MM OUTER - USE 200215288 - fantom DIN 471	
21	813064-042X	1	SPH ROLLER BEARING	BEARING HOUSING
22	811331-3306	3	BALL BEARING	BALL BEARING 6207 2RS
23	811421-4895	1	BEARING HALF	BEARING HALF
23a	811213-2222	3	SET SCREW STEEL M8-20 - USE 300304153 DIN 933 GALV.	
23b	811220-2321	3	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
23c	811313-2101	1	LUBE NIPPLE	
24	813068-374X	1	ARM	ROCKER ARM, LEFT
24a	811213-3324	1	SET SCREW STEEL M10-35 - USE 300304035 DIN 933 GALV.	
24b	811220-3122	2	NUT STEEL M10 - USE 300315001 DIN 934 GALV.	
24c	811251-5203	1	PIN	
29	811421-5898	4	BEARING HOUSING	HALF OF BEARING HOUSING
29a	811213-3322	3	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
29b	811220-3321	3	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
29c	811241-2402	3	WASHER 10,5-20-2,0 DIN 125 GALV.	
31	812064-442X	1	SPROCKET	SPROCKET WHEEL 21 TEETH
31a	811251-2401	1	PIN	
31b	811251-5401	1	PIN	
31c	811251-7401	1	PIN	
32	812064-459X	1	SPROCKET	SPROCKET WHEEL
32a	811251-2401	1	PIN	
32b	811251-5401	1	PIN	
32c	811251-7401	1	PIN	

006

p3

006




006

REF	PN	QTY	DESCRIPTION	USAGE
33	812063-546X	1	BRACKET	BRACKET
34	811331-9905	2	BALL BEARING	BALL BEARING
35	811421-7493	1	BEARING HOUSING	HALF OF BEARING HOUSING
35a	811219-0301	5	SCREW	
35b	811313-1101	1	LUBE NIPPLE	
36	811421-4494	2	SPH ROLLER BEARING	HALF OF BEARING HOUSING
37	812065-310X	2	SHARE	FILLER
38	812065-147X	2	WASHER	SPRING WASHER
39	813064-274X	1	ROLLER	ROLLER
40	812064-443X	1	SPROCKET	SPROCKET WHEEL 30 TEETH
40a	811251-2401	1	PIN	
40b	811251-5401	1	PIN	
40c	811251-7401	1	PIN	
41	813068-377X	1	TUBE	CROSS TUBE
41a	811213-3322	4	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
41b	811220-3321	4	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
41c	811241-2402	4	WASHER 10,5-20-2,0 DIN 125 GALV.	
42	811392-0506	2	EYEBOLT	EYE SCREW M10-70 GALV
42a	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
43	811432-4596	2	SPRING	TENSION SPRING
44	811317-9850	1	GASKET	SET OF GASKETS
45	811421-7492	1	BEARING HOUSING	HALF OF BEARING HOUSING
45a	811219-0301	5	SCREW	
45b	811313-1101	1	LUBE NIPPLE	
46	812068-380A	1	ARM	LEVER ARM, LEFT
46a	811213-3322	5	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
46b	811220-3321	5	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
47	812068-381A	1	ARM	LEVER ARM, RIGHT
47a	811213-3322	5	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
47b	811220-3321	5	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	

006

p3

006




006

REF	FIGURE NUMBER	FIGURE NAME
002	002	002
003	003	003
011	011	011

007

p1

007




007

REF	PN	QTY	DESCRIPTION	USAGE
1	812068-380A	1	ARM	LEVER ARM, LEFT
1a	811213-3222	5	SET SCREW STEEL M10-20 - USE 300304031 DIN 933 GALV.	
1b	811220-3321	5	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
3	812064-361X	2	PLATE	STRIKER PLATE
4	813064-302B	1	SIDE PLATE	SIDEBBOARD, RIGHT
4a	811219-0307	2	SCREW M12-30	
4b	811220-4321	2	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
4c	811241-3403	2	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
5	813062-721X	1	PLATE	BOTTOM PLATE
5a	811213-4322	4	SET SCREW STEEL M12-30 - USE 300304056 DIN 933 GALV.	
5b	811220-4321	4	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
5c	811241-3403	4	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
6	813064-304B	1	SIDE PLATE	SIDE PLATE, LEFT
6a	811219-0307	2	SCREW M12-30	
6b	811220-4321	2	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
6c	811241-3403	2	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
7	813064-455X	2	SPROCKET	SPROCKET WHEEL 14 TEETH
7a	811215-5824	1	SCREW	
7b	811220-5321	1	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
7c	811241-4503	6	WASHER 17,5-35-3 DIN 522 GALV.	
8	812060-938X	1	BUSHING	BUSH
8a	811241-5301	2	WASHER 20,2-34-1,5 DIN 522 GALV.	
9	812064-453X	1	SPROCKET	SPROCKET WHEEL 14 TEETH
9a	811255-4102	1	SNAP RING SNAP 47 MM INNER - USE 500053424 - fantom DIN 472	
10	811331-3301	2	BALL BEARING	BALL BEARING 6204 2RS
11	812065-433X	1	TIGHTENER	TIGHTENER

007

p2

007




007

REF	PN	QTY	DESCRIPTION	USAGE
11a	811213-4722	1	SET SCREW STEEL M12-80 DIN 933 GALV.	
11b	811220-4122	1	NUT STEEL M12 - USE 300315003 DIN 934 GALV.	
12	812064-460X	1	SPROCKET	SPROCKET WHEEL, 25-TEETH
12a	811251-2401	1	PIN	
12b	811251-5401	1	PIN	
12c	811251-7401	1	PIN	
13	813064-288B	1	TUBE	CROSS TUBE
13a	811213-5322	4	SET SCREW STEEL M16-30 - USE 300304208 DIN 933 GALV.	
14	811331-7408	2	BALL BEARING Ball, 40mm ID x 80mm OD x 56.5mm W	BALL BEARING GE 40 KRRB CC
15	812068-381A	1	ARM	LEVER ARM, RIGHT
15a	811213-3322	5	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
15b	811220-3321	5	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
16	811432-5693	2	TENSION SPRING	TENSION SPRING
17	811392-0507	2	EYEBOLT M10-110 GALV	EYE BOLT M10 GALV
17a	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
17b	811241-2402	1	WASHER 10,5-20-2,0 DIN 125 GALV.	
18	811331-7503	2	BALL BEARING	BALL BEARING GRAE-NPPB 35
19	811421-7498	4	BEARING HALF	HALF OF BEARING HOUSING
19a	811313-1101	1	LUBE NIPPLE	
20	813065-988X	2	BEARING HALF	HALF OF BEARING HOUSING
21	813062-287X	1	ROLLER	ROLLER
21a	811241-8202	6	WASHER 36-52-1,5 DIN 522 GALV.	
21b	811255-3202	1	SNAP RING SNAP 35 MM OUTER - USE 200215288 - fantom DIN 471	
22	811421-7491	2	BEARING HOUSING	HALF OF BEARING HOUSING
23	813062-296X	2	BEARING HALF	HALF OF BEARING HOUSING
23a	811313-2101	1	LUBE NIPPLE	
24	813062-313A	2	SEAL	SEALING PLATE
24a	811220-3321	6	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	

007

p3

007



007


REF	PN	QTY	DESCRIPTION	USAGE
25	813062-298B	1	ROLLER	ROLLER
26	812064-447X	1	SPROCKET	SPROCKET WHEEL 40 TEETH
26a	811251-2401	1	PIN	
26b	811251-5401	1	PIN	
26c	811251-7401	1	PIN	
27	811393-0183	2	RUBBER BUSHING	RUBBER BUFFER
27a	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
27b	811241-2402	1	WASHER 10,5-20-2,0 DIN 125 GALV.	

REF	FIGURE NUMBER	FIGURE NAME
003	003	003

008

p1

008




008

REF	PN	QTY	DESCRIPTION	USAGE
1	811393-0131	1	HOSE PROTECTION	PLASTIC MOULDING
2	813062-378A	1	GUARD	GUARD
2a	811252-3102	1	COTTER PIN 4-25 DIN 94 GALV.	
3	812080-384X	2	HINGE	HINGE
3a	811213-3224	1	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
3b	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
3c	811241-2402	1	WASHER 10,5-20-2,0 DIN 125 GALV.	
4	812080-387X	4	RUBBER RING	RUBBER STRAP
4a	811213-3322	1	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
4b	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
4c	811241-2402	1	WASHER 10,5-20-2,0 DIN 125 GALV.	
5	812080-469X	4	BUSHING	BUSH
5a	811215-2224	1	SCREW M8-25 - USE 300304191 DIN 603 GALV.	
5b	811220-2321	1	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
5c	811241-1503	1	WASHER 9-28-3 DIN 440R GALV.	
6	812062-669X	1	BRACKET	BRACKET
6a	811214-3322	2	SET SCREW STEEL M10-70 - USE 300304041 DIN 931 GALV.	
6b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
7	812062-670X	1	PLATE	TIGHTENING PIECE
8	812062-382X	1	GUARD	GUARD HOLDER
8a	811215-4324	2	SCREW M12-35 - USE 100311035 DIN 603 GALV.	
8b	811220-4321	2	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
8c	811241-3403	2	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
9	813065-289X	1	GUARD	GUARD HOLDER
9a	811214-4126	2	SCREW STEEL M12-45 - USE 300304059 DIN 931 GALV.	

008

p2

008




008

REF	PN	QTY	DESCRIPTION	USAGE
9b	811220-4321	2	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
10	813062-520X	1	GUARD	GUARD
10a	811213-3224	4	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
10b	811220-3321	4	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
10c	811241-2308	8	WASHER 11,5-23-1,5 DIN 522 GALV.	
12	812062-583X	1	DOWEL	DOWEL
12a	811220-3122	1	NUT STEEL M10 - USE 300315001 DIN 934 GALV.	
12b	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
13	812062-584X	1	SUPPORT	SUPPORT
13a	811213-3224	1	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
13b	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
14	812064-263A	2	HOLDER	HOLDER
16	813064-293X	1	GUARD	GUARD
16a	811213-4322	2	SET SCREW STEEL M12-30 - USE 300304056 DIN 933 GALV.	
16b	811220-4322	2	LOCK NUT	
16c	811434-0107	4	SPRING	
17	811399-0237	3	HANDLE	HANDLE
17a	811216-1126	2	SCREW	
17b	811220-1323	2	NUT NYLOC M6 - USE 300316026 DIN 985 GALV.	
17c	811241-1206	2	WASHER 6,4-18-1,6 - USE 300332052 DIN 9021 GALV.	
18	813064-242X	1	PLATE	TOP PLATE, REAR
19	812068-814X	1	GUARD	REAR GUARD
19a	811213-3222	5	SET SCREW STEEL M10-20 - USE 300304031 DIN 933 GALV.	
19b	811220-3321	5	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
19c	811241-2308	10	WASHER 11,5-23-1,5 DIN 522 GALV.	
20	812068-812X	1	GUARD	SIDE GUARD, REAR

008

p3

008




008

REF	PN	QTY	DESCRIPTION	USAGE
20a	811213-3222	5	SET SCREW STEEL M10-20 - USE 300304031 DIN 933 GALV.	
20b	811220-3321	5	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
20c	811241-2308	10	WASHER 11,5-23-1,5 DIN 522 GALV.	
21	811393-0100	4	TIP	RUBBER TIP
22	813062-358B	1	COVER	UPPER PLATE, FRONT
22a	811252-2102	4	COTTER PIN DIN 94 GALV.	
23	812068-815X	1	GUARD	GUARD
23a	811213-3222	2	SET SCREW STEEL M10-20 - USE 300304031 DIN 933 GALV.	
23b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
23c	811241-2308	4	WASHER 11,5-23-1,5 DIN 522 GALV.	
24	812068-811X	1	GUARD	SIDE GUARD, FRONT
24a	811213-3222	3	SET SCREW STEEL M10-20 - USE 300304031 DIN 933 GALV.	
24b	811220-3321	3	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
25	812062-675X	1	GUARD	GUARD HOLDER
25a	811213-4322	1	SET SCREW STEEL M12-30 - USE 300304056 DIN 933 GALV.	
25b	811241-3403	1	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
25c	811242-4221	1	WASHER M12 DIN 7980 GALV.	
27	811433-0315	1	SPRING	SPRING
28	811399-0270	1	HYDRAULIC CYLINDER	CYLINDER
29	813061-236A	1	HANDRAIL	HOOP
29a	811213-4322	2	SET SCREW STEEL M12-30 - USE 300304056 DIN 933 GALV.	
29b	811220-4321	2	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
29c	811241-3403	4	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
30	812061-235X	1	GUARD	GUARD
30a	811213-3222	1	SET SCREW STEEL M10-20 - USE 300304031 DIN 933 GALV.	

008

p4

008




008

REF	PN	QTY	DESCRIPTION	USAGE
30b	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
30c	811241-2502	2	WASHER 10,5-22-3 DIN 522 GALV.	
31	812061-229X	1	GUARD	GUARD
31a	811213-3322	1	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
31b	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
31c	811241-2502	2	WASHER 10,5-22-3 DIN 522 GALV.	
32	812061-227X	1	PLATE	STOP PLATE
32a	811213-2222	2	SET SCREW STEEL M8-20 - USE 300304153 DIN 933 GALV.	
32b	811220-2321	2	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
32c	811241-1202	4	WASHER 8,4-16-1,6 DIN 125-A8,4 ST. GALV VERZ. GELB CHROM GALV.	
33	812061-224X	2	LOCK	LOCK
33a	811214-1124	1	SET SCREW STEEL M6-35 GALV. DIN 931 GALV.	
33b	811220-1323	1	NUT NYLOC M6 - USE 300316026 DIN 985 GALV.	
33c	811241-1203	1	WASHER 6,5-13-1,2 G DIN 522 GALV.	
34	811431-1197	2	SPRING	COMPRESSION SPRING
35	812061-223X	2	GUIDE	GUIDE
35a	811213-2222	1	SET SCREW STEEL M8-20 - USE 300304153 DIN 933 GALV.	
35b	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
35c	811241-1202	1	WASHER 8,4-16-1,6 DIN 125-A8,4 ST. GALV VERZ. GELB CHROM GALV.	
36	812069-162X	1	PLATE	BACK PLATE
37	812069-163X	1	TOOL BOX	TOOLBOX
37a	811215-3226	4	SCREW M10-25 Q 8,8 - USE 7000601587 DIN 603 GALV.	

008

p5

008




008

REF	PN	QTY	DESCRIPTION	USAGE
37b	811220-3321	4	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
37c	811241-2402	4	WASHER 10,5-20-2,0 DIN 125 GALV.	
38	812068-894X	1	COVER	COVER
38a	811215-2124	12	SCREW M8-15 DIN 603 8.8 GALV.	
38b	811220-2321	12	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
38c	811241-1403	12	WASHER 9-16-2,0 DIN 1441 GALV.	
39	811393-0162	2	RUBBER STRIP	RUBBER BACKING

REF	FIGURE NUMBER	FIGURE NAME
002	002	002
003	003	003
007	007	007



FCT 1060
FCT 1060 MD




009

REF	PN	QTY	DESCRIPTION	USAGE
1	813068-363X	1	COVER	CHUTE
1a	811213-3322	2	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
1b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
1c	811241-2402	2	WASHER 10,5-20-2,0 DIN 125 GALV.	
2	813064-970A	1	CHUTE	CHUTE
3	812125-303X	2	STOP	STOP RING
3a	811213-3222	3	SET SCREW STEEL M10-20 - USE 300304031 DIN 933 GALV.	
3b	811241-2502	3	WASHER 10,5-22-3 DIN 522 GALV.	
4	813068-655X	1	CONNECTING BLOCK	CONNECTING PIECE
4a	811220-4321	10	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
4b	811241-3403	10	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
5	813063-606X	1	LEVER	LEVER
6	812067-434X	1	SPACER	DISTANCE RAIL
7	813062-454X	1	GUARD	GUARD
7a	811393-0131	1	HOSE PROTECTION	
8	812080-469X	2	BUSHING	BUSH
8a	811213-3222	1	SET SCREW STEEL M10-20 - USE 300304031 DIN 933 GALV.	
8b	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
8c	811241-2402	2	WASHER 10,5-20-2,0 DIN 125 GALV.	
9	813064-373A	1	HOUSING	HOUSING
9a	811214-5224	2	SET SCREW STEEL M16-55 DIN 931 GALV.	
9b	811220-5321	2	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
10	813064-411X	5	CLAMP	LOCK CLAMP
10a	811214-2122	1	SCREW STEEL M8-35 - USE 7000550235 DIN 931 GALV.	
10b	811220-2321	1	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
11	812111-769X	1	TOOTH	BEVEL GEAR 10 TEETH
12	812125-264X	1	HANDLE	HANDLE



FCT 1060
FCT 1060 MD




009

REF	PN	QTY	DESCRIPTION	USAGE
12a	811214-2122	1	SCREW STEEL M8-35 - USE 7000550235 DIN 931 GALV.	
12b	811220-2321	1	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
13	812125-267X	1	DOWEL	DOWEL
14	812060-230X	1	RING	HOOP
14a	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
14b	811434-0101	8	SPRING	
15	813064-160X	1	ROD	STOP ROD
15a	811220-4322	2	LOCK NUT	
15b	811241-2202	1	WASHER 12-15-1.5 DIN 522 GALV.	
15c	811241-3403	1	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
15d	811254-2101	1	SPRING 4 MM	
16	813064-161X	1	ROD	STOP ROD
16a	811241-2202	1	WASHER 12-15-1.5 DIN 522 GALV.	
17	813068-691X	1	BRACKET	BRACKET FOR MOTOR
18	813068-694X	1	BRACKET	TIGHTENING BRACKET
19	812125-546X	2	BUSHING	BUSH
20	812068-698X	1	BRACKET	BRACKET
21	813068-821X	1	EXTENSION	EXTENSION
21a	811215-3226	4	SCREW M10-25 Q 8,8 - USE 7000601587 DIN 603 GALV.	
21b	811220-3321	4	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
21c	811241-2408	4	WASHER 10,5-30-2,5 - USE 300332043 DIN 9021 GALV.	
22	813068-819X	1	REINFORCEMENT	REINFORCEMENT
22a	811215-2222	4	CARRIAGE BOLT M8-20 - USE 300304190 DIN 603 GALV.	
22b	811220-2321	4	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
22c	811241-1402	4	WASHER	
23	813068-816X	1	REINFORCEMENT	REINFORCEMENT
23a	811215-2222	4	CARRIAGE BOLT M8-20 - USE 300304190 DIN 603 GALV.	



FCT 1060
FCT 1060 MD



009


p3

009

REF	PN	QTY	DESCRIPTION	USAGE
23b	811220-2321	4	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
23c	811241-1402	4	WASHER	
24	812064-834X	2	GUIDE	GUIDE ROD
24a	811241-3506	2	WASHER 15-28-3 DIN 1441 GALV.	
24b	811252-4202	2	COTTER PIN	
25	812064-978X	1	WEAR PLATE	WEAR PLATE UPPER
25a	811215-3222	9	SCREW M10-20 H-3 8.8 - USE 7000552510 DIN 603 GALV. - fantom	
25b	811220-3321	9	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
25c	811241-2402	9	WASHER 10,5-20-2,0 DIN 125 GALV.	
26	812060-985X	1	THRUST RING	THRUST RING
27	812066-093A	1	CLAMP	LOCK FOR CHAIN
27a	811213-4424	2	SET SCREW STEEL M12-45 - USE 300304048 DIN 933 GALV.	
27b	811220-4321	2	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
27c	811241-3403	2	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
29	813225-564X	2	SPROCKET	SPROCKET WHEEL 14 TEETH
30	811363-0259	1	CHAIN	ROLLER CHAIN 75 LINK
30a	811363-9044	1	JOINT	
30b	811363-9046	1	CHAIN LINK	
31	812064-979X	3	WEAR PLATE	WEAR PLATE LOWEST
31a	811215-3222	5	SCREW M10-20 H-3 8.8 - USE 7000552510 DIN 603 GALV. - fantom	
31b	811220-3321	5	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
31c	811241-2402	5	WASHER 10,5-20-2,0 DIN 125 GALV.	
32	813064-821X	1	BRACKET	BRACKET
32a	811215-3226	6	SCREW M10-25 Q 8,8 - USE 7000601587 DIN 603 GALV.	
32b	811220-3321	6	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
32c	811241-2402	6	WASHER 10,5-20-2,0 DIN 125 GALV.	
33	812064-927X	1	COVER	COVER



FCT 1060
FCT 1060 MD




009

REF	PN	QTY	DESCRIPTION	USAGE
33a	811220-2321	2	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
33b	811241-1202	2	WASHER 8,4-16-1,6 DIN 125-A8,4 ST. GALV VERZ. GELB CHROM GALV.	
34	811317-3039	1	HYDRAULIC CYLINDER	CYLINDER
34a	811214-5321	2	SCREW STEEL M16-70 8.8 G DIN 931 GALV.	
34b	811220-5321	2	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
34c	811241-4502	2	WASHER 17-30-3 STEEL Replaces 811241-3504 DIN 125 GALV.	
35	811317-9545	2	CLUTCH	NOZZLE
36	812064-955X	1	BRAKE	HYDRAULIC MOTOR W. BRAKE
37	811316-0141	1	VALVE	SHIFTER VALVE
38	811311-8539	2	WASHER	GASKET
39	811311-1409	2	PIPE COUPLING	PIPE COUPLING
40	811311-8560	3	RING	PACKING RING
41	812307-111X	2	NOZZLE	NOZZLE
42	811311-8603	3	COUPLING	ANGLE COUPLING
43	811311-1411	3	PIPE COUPLING	PIPE COUPLING
44	811317-0847	1	HOSE	HYDRAULIC HOSE L=350
45	811317-0836	3	HOSE	HYDRAULIC HOSE L=4000
46	811317-0839	2	HYDRAULIC HOSE	HYDRAULIC HOSE L=7350
47	811311-8534	1	SCREW	SCREWED CONNECTION
48	811311-8537	5	BRACKET	SUPPORT FOR TUBE
49	811311-8600	3	PLATE	TOP PLATE
49a	811214-1222	1	SCREW	
49b	811220-1323	1	NUT NYLOC M6 - USE 300316026 DIN 985 GALV.	
49c	811241-1207	1	WASHER 6,4-12-1,6 - USE 300332038 DIN 125 GALV.	
50	812068-699X	1	GUARD	COVER PLATE
50a	811219-0603	4	SCREW M8-16 BN 13916 GALV	
51	813068-696X	1	PLATE	TIGHTENING BRACKET
52	811317-9537	1	GASKET KIT	SET OF GASKETS F. 1317-3039
53	813068-364X	1	FLAP	CHUTE




FCT 1060
FCT 1060 MD



009

REF	PN	QTY	DESCRIPTION	USAGE
53a	811213-3322	2	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
53b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
53c	811241-2402	2	WASHER 10,5-20-2,0 DIN 125 GALV.	
54	811432-2296	2	TENSION SPRING	SPRING
55	812068-682X	1	SUPPORT	BRACKET

011



011

REF	PN	QTY	DESCRIPTION	USAGE
1	811362-1207	2	SET OF 2 BELTS	V-BELT SET (2 PCS)
2	811363-0239	1	CHAIN	ROLLER CHAIN 55 LINKS
2a	811363-9058	1	LINK	
2b	811363-9068	1	OFFSET LINK	
3	811363-0203	1	CHAIN	ROLLER CHAIN 57 LINK
3a	811363-9053	1	JOINT	
3b	811363-9054	1	CHAIN LINK	
4	811363-0242	1	CHAIN	ROLLER CHAIN 3/4
4a	811363-9053	1	JOINT	
4b	811363-9054	1	CHAIN LINK	
5	811363-0250	1	CHAIN	ROLLER CHAIN 111 LINKS
5a	811363-9053	1	JOINT	
5b	811363-9054	1	CHAIN LINK	
6	811363-0237	1	CHAIN	ROLLER CHAIN 43 LINKS
6a	811363-9053	1	JOINT	
6b	811363-9054	1	CHAIN LINK	
7	811363-0125	1	CHAIN	ROLLER CHAIN SHORT 10 LINKS
7a	811363-9044	1	JOINT	
7b	811363-9046	1	CHAIN LINK	
8	811363-0122	1	CHAIN	ROLLER CHAIN LONG 63 LINKS
8a	811363-9044	1	JOINT	
8b	811363-9046	1	CHAIN LINK	
9	811363-0131	1	CHAIN	ROLLER CHAIN 53 LINKS
9a	811363-9044	1	JOINT	
9b	811363-9046	1	CHAIN LINK	
10	811363-0251	1	CHAIN	ROLLER CHAIN 113 LINKS
10a	811363-9074	1	LINK	
10b	811363-9075	1	CHAIN LINK	
11	811363-0401	1	CHAIN	ROLLER CHAIN 105 LINKS
11a	811363-9044	1	JOINT	
11b	811363-9046	3	CHAIN LINK	

012



064
060

060



012

REF	PN	QTY	DESCRIPTION	USAGE
1	812062-442X	1	SPROCKET	SPROCKET 36-TEETH
1a	811241-8202	5	WASHER 36-52-1,5 DIN 522 GALV.	
2	811241-8202	5	WASHER 36-52-1,5 DIN 522 GALV.	WASHER 36-52-1,5.
3	811254-2102	1	PIN QN-FM-5 MM	SPRING PIN 5 MM
4	812064-648X	1	ECCENTRIC	EXCENTRIC
5	812064-649X	1	PLATE	TIGHTENING PLATE
7	812062-644X	1	TUBE	DISTANCE TUBE
8	812065-626X	1	SHAFT	SHAFT
8a	811241-9403	2	WASHER	
8b	811255-4201	2	SNAP RING SNAP 40 MM OUTER - USE 7000515140 - fantom DIN 471	
9	811241-9403	2	WASHER	WASHER 40-50-2,5
10	811331-4303	2	BALL BEARING	BALL BEARING 6308 2RS
11	811255-4201	2	SNAP RING SNAP 40 MM OUTER - USE 7000515140 - fantom DIN 471	SNAP RING 40 MM OUTER
12	813065-170A	1	SPROCKET	SPROCKET WHEEL 20/22 TEETH
12a	811251-3501	1	PIN 5-60 - DELTA-coating DIN1481	
12b	811251-5503	1	PIN 8-60 - DELTA-coating DIN1481	
12c	811251-7503	1	PIN 13-60 - DELTA-coating DIN1481	
14	812064-449A	AR1	SPROCKET	SPROCKET WHEEL 18 TEETH
15	813064-455X	2	SPROCKET	SPROCKET WHEEL 14 TEETH
16	812060-938X	1	BUSHING	BUSH
17	812064-453X	1	SPROCKET	SPROCKET WHEEL 14 TEETH
18	811331-3301	2	BALL BEARING	BALL BEARING 6204 2RS
19	811255-4102	1	SNAP RING SNAP 47 MM INNER - USE 500053424 - fantom DIN 472	SNAP RING 47 MM INNER
21	812064-186X	1	SUPPORT	SUPPORT
21a	811213-5422	1	SET SCREW STEEL M16-40 - USE 300304092 DIN 933 GALV.	
21b	811214-5626	3	SCREW STEEL M16-220 - USE 200215449 DIN 931 GALV.	
21c	811220-5321	1	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
21d	811241-4403	1	WASHER 17,5-35-2 DIN 522 GALV.	
22	811331-3306	2	BALL BEARING	BALL BEARING 6207 2RS
23	813063-221X	1	SPROCKET	SPROCKET WHEEL, 28 TEETH

012




012

REF	PN	QTY	DESCRIPTION	USAGE
24	811255-3202	2	SNAP RING SNAP 35 MM OUTER - USE 200215288 - fantom DIN 471	SNAP RING 35 MM OUTER
25	812062-929X	1	TIGHTENER	TIGHTENING PIECE
25a	811214-5424	1	SCREW	
26	812060-281X	1	TIGHTENER	TIGHTENING PIECE
26a	811213-3524	1	SCREW	
26b	811213-3724	1	SET SCREW STEEL M10-90 DIN 933 GALV.	
26c	811220-3122	1	NUT STEEL M10 - USE 300315001 DIN 934 GALV.	
33	813068-844X	1	BRACKET	BRACKET
33a	811213-5422	1	SET SCREW STEEL M16-40 - USE 300304092 DIN 933 GALV.	
34	813065-183X	1	SPROCKET	SPROCKET WHEEL 20-TEETH CPL.
34a	811219-0813	1	SCREW	
34b	811220-5321	1	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
35	813065-169X	1	SPROCKET	SPROCKET WHEEL 20-TEETH
35a	811241-5301	2	WASHER 20,2-34-1,5 DIN 522 GALV.	
36	813060-956X	AR1	WHEEL	SPROCKET WHEEL 17/22 TEETH
36a	811251-3501	1	PIN 5-60 - DELTA-coating DIN1481	
36b	811251-5503	1	PIN 8-60 - DELTA-coating DIN1481	
36c	811251-7503	1	PIN 13-60 - DELTA-coating DIN1481	

REF	FIGURE NUMBER	FIGURE NAME
060	060	060
064	064	064



FCT 1060 MD




013

REF	PN	QTY	DESCRIPTION	USAGE
1	813064-255X	1	SIDE PLATE	SIDE PLATE, RIGHT
1a	811219-0307	2	SCREW M12-30	
1b	811220-4321	2	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
1c	811241-3403	2	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
2	813064-256X	1	SIDE PLATE	SIDE PLATE, LEFT
2a	811219-0307	2	SCREW M12-30	
2b	811220-4321	2	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
2c	811241-3403	2	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
3	812064-444X	1	SPROCKET	SPROCKET WHEEL 31 TEETH
3a	811251-2401	1	PIN	
3b	811251-5401	1	PIN	
3c	811251-7401	1	PIN	
4	812064-441X	1	TOOTH	PROCKET WHEEL 16 TEETH
4a	811251-2401	1	PIN	
4b	811251-5401	1	PIN	
4c	811251-7401	1	PIN	
5	813064-221X	1	FLANGE	FLANGE, LEFT
5a	811219-0333	6	SCREW	
6	811421-7498	2	BEARING HALF	HALF OF BEARING HOUSING
7	813064-345A	2	BEARING HOUSING	HALF OF BEARING HOUSING
7a	811213-3224	5	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
7b	811220-3321	5	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
7c	811313-1101	1	LUBE NIPPLE	
8	812064-220X	2	DRUM	DRUM
8a	811255-3202	1	SNAP RING SNAP 35 MM OUTER - USE 200215288 - fantom DIN 471	
9	813064-222X	1	FLANGE	FLANGE, RIGHT
9a	811219-0333	6	SCREW	
10	811391-9091	1	CABLE	CABLE F. MAGNET TROUGH
11	812062-197A	1	SHAFT	SHAFT
11a	811219-0274	4	SCREW	

013



FCT 1060 MD




013

REF	PN	QTY	DESCRIPTION	USAGE
11b	811242-2621	4	TOOTH	
11c	811255-2203	1	SNAP RING QY-SNAP 25 MM OUTER - USE 300407009 - fantom DIN 471	
11d	811313-1501	1	LUBE NIPPLE	
12	812064-377X	1	MAGNET	MAGNET TROUGH
13	812063-153X	1	CLAMP	CLAMP
13a	811165-0130	3	CABLE TIE	
13b	811213-3224	2	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
13c	811214-3120	2	SCREW Sruba M10-40 =300304036 - fantom / STEEL M10-40 - USE 300304036 DIN 931 GALV.	
13d	811242-3621	4	WASHER	
14	813064-284X	1	FLANGE	FLANGE, LEFT
14a	811219-0333	12	SCREW	
15	813064-283X	1	FLANGE	FLANGE, RIGHT
15a	811219-0333	12	SCREW	
16	811331-9922	1	BEARING HOUSING	BEARING HOUSING
16a	811313-2101	1	LUBE NIPPLE	
17	811391-0921	1	CONNECTING LINK	SCREWED CONNECTION
18	811323-9060	1	RING	TIGHTENING RING
19	811331-2303	1	BALL BEARING	BALL BEARING 6005 2RS
20	811331-3306	1	BALL BEARING	BALL BEARING 6207 2RS
21	812063-152X	1	BRACKET	BRACKET
22	811331-9905	1	BALL BEARING	BALL BEARING
23	811363-0238	1	CHAIN	ROLLER CHAIN 46 LINKS
24	813064-274X	1	ROLLER	ROLLER
25	812068-391A	1	ARM	LEVER ARM, LEFT
26	812068-392A	1	ARM	LEVER ARM, RIGHT
27	811393-0183	2	RUBBER BUSHING	RUBBER BUFFER
27a	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
27b	811241-2402	1	WASHER 10,5-20-2,0 DIN 125 GALV.	
28	811331-7503	2	BALL BEARING	BALL BEARING GRAE-NPPB 35

013



FCT 1060 MD




013

REF	FIGURE NUMBER	FIGURE NAME
-----	---------------	-------------

REF	FIGURE NUMBER	FIGURE NAME
-----	---------------	-------------

REF	FIGURE NUMBER	FIGURE NAME
-----	---------------	-------------


014



014

REF	PN	QTY	DESCRIPTION	USAGE
1	813064-667X	1	BRACKET	BRACKET
1a	811213-2422	1	SET SCREW STEEL M8-40	
1b	811220-2122	1	NUT STEEL M8 - USE 300315018 DIN 934 GALV.	
2	813064-232X	1	LATCH	LATCH
2a	811313-1101	1	LUBE NIPPLE	
3	813064-231X	1	WHEEL	RATCHET WHEEL
3a	811338-0111	1	KEY	
4	811335-5511	2	SPH ROLLER BEARING	PLAIN BEARING 30-34-15
5	812068-905X	1	BRACKET	FITTINGS
6	812064-279X	1	REINFORCEMENT	REINFORCEMENT
6a	811213-4222	1	SET SCREW STEEL M12-20 - USE 300304054 DIN 933 GALV.	
6b	811214-3326	3	SCREW	
6c	811220-3321	3	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
6d	811241-2602	3	WASHER	
6e	811241-3502	1	WASHER 13-42-3 DIN 522 GALV.	
7	811432-2299	1	TENSION SPRING	TENSION SPRING
8	811331-3302	1	BALL BEARING	BALL BEARING
9	812067-860X	1	BUSHING	BUSH
9a	811213-4522	1	SET SCREW STEEL M12-50 DIN 933 GALV.	
9b	811216-1226	1	SCREW	
9c	811220-1321	1	NUT NYLOC M4 DIN 985-8 GALV.	
9d	811241-1101	1	WASHER 4,3-12-1 GALV. - USE 200213143 DIN 9021 GALV.	
10	811391-0914	1	RING	MAGNET RING
11	811391-0913	1	SOLENOID	EL-MAGNET
12	811391-0923	1	MAGNET	MAGNET
13	812068-684X	1	BRACKET	BRACKET
13a	811219-0294	3	SCREW	
13b	811242-1222	3	LOCK WASHER	
14	811392-0509	1	EYEBOLT	EYE BOLT M8-80
20	811391-0985	1	CONTROL	CONTROL BOX METAL DETECTOR
22	811317-1029	1	COIL	VALVE COIL
23	811317-9401	1	COIL	COIL

014




REF	PN	QTY	DESCRIPTION	USAGE
24	812068-810X	1	SUPPORT	FITTINGS
24a	811213-5324	1	SET SCREW STEEL M16-35 - USE 300304081 DIN 933 GALV.	
24b	811242-5221	1	LOCK WASHER	
25	811391-9061	1	SENSOR	REED SENSOR
25a	811391-9079	2	NUT	
26	811391-9080	1	RING	MOUNTING F. STEERING
27	811331-9986	2	SEALING RING	SEALING RING

REF	FIGURE NUMBER	FIGURE NAME
002	002	002
004	004	004
015	015	015



FCT 1060
FCT 1060 MD




015

REF	PN	QTY	DESCRIPTION	USAGE
1	811317-0880	1	HOSE	HYDRAULIC HOSE L=2300
2	811317-0848	1	HOSE	HYDRAULIC HOSE L=500
3	811317-0841	2	HOSE	HYDRAULIC HOSE L=1700
4	811317-0305	1	COUPLING	QUICK CLUTCH LS 1/4
5	811311-1416	1	PIPE	PIPE STUB
6	811311-8603	5	COUPLING	ANGLE COUPLING
7	811311-8715	1	HYD CONNECTOR	SCREWED CONNECTION
8	811317-0877	1	HOSE	HYDRAULIC HOSE L=1850
9	811317-0842	2	HOSE	HYDRAULIC HOSE L=6450
10	811311-2304	3	NIPPLE	NIPPLE
11	811311-8562	5	PLUG	PLUG
12	811311-8534	5	SCREW	SCREWED CONNECTION
13	811317-0841	1	HOSE	HYDRAULIC HOSE L=1700
14	811317-0880	1	HOSE	HYDRAULIC HOSE L=2300
15	811317-0314	2	HYDRAULIC HOSE	HYDRAULIC HOSE L=6550
16	811317-0836	3	HOSE	HYDRAULIC HOSE L=4000
18	811311-1110	1	HYD CONNECTOR	TEE 1/2
19	811311-8550	1	LUBE NIPPLE	NIPPLE
20	811311-2603	1	SOCKET	SOCKET
21	811311-8535	1	PIPE	PIPE STUB
22	811311-8406	2	TEE	T-PIECE
23	811317-5017	4	HYDRAULIC HOSE	HYDRAULIC HOSE L=600
25	811391-0983	1	BOX	CONTROL BOX FCT W. PLUG
26	811317-0757	1	VALVE	NON-RETURN VALVE
27	811393-0140	1	CAP	PROTECTION CAP BLUE
28	811393-0139	1	CAP	PROTECTION CAP RED
29	811317-0302	2	COUPLING	CONNECTION F/QUICK-COUPLING
30	811317-1012	4	VALVE	VALVE-MODULE
31	811317-9490	1	COIL	MAGNET COIL
32	811317-9491	1	O-RING	O-RING
33	811317-0958	2	VALVE	CYLINDERMODULE - L10
34	811317-9489	1	PLATE	ENDPLATE
35	811317-9485	1	COIL	MAGNET COIL
36	811317-1057	1	VALVE	BY-PASS VALVE
37	811317-0956	1	BOLT	SET OF BOLTS - 5 HYDR. FCT.
37a	811220-2922	3	NUT	



FCT 1060
FCT 1060 MD




015

REF	PN	QTY	DESCRIPTION	USAGE
38	811317-0953	1	BOLT	SET OF BOLTS - 2 HYDR. FCT.
38a	811220-2922	3	NUT	
39	812068-898X	3	BUSHING	BUSH
40	811317-1021	1	SPACER	DISTANCE PIECE
41	811317-1019	1	VALVE	VALVE BLOCK
42	811317-9401	1	COIL	COIL
43	811317-1029	1	COIL	VALVE COIL
44	811317-1048	1	HYDRAULIC VALVE	VALVE BLOCK - NON MD
45	811311-8534	6	SCREW	SCREWED CONNECTION
46	811317-9853	1	VALVE	VALVE
47	811391-9083	1	SWITCH	SWITCH MOM-OFF-MOM
47a	812068-932X	1	COVER	
48	811391-9085	1	SWITCH	SWITCH MOM-OFF-ON
48a	812068-922X	1	COVER	
49	811391-9088	1	JOYSTICK	JOYSTICK W. BUTTON
50	811391-9089	1	STEERING BOX	STEERING BOX F. 1391-0983
51	811391-9090	1	PLATE	BOX F. 1391-0983
52	811391-0988	1	CABLE EXTENSION	CABLE W. PLUG
53	811391-9080	1	RING	MOUNTING F. STEERING
54	811311-1411	2	PIPE COUPLING	PIPE COUPLING
55	812010-394X	1	NOZZLE	NOZZLE
56	811311-2630	2	HYD CONNECTOR	NIPPLE
57	811311-8538	2	GASKET	GASKET
58	811391-9098	1	CABLE	CABLE
59	811317-0896	1	HYDRAULIC HOSE	HYDRAULIC HOSE L=740

REF	FIGURE NUMBER	FIGURE NAME
001	001	001
002	002	002
004	004	004
006	006	006

020




020

REF	PN	QTY	DESCRIPTION	USAGE
1	81PR80-0841	1	INSTRUCTION	READ INSTRUCTION MANUAL
2	81PR80-0842	1	DECAL	STOP THE ENGINE
3	81PR80-0811	1	WARNING DECAL	WARNING: CHILDREN
4	81PR80-0832	1	DECAL	STICKER MAX 210 BAR
5	81PR80-0814	3	DECAL	WARNING: OIL UNDER PRESSURE
6	81PR80-0861	1	DECAL	WARNING: ELECTRIC CABLES
7	81PR80-0826	4	DECAL	WARNING: CHAIN DRIVE
8	81PR80-0293	2	WARNING DECAL	STICKER WARNING
9	81PR80-0823	2	DECAL	WARNING: REMEMBER GUARD
10	81PR80-0821	2	DECAL	WARNING: ROTATING PARTS
11	81PR80-0824	3	DECAL	WARNING: ROTATING ROLLERS
12	81PR80-0837	1	DECAL	PTO SHAFT/ROTOR
13	81PR80-0125	1	DECAL	ILL. OF TIGHTENING
14	81PR80-1069	1	DECAL	TORQUE 40 KGM
15	81PR80-0752	1	DECAL	DECAL +/-
16	81PR80-0735	1	DECAL	DECAL TRANSPORT
17	81PR80-0819	1	DECAL	STICKER ILL OF LOCK
18	81PR80-0820	2	DECAL	ILL. OF LOCK
19	81PR80-0151	3	DECAL	TRANSPORT HOOK
20	81PR80-0734	1	DECAL	REVERSE INDICATOR
21	81PR80-0818	1	DECAL	REMEMBER TRANSPORT LOCK
22	81PR80-0804	1	DECAL	540 RPM CCW
23	81PR80-0805	1	DECAL	1000 RPM CCW
24	81PR80-8209	2	DECAL	KONGSKILDE LOGO
25	81PR80-8205	2	DECAL	JF-ORIGIN
26	81PR80-8441	1	DECAL	FCT 1060 RH
27	81PR80-8440	1	DECAL	K-LOGO FCT 1060 LH
96	813889-185X	1	DECAL	TRANSFER F/FCT-1050 PICK-UP
97	813889-187X	1	DECAL	TRANSFER F/PICK-UP
98	813890-073X	1	DECAL	STICKERLIST F. FCT DRAWBAR
99	813890-108X	1	DECAL	STICKERLIST F. FCT 1060

030

p1


030



030**p1****030**

REF	PN	QTY	DESCRIPTION	USAGE
1	811213-3224	18	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	STEEL SET SCREW M10-25
3	811315-9358	2	SPH ROLLER BEARING	BEARING 30309
4	811315-9160	2	SHIM	DISTANCE WASHER
5	811315-9336	1	COVER	COVER
6	811213-3222	10	SET SCREW STEEL M10-20 - USE 300304031 DIN 933 GALV.	STEEL SET SCREW M10-20
7	811315-9359	1	NUT	NUT
8	811315-9360	1	GEAR	CROWN WHEEL
9	811315-9118	1	PLUG	PLUG
10	811315-9361	1	WASHER	WASHER
11	811315-9116	1	PLUG	AIR ESCAPE PLUG
12	811315-9362	1	EXTENSION	EXTENSION
13	811315-9120	1	COVER	COVER
16	811315-9365	1	SPH ROLLER BEARING	BEARING 30310
17	811315-9366	1	ROLLER CAGE BEARING	ROLLER BEARING, LONE 30210
18	811315-9367	1	SHAFT	SHAFT
19	811315-9368	1	OIL SEAL	OIL TIGHTENING RING
20	811315-9369	1	EXTENSION	EXTENSION
21	811311-2201	2	PLUG	PLUG
22	811315-9370	1	BEVEL PINION	BEVEL PINION WHEEL
23	811315-9371	1	COVER	COVER
24	811332-5802	1	OIL SEAL	OIL SEAL M 45-85-10
25	811315-9372	1	SHAFT	SHAFT
26	811315-9315	1	COTTER PIN	COTTER PIN B4-60
27	811315-9373	1	HOUSING	HOUSING
28	811315-9356	1	SHIM KIT	SET AF WASHERS

040




040

p1

040

REF	PN	QTY	DESCRIPTION	USAGE
0	811340-1450	1	AXLE	PTO SHAFT PWE 580 SPGF25SW
4	811342-3094	1	GUARD	OUTER GUARD HALF
5	811342-3095	1	GUARD	INNER GUARD HALF
21	811340-9332	1	SPIDER	CROSS AND BEARING KIT CPL
25	811340-9224	1	SPIDER	CROSS
29	811501-0126	1	TUBE	PROFIL TUBE S. S4GA 1400MM
30	811501-0127	1	TUBE	PROFIL TUBE W.H GREASE NIP.
33	811340-9227	1	CROSS	CROSS


041



041

REF	PN	QTY	DESCRIPTION	USAGE
0	811340-1449	1	PTO SHAFT	PTO SHAFT
4	811342-3094	1	GUARD	OUTER GUARD HALF
5	811342-3095	1	GUARD	INNER GUARD HALF
6	811341-9588	1	CLUTCH PACK	SPRING PACK ASSEMBLY
7	811341-9569	4	DISC	FRICTION DISK
11	811340-9410	1	YOKE	WIDEANGLE YOKE
12	811340-9230	1	TUBE	INNER PROTECTION TUBE
15	811340-9600	1	WEDGE	WEDGE
16	811340-9596	1	LEAF SPRING	LEAF SPRING
21	811340-9227	1	CROSS	CROSS

042




042

p1

042

REF	PN	QTY	DESCRIPTION	USAGE
3	811341-9572	1	SPRING	DISC SPRING 3MM
4	811340-9204	1	SPRING	DISC SPRING 3MM
6	811341-9566	4	PLATE	FRICTION PLATE


043



043

REF	PN	QTY	DESCRIPTION	USAGE
0	811340-1455	1	PTO SHAFT	PTO-SHAFT
4	811342-3094	1	GUARD	OUTER GUARD HALF
5	811342-3095	1	GUARD	INNER GUARD HALF
21	811340-9332	1	SPIDER	CROSS AND BEARING KIT CPL
25	811340-9224	1	SPIDER	CROSS
29	811501-0126	1	TUBE	PROFIL TUBE S. S4GA 1400MM
30	811501-0127	1	TUBE	PROFIL TUBE W.H GREASE NIP.
33	811340-9227	1	CROSS	CROSS

044





044

REF	PN	QTY	DESCRIPTION	USAGE
0	811350-0067	1	PTO SHAFT	PTO-SHAFT
2	811350-2116	1	CROSSBAR	CENTRE CROSS
12	811601-0015	1	TUBE	PROFILE TUBE, OUTER
13	811601-0016	1	TUBE	PROFILE TUBE, INNER
22	811350-2117	1	SPIDER	CENTRE CROSS
61	811350-9005	1	LOCK PIN	PIVOT
97	811350-2119	1	SHIELD	SHIELD, COMPLETE

050

p1

050



050

p1


050

REF	PN	QTY	DESCRIPTION	USAGE
1	813064-317X	2	HUB	HUB
1a	811214-5224	8	SET SCREW STEEL M16-55 DIN 931 GALV.	
1b	811220-5321	8	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
3	811323-9637	1	SPH ROLLER BEARING	BEARING
4	811331-9907	1	TAPERED BEARING	TAPER ROLLER BEARING 30209
5	811323-9638	1	TIGHTENER	TIGHTENING RING
6	811323-9639	1	SLOTTED NUT	CARSTELLATED NUT
7	811252-4201	1	COTTER PIN 5-30 DIN 94 GALV.	COTTER PIN 5-30
8	100423089	1	CAP	WHEEL CAP
9	811323-9641	6	BOLT	BOLT
10	811323-9556	6	NUT M18-1,5	NUT M18-1,5
11	811323-9326	6	WASHER	WASHER 7,5MM

051

p1

051




051

REF	PN	QTY	DESCRIPTION	USAGE
1	813064-626X	2	HUB	HUB
1a	811214-5224	12	SET SCREW STEEL M16-55 DIN 931 GALV.	
1b	811220-5321	12	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
3	811323-9375	1	BEARING ASSY	ROLLER BEARING
4	811331-9907	1	TAPERED BEARING	TAPER ROLLER BEARING 30209
5	811323-9562	1	TIGHTENER	TIGHTENING RING
6	811323-9563	1	SLOTTED NUT	CARSTELLATED NUT
7	811323-9547	1	COTTER PIN	COTTER PIN
8	811323-9564	1	CAP	CAP
9	811323-9641	6	BOLT	BOLT
10	811323-9556	6	NUT M18-1,5	NUT M18-1,5
11	811323-9326	6	WASHER	WASHER 7,5MM



1,8 M. PICKUP




060

REF	PN	QTY	DESCRIPTION	USAGE
1	812068-872X	1	PLATE	UPPER PLATE
1a	811213-3222	12	SET SCREW STEEL M10-20 - USE 300304031 DIN 933 GALV.	
1b	811220-3321	12	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
2	812064-174X	1	PLATE	UPPER PLATE
2a	811215-3222	10	SCREW M10-20 H-3 8.8 - USE 7000552510 DIN 603 GALV. - fantom	
2b	811219-0263	10	SCREW M10-20 ISO 7380 GALV.	
2c	811220-3321	10	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
2d	811220-3922	10	NUT M10 1.8-3.2 cynk.	
2e	811241-2502	10	WASHER 10,5-22-3 DIN 522 GALV.	
3	812064-944X	1	GUARD	GUARD
4	812064-194X	1	GUARD	GUARD
4a	811220-3922	1	NUT M10 1.8-3.2 cynk.	
5	812064-193X	1	TIGHTENER	TIGHTENING
6	812064-195A	1	GUARD	GUARD
7	811165-0190	1	COVER	COVER
8	812064-498X	1	BOTTOM	BOTTOM, RIGHT
8a	811215-3228	8	SCREW M10-20 Q 8,8 - USE 300304164 DIN 603 GALV.	
8b	811220-3321	8	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
8c	811241-3403	8	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
9	812062-224X	1	STRIPPER	RIGHT STRIPPER
9a	811215-3228	4	SCREW M10-20 Q 8,8 - USE 300304164 DIN 603 GALV.	
9b	811220-3122	4	NUT STEEL M10 - USE 300315001 DIN 934 GALV.	
9c	811241-2308	4	WASHER 11,5-23-1,5 DIN 522 GALV.	
9d	811242-3221	4	WASHER M10 DIN 7980 GALV.	
10	812064-495X	1	BOARD	SIDEBOARD, RIGHT
10a	811215-2222	3	CARRIAGE BOLT M8-20 - USE 300304190 DIN 603 GALV.	
10b	811220-2321	3	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	



1,8 M. PICKUP



060


p2

060

REF	PN	QTY	DESCRIPTION	USAGE
10c	811241-1202	3	WASHER 8,4-16-1,6 DIN 125-A8,4 ST. GALV VERZ. GELB CHROM GALV.	
11	812062-264A	1	PLATE	TUB
12	812064-496X	1	SIDE PLATE	SIDE PLATE, LEFT
12a	811215-2222	3	CARRIAGE BOLT M8-20 - USE 300304190 DIN 603 GALV.	
12b	811220-2321	3	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
12c	811241-1202	3	WASHER 8,4-16-1,6 DIN 125-A8,4 ST. GALV VERZ. GELB CHROM GALV.	
13	812064-497X	1	BOTTOM	BOTTOM, LEFT
13a	811215-3228	6	SCREW M10-20 Q 8,8 - USE 300304164 DIN 603 GALV.	
13b	811220-3321	6	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
13c	811241-3403	6	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
14	812062-225X	1	STRIPPER	STRIPPER, LEFT
14a	811215-3228	3	SCREW M10-20 Q 8,8 - USE 300304164 DIN 603 GALV.	
14b	811220-3122	3	NUT STEEL M10 - USE 300315001 DIN 934 GALV.	
14c	811241-2308	3	WASHER 11,5-23-1,5 DIN 522 GALV.	
14d	811242-3221	3	WASHER M10 DIN 7980 GALV.	
15	812062-219X	1	PROFILE	MIDDLE PIECE
15a	811213-2222	9	SET SCREW STEEL M8-20 - USE 300304153 DIN 933 GALV.	
15b	811220-2321	9	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
16	813064-180A	1	SIDE PLATE	SIDE PLATE, RIGHT
16a	811213-5424	6	SET SCREW QY-Sruba M16-45 =300304093 - fantom / STEEL M16-45 - USE 300304093 DIN 933 GALV.	
16b	811241-4502	6	WASHER 17-30-3 STEEL Replaces 811241-3504 DIN 125 GALV.	
17	813062-550X	1	TUBE	BEARING TUBE



1,8 M. PICKUP




060

REF	PN	QTY	DESCRIPTION	USAGE
18	812062-668X	1	SUPPORT	SUPPORT
18a	811213-3324	1	SET SCREW STEEL M10-35 - USE 300304035 DIN 933 GALV.	
18b	811219-0234	3	HEX SOC SCREW	
18c	811220-3321	4	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
19	813062-648X	1	SUPPORT	BEARING TUBE
20	813064-175B	1	SIDE PLATE	SIDE PLATE, LEFT
20a	811213-5424	6	SET SCREW QY-Sruba M16-45 =300304093 - fantom / STEEL M16-45 - USE 300304093 DIN 933 GALV.	
20b	811241-4502	6	WASHER 17-30-3 STEEL Replaces 811241-3504 DIN 125 GALV.	
21	813062-247A	1	FRAME	FRAME
22	813068-251X	1	HANDRAIL	HOOP
22a	811213-4322	4	SET SCREW STEEL M12-30 - USE 300304056 DIN 933 GALV.	
22b	811220-4321	4	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
22c	811241-3403	4	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
23	812064-199X	1	SUPPORT	SUPPORT
24	812065-224X	1	DEFLECTOR	DEFLECTOR
25	812065-225X	1	DEFLECTOR	DEFLECTOR
26	812064-647X	1	FOOT	STOP
26a	811219-0264	1	SCREW	
26b	811219-0812	1	SCREW	
28	812062-753X	1	BRACKET	BRACKET
28a	811213-5424	2	SET SCREW QY-Sruba M16-45 =300304093 - fantom / STEEL M16-45 - USE 300304093 DIN 933 GALV.	
28b	811220-5321	2	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
29	812064-191X	1	FOOT	STOP
30	812062-754X	1	FORK	FORK
31	813062-757X	4	STOP	STOP



1,8 M. PICKUP




060

REF	PN	QTY	DESCRIPTION	USAGE
31a	811214-5324	1	SCREW STEEL M16-75 DIN 931 GALV.	
31b	811220-5122	1	NUT STEEL M16 - USE 300315006 DIN 934 GALV.	
31c	811220-5321	1	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
32	811325-2101	2	TYRE/TIRE	BALLOON WHEEL 190-150-5
32a	811214-5626	1	SCREW STEEL M16-220 - USE 200215449 DIN 931 GALV.	
32b	811220-5321	1	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
32c	811241-4503	1	WASHER 17,5-35-3 DIN 522 GALV.	
33	811323-9397	1	TUBE	TUBE
34	811323-9405	2	BALL BEARING	BALL BEARING 6205 Z
35	811323-9073	2	WASHER	TIGHTENING WASHER
36	811323-9396	2	LINING	LINING
37	812062-751X	4	BRACKET	BRACKET
37a	811213-5324	1	SET SCREW STEEL M16-35 - USE 300304081 DIN 933 GALV.	
37b	811220-5321	1	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
38	812068-247X	1	TUBE	TUBE
39	811311-8662	2	TUBE	TUBE HOLDER ?28
39a	811219-0344	2	SCREW	
39b	811220-1323	2	NUT NYLOC M6 - USE 300316026 DIN 985 GALV.	
39c	811241-1207	2	WASHER 6,4-12-1,6 - USE 300332038 DIN 125 GALV.	



1,8 M. PICKUP


FCT 1060
FCT 1060 MD

061

REF	PN	QTY	DESCRIPTION	USAGE
1	812062-533X	1	BUSHING	BUSH
1a	811213-5224	1	SET SCREW STEEL M16-25 - USE 300304091 DIN 933 GALV.	
1b	811214-5422	1	SCREW	
1c	811220-5321	2	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
1d	811241-4503	8	WASHER 17,5-35-3 DIN 522 GALV.	
1e	811241-5503	1	WASHER 21.0-42-3.5 ISO 7089 GALV.	
1f	811242-5421	1	WASHER	
2	813064-988X	2	ARM	LEVER ARM
3	811421-6491	2	BEARING HALF	HALF OF BEARING HOUSING
4	811331-7503	2	BALL BEARING	BALL BEARING GRAE-NPPB 35
5	812228-275X	2	BEARING HALF	HALF OF BEARING HOUSING
6	813062-218X	2	TIGHTENER	TIGHTENING
6a	811220-3321	6	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
6b	811255-3202	1	SNAP RING SNAP 35 MM OUTER - USE 200215288 - fantom DIN 471	
7	813065-193X	1	SPROCKET	CLUTCH W./SPROCKET WH. ASS.
8	811341-9164	1	FLANGE	FLANGE
8a	811213-3324	3	SET SCREW STEEL M10-35 - USE 300304035 DIN 933 GALV.	
9	811341-9566	2	PLATE	FRICTION PLATE
10	811341-9631	1	RING	RALE
11	811341-9557	1	PLATE	PRESSURE PLATE
11a	811220-2321	1	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
12	811341-9591	1	SPRING	DISC SPRING
13	811341-9592	1	SPRING	DISC SPRING
14	811341-9567	1	FLANGE	PRESSURE FLANGE
15	812062-251A	1	SPROCKET	SPROCKET WHEEL 28-TEETH
16	812062-647X	1	THRUST WASHER	THRUST WASHER
16a	811213-4322	1	SET SCREW STEEL M12-30 - USE 300304056 DIN 933 GALV.	
16b	811242-4421	1	LOCK WASHER	
17	812712-544X	2	BUSHING	BUSH



1,8 M. PICKUP


FCT 1060
FCT 1060 MD

061

REF	PN	QTY	DESCRIPTION	USAGE
18	813064-983X	2	BRACKET	BRACKET
18a	811213-4324	3	SET SCREW STEEL M12-35 - USE 300304057 DIN 933 GALV.	
18b	811220-4321	3	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
18c	811241-3403	6	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
19	812064-918X	2	SUPPORT	UPPER FITTINGS
20	811399-0204	2	RING	DISTANCE RING
21	812062-677X	1	GUARD	GUARD
22	812064-650X	1	SUPPORT	SUPPORTING IRON
22a	811219-0286	2	SCREW	
22b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
23	813064-914X	1	ARM	ARM, RIGHT
23a	811213-6522	1	SET SCREW STEEL M20-50 - USE 300304106 DIN 933 GALV.	
23b	811214-4123	1	SET SCREW STEEL M12-40 DIN 931 GALV.	
23c	811214-4226	1	SCREW STEEL M12-60 - USE 300304062 DIN 931 GALV.	
23d	811215-3424	2	SCREW M10-45 - USE 300304171 DIN 603 GALV.	
23e	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
23f	811220-4220	1	NUT	
23g	811220-4321	2	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
23h	811220-6321	1	NUT NYLOC M20 - USE 300316016 DIN 985 GALV.	
23i	811241-2402	2	WASHER 10,5-20-2,0 DIN 125 GALV.	
23j	811241-3403	4	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
24	813062-660X	1	GUARD	GUARD
24a	811213-3126	2	SET SCREW STEEL M10-16 - USE 300304028 DIN 933 GALV.	
24b	811241-2308	2	WASHER 11,5-23-1,5 DIN 522 GALV.	
24c	811242-3621	2	WASHER	



1,8 M. PICKUP


FCT 1060
FCT 1060 MD

061

REF	PN	QTY	DESCRIPTION	USAGE
25	813062-692A	1	AUGER	AUGER
26	811338-0107	1	KEY	FLAT KEY 10-8-32
27	813068-859X	1	ROLLER	FRONT ROLLER
27a	811215-3320	4	SCREW M10-30 Q 8.8 - USE 300304165 DIN 603 GALV.	
27b	811220-3321	4	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
27c	811241-2402	4	WASHER 10,5-20-2,0 DIN 125 GALV.	
28	813068-461X	1	BEAM	INLET PLATE
28a	811215-3320	4	SCREW M10-30 Q 8.8 - USE 300304165 DIN 603 GALV.	
28b	811220-3321	4	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
28c	811241-2402	4	WASHER 10,5-20-2,0 DIN 125 GALV.	
29	811331-9930	2	SPH ROLLER BEARING	STEEL BEARING ?25 UCP2 205
30	812064-903X	2	SCRAPER	SCRAPER
31	813064-915X	1	ARM	ARM, LEFT
31a	811213-6522	1	SET SCREW STEEL M20-50 - USE 300304106 DIN 933 GALV.	
31b	811214-4123	1	SET SCREW STEEL M12-40 DIN 931 GALV.	
31c	811214-4226	1	SCREW STEEL M12-60 - USE 300304062 DIN 931 GALV.	
31d	811215-3424	2	SCREW M10-45 - USE 300304171 DIN 603 GALV.	
31e	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
31f	811220-4220	1	NUT	
31g	811220-4321	2	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
31h	811220-6321	1	NUT NYLOC M20 - USE 300316016 DIN 985 GALV.	
31i	811241-2402	2	WASHER 10,5-20-2,0 DIN 125 GALV.	
31j	811241-3403	4	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
32	812064-987X	1	ARM	LEVER ARM
33	812064-648X	1	ECCENTRIC	EXCENTRIC
34	812064-649X	1	PLATE	TIGHTENING PLATE



1,8 M. PICKUP

FCT 1060
FCT 1060 MD


061

REF	PN	QTY	DESCRIPTION	USAGE
34a	811213-3224	2	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
35	812064-947X	1	SUPPORT	SUPPORT PLATE
36	812064-948X	1	SUPPORT	SUPPORT PLATE
37	811317-0991	2	HYDRAULIC CYLINDER	CYLINDER DVL 30-16-45
38	813064-952X	2	BRACKET	BRACKET
38a	811220-5222	1	NUT STEEL M16 H 8M/M DIN 439 GALV.	
38b	811241-4502	1	WASHER 17-30-3 STEEL Replaces 811241-3504 DIN 125 GALV.	
38c	811252-4202	1	COTTER PIN	
39	811311-1417	2	COUPLING	ANGLE COUPLING
40	811317-5020	1	HOSE	HOSE 1/4 -400
41	811317-5022	1	HOSE	HOSE 1/4 -1970
42	811311-8406	1	TEE	T-PIECE
43	811317-5017	1	HYDRAULIC HOSE	HYDRAULIC HOSE L=600
44	811311-1411	1	PIPE COUPLING	PIPE COUPLING
45	811317-0299	1	QUICK MALE COUPLING	QUICK CLUTCH 1/4
46	812112-978X	5	CLAMP	CLAMP
47	812010-171X	1	CLAMP	CLAMP

REF	FIGURE NUMBER	FIGURE NAME
060	060	060



1,8 M PICKUP



063

REF	PN	QTY	DESCRIPTION	USAGE
1	813064-418X	1	SHAFT	PICK-UP SHAFT
2	813064-417X	4	TUBE	TUBE F/PICK-UP
2a	811251-4501	2	PIN	
2b	811251-6501	2	PIN 10-60 - DELTA-coating DIN1481	
3	812065-647X	8	SPRING	SPRING HOLDER
4	811435-0027	40	TINE	PU TINE
4a	811214-2222	1	SCREW STEEL M8-50 - USE 300304160 DIN 931 GALV.	
4b	811220-2321	1	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
4c	811241-1202	1	WASHER 8,4-16-1,6 DIN 125-A8,4 ST. GALV VERZ. GELB CHROM GALV.	
5	813065-690X	4	ROLLER	ROLLER ASSY.
5a	811220-5222	1	NUT STEEL M16 H 8M/M DIN 439 GALV.	
5b	811255-1202	1	SNAP RING	
6	811435-0026	8	TINE	TINE
6a	811214-2222	1	SCREW STEEL M8-50 - USE 300304160 DIN 931 GALV.	
6b	811220-2321	1	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
6c	811241-1202	1	WASHER 8,4-16-1,6 DIN 125-A8,4 ST. GALV VERZ. GELB CHROM GALV.	
7	811331-9998	1	ROLLER	ROLLER
8	813065-135X	3	BRACKET	LAGER BRACKET
9	812065-131X	12	BUSHING	BUSH
10	812065-657X	1	SHAFT	SHAFT
10a	811251-5501	4	PIN	
10b	811251-7501	4	PIN 12-60 - DELTA-coating DIN1481	
11	813065-415X	1	SIDE PLATE	SIDE PLATE, RIGHT
11a	811213-3224	6	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
11b	811220-3321	6	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
12	813065-411X	1	SIDE PLATE	SIDE PLATE, LEFT

This technical drawing is an exploded view of a mechanical assembly, likely a conveyor system. The components are numbered as follows:

- 1**: Main frame or housing.
- 2**: A long, narrow component with multiple vertical slots, possibly a belt or a guide.
- 3**: A long, thin rod or shaft.
- 4**: Small pins or fasteners.
- 5**: A small component with a circular feature.
- 6**: A small component with a circular feature.
- 7**: A small component with a circular feature.
- 8**: A small component with a circular feature.
- 9**: A small component with a circular feature.
- 10**: A long, thin rod or shaft.
- 11**: A circular component with a central hole.
- 12**: A small component with a circular feature.
- 13**: A circular component with a central hole.
- 14**: A small component with a circular feature.
- 15**: A small component with a circular feature.
- 16**: A small component with a circular feature.
- 17**: A small component with a circular feature.
- 18**: A small component with a circular feature.
- 19**: A small component with a circular feature.
- 20**: A small component with a circular feature.
- 21**: A small component with a circular feature.
- 22**: A small component with a circular feature.
- 23**: A small component with a circular feature.
- 24**: A small component with a circular feature.
- 25**: A small component with a circular feature.
- 26**: A small component with a circular feature.
- 27**: A gear or pulley.
- 28**: A small component with a circular feature.
- 29**: A small component with a circular feature.
- 30**: A small component with a circular feature.
- 31**: A small component with a circular feature.
- 32**: A small component with a circular feature.
- 33**: A small component with a circular feature.
- 34**: A small component with a circular feature.
- 35**: A long, thin rod or shaft.




063

REF	PN	QTY	DESCRIPTION	USAGE
12a	811213-3224	6	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
12b	811220-3321	6	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
13	813062-255X	1	GUARD	GUARD
13a	811213-3222	2	SET SCREW STEEL M10-20 - USE 300304031 DIN 933 GALV.	
13b	811241-2308	2	WASHER 11,5-23-1,5 DIN 522 GALV.	
14	813065-238A	1	GUARD	GUARD
15	811421-6485	2	BEARING HALF	HALF OF BEARING HOUSING
16	811331-7503	2	BALL BEARING	BALL BEARING GRAE-NPPB 35
17	813065-640X	1	BEARING HOUSING	BEARING HOUSING
17a	811213-4422	2	SET SCREW STEEL M12-40 - USE 300304058 DIN 933 GALV.	
17b	811220-4122	2	NUT STEEL M12 - USE 300315003 DIN 934 GALV.	
18	812065-638X	1	TUBE	DISTANCE TUBE
19	812065-408X	1	TUBE	DISTANCE TUBE, LONG
20	813065-404X	1	BEARING HOUSING	BEARING HOUSING, LEFT
21	813065-184X	1	SPROCKET	SPROCKET WHEEL
22	811432-1197	1	TENSION SPRING	TENSION SPRING
22a	811252-4102	1	COTTER PIN 5-25 DIN 94 GALV.	
23	812063-059A	1	PAWL	PAWL
23a	811213-1126	1	SET SCREW	
23b	811214-2224	1	SCREW	
23c	811220-2321	1	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
24	812063-065X	1	SUPPORT	SUPPORT
24a	811214-2126	1	SCREW STEEL M8-45 - USE 7000550245 DIN 931 GALV.	
24b	811214-3122	2	SCREW STEEL M10-45 - USE 71301210450 DIN 931 GALV.	
25	812063-066X	2	ADJUSTER	FILLER
26	812065-236X	1	HUB	HUB
27	813750-772A	1	SPROCKET	SPROCKET WHEEL
27a	811313-1101	1	LUBE NIPPLE	
27b	811363-9044	1	JOINT	



1,8 M PICKUP



063


p3

063

REF	PN	QTY	DESCRIPTION	USAGE
28	811335-4300	1	SPH ROLLER BEARING	BEARING GLISSA 35-39-50
29	812065-175X	1	RING	DISTANCE RING
30	813062-636A	1	PICK-UP	PART G/PICK UP
31	811331-9988	8	TIGHTENER	TIGHTENING RING
32	812064-405X	1	PLATE	GIRDER
32a	811220-3924	8	NUT M10 3.8.6.2 A2	
33	812064-760X	23	STRIPPER	STRIPPER
33a	811219-0603	3	SCREW M8-16 BN 13916 GALV	
34	812063-216X	1	GUARD	GUARD
35	812062-219X	1	PROFILE	MIDDLE PIECE
35a	811213-2222	9	SET SCREW STEEL M8-20 - USE 300304153 DIN 933 GALV.	
35b	811220-2321	9	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	



2,1 M. PICKUP




064

REF	PN	QTY	DESCRIPTION	USAGE
1	812068-871X	1	PLATE	UPPER PLATE
1a	811213-3222	12	SET SCREW STEEL M10-20 - USE 300304031 DIN 933 GALV.	
1b	811220-3321	12	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
2	812064-192X	1	PLATE	UPPER PLATE
3	812064-944X	1	GUARD	GUARD
4	812064-194X	1	GUARD	GUARD
4a	811220-3922	1	NUT M10 1.8-3.2 cynk.	
5	812064-193X	1	TIGHTENER	TIGHTENING
5a	811213-2126	2	SET SCREW STEEL M8-15 - USE 300304152 DIN 933 GALV.	
5b	811220-2321	2	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
6	812064-195A	1	GUARD	GUARD
7	811165-0190	1	COVER	COVER
8	812064-494X	1	BOTTOM	BOTTOM, RIGHT
8a	811219-0234	3	HEX SOC SCREW	
8b	811220-5321	3	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
9	812068-080X	1	STRIPPER	STRIPPER, RIGHT
9a	811215-3228	4	SCREW M10-20 Q 8,8 - USE 300304164 DIN 603 GALV.	
9b	811220-3321	4	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
10	812064-490X	1	GUARD	GUIDE PLATE, RIGHT
10a	811215-2222	4	CARRIAGE BOLT M8-20 - USE 300304190 DIN 603 GALV.	
10b	811220-2321	4	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
10c	811241-1202	4	WASHER 8,4-16-1,6 DIN 125-A8,4 ST. GALV VERZ. GELB CHROM GALV.	
11	812064-413X	1	PLATE	TUB
12	812064-491X	1	GUARD	GUIDE PLATE, LEFT
12a	811215-2222	4	CARRIAGE BOLT M8-20 - USE 300304190 DIN 603 GALV.	



2,1 M. PICKUP




064

REF	PN	QTY	DESCRIPTION	USAGE
12b	811220-2321	4	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
12c	811241-1202	4	WASHER 8,4-16-1,6 DIN 125-A8,4 ST. GALV VERZ. GELB CHROM GALV.	
13	812064-492X	1	BOTTOM	BOTTOM, LEFT
13a	811215-3228	6	SCREW M10-20 Q 8,8 - USE 300304164 DIN 603 GALV.	
13b	811220-3321	6	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
13c	811241-3403	6	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
14	812062-225X	1	STRIPPER	STRIPPER, LEFT
14a	811215-3228	4	SCREW M10-20 Q 8,8 - USE 300304164 DIN 603 GALV.	
14b	811220-3321	4	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
14c	811241-2308	4	WASHER 11,5-23-1,5 DIN 522 GALV.	
16	813064-180A	1	SIDE PLATE	SIDE PLATE. RIGHT
16a	811213-5424	6	SET SCREW QY-Sruba M16-45 =300304093 - fantom / STEEL M16-45 - USE 300304093 DIN 933 GALV.	
16b	811241-4502	6	WASHER 17-30-3 STEEL Replaces 811241-3504 DIN 125 GALV.	
17	813062-550X	1	TUBE	BEARING TUBE
18	812068-081X	1	SUPPORT	SUPPORT
18a	811213-3224	2	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
18b	811213-3324	1	SET SCREW STEEL M10-35 - USE 300304035 DIN 933 GALV.	
18c	811219-0234	3	HEX SOC SCREW	
18d	811220-3321	4	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
18e	811241-2401	2	WASHER 11-20-2,5 DIN 1441 GALV.	
19	813068-085X	1	SUPPORT	BEARING TUBE
20	813064-175B	1	SIDE PLATE	SIDE PLATE, LEFT



2,1 M. PICKUP




064

REF	PN	QTY	DESCRIPTION	USAGE
20a	811213-5424	6	SET SCREW QY-Sruba M16-45 =300304093 - fantom / STEEL M16-45 - USE 300304093 DIN 933 GALV.	
20b	811241-4502	6	WASHER 17-30-3 STEEL Replaces 811241-3504 DIN 125 GALV.	
21	813064-409A	1	FRAME	FRAME
22	813068-256X	1	HANDRAIL	HOOP
22a	811213-4324	4	SET SCREW STEEL M12-35 - USE 300304057 DIN 933 GALV.	
22b	811220-4321	4	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
22c	811241-3403	4	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
23	812064-199X	1	SUPPORT	SUPPORT
24	812068-083X	5	SHIM	DISTANCE PIECE
26	812064-647X	1	FOOT	STOP
26a	811219-0264	1	SCREW	
26b	811219-0812	1	SCREW	
28	812062-753X	1	BRACKET	BRACKET
29	812064-191X	1	FOOT	STOP
29a	811213-5324	1	SET SCREW STEEL M16-35 - USE 300304081 DIN 933 GALV.	
29b	811242-5421	1	WASHER	
30	812062-754X	1	FORK	FORK
31	813062-757X	4	STOP	STOP
31a	811214-5324	1	SCREW STEEL M16-75 DIN 931 GALV.	
31b	811220-5122	1	NUT STEEL M16 - USE 300315006 DIN 934 GALV.	
31c	811220-5321	1	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
32	811325-2101	3	TYRE/TIRE	BALLOON WHEEL 190-150-5
32a	811214-5626	1	SCREW STEEL M16-220 - USE 200215449 DIN 931 GALV.	
32b	811220-5321	1	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
33	811323-9397	1	TUBE	TUBE



2,1 M. PICKUP




064

REF	PN	QTY	DESCRIPTION	USAGE
34	811323-9405	2	BALL BEARING	BALL BEARING 6205 Z
35	811323-9073	2	WASHER	TIGHTENING WASHER
36	811323-9396	2	LINING	LINING
37	812062-751X	4	BRACKET	BRACKET
37a	811213-5324	1	SET SCREW STEEL M16-35 - USE 300304081 DIN 933 GALV.	
37b	811220-5321	1	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
38	812068-252X	1	TUBE	TUBE
38a	811393-0125	2	TIP	
39	811311-8662	2	TUBE	TUBE HOLDER ?28
39a	811219-0344	2	SCREW	
39b	811220-1323	2	NUT NYLOC M6 - USE 300316026 DIN 985 GALV.	
39c	811241-1207	2	WASHER 6,4-12-1,6 - USE 300332038 DIN 125 GALV.	



2,1 M. PICKUP


FCT 1060
FCT 1060 MD

065

REF	PN	QTY	DESCRIPTION	USAGE
1	812062-533X	1	BUSHING	BUSH
1a	811213-5224	1	SET SCREW STEEL M16-25 - USE 300304091 DIN 933 GALV.	
1b	811214-5422	1	SCREW	
1c	811220-5321	2	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
1d	811241-4503	8	WASHER 17,5-35-3 DIN 522 GALV.	
1e	811241-5503	1	WASHER 21.0-42-3.5 ISO 7089 GALV.	
1f	811242-5421	1	WASHER	
2	813064-988X	2	ARM	LEVER ARM
3	811421-6491	2	BEARING HALF	HALF OF BEARING HOUSING
4	811331-7503	2	BALL BEARING	BALL BEARING GRAE-NPPB 35
5	812228-275X	2	BEARING HALF	HALF OF BEARING HOUSING
6	813062-218X	2	TIGHTENER	TIGHTENING
6a	811220-3321	6	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
6b	811255-3202	1	SNAP RING SNAP 35 MM OUTER - USE 200215288 - fantom DIN 471	
7	813065-193X	1	SPROCKET	CLUTCH W./SPROCKET WH. ASS.
8	811341-9164	1	FLANGE	FLANGE
8a	811213-3324	3	SET SCREW STEEL M10-35 - USE 300304035 DIN 933 GALV.	
9	811341-9566	2	PLATE	FRICTION PLATE
10	811341-9631	1	RING	RALE
11	811341-9557	1	PLATE	PRESSURE PLATE
11a	811220-2321	1	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
12	811341-9591	1	SPRING	DISC SPRING
13	811341-9592	1	SPRING	DISC SPRING
14	811341-9567	1	FLANGE	PRESSURE FLANGE
15	812062-251A	1	SPROCKET	SPROCKET WHEEL 28-TEETH
16	812062-647X	1	THRUST WASHER	THRUST WASHER
16a	811213-4322	1	SET SCREW STEEL M12-30 - USE 300304056 DIN 933 GALV.	
16b	811242-4421	1	LOCK WASHER	
17	812712-544X	2	BUSHING	BUSH



2,1 M. PICKUP


FCT 1060
FCT 1060 MD

065

REF	PN	QTY	DESCRIPTION	USAGE
18	813064-983X	2	BRACKET	BRACKET
18a	811213-4324	3	SET SCREW STEEL M12-35 - USE 300304057 DIN 933 GALV.	
18b	811220-4321	3	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
18c	811241-3403	6	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
19	812064-918X	2	SUPPORT	UPPER FITTINGS
20	811399-0204	2	RING	DISTANCE RING
21	812062-677X	1	GUARD	GUARD
22	812064-650X	1	SUPPORT	SUPPORTING IRON
22a	811219-0286	2	SCREW	
22b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
23	813064-914X	1	ARM	ARM, RIGHT
23a	811213-6522	1	SET SCREW STEEL M20-50 - USE 300304106 DIN 933 GALV.	Sruba M20-50 =300304106 - fantom / STEEL SET SCREW M20-50 - USE 300304106 DIN 933 GALV.
23b	811214-4123	1	SET SCREW STEEL M12-40 DIN 931 GALV.	Sruba M12-40 / STEEL SCREW M12-40 DIN 931 GALV.
23c	811214-4226	1	SCREW STEEL M12-60 - USE 300304062 DIN 931 GALV.	Sruba M12-60 =300304062 - fantom / STEEL SCREW M12-60 - USE 300304062 DIN 931 GALV.
23d	811215-3424	2	SCREW M10-45 - USE 300304171 DIN 603 GALV.	Sruba pods. M10-45 =300304171 - fantom / CARRIAGE SCREW M10-45 - USE 300304171 DIN 603 GALV.
23e	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	Nakretka sam. M10 =300316020 - fantom / NYLOC NUT M10 - USE 300316020 DIN 985 GALV.
23f	811220-4220	1	NUT	QY-COUNTER NUT M12 DIN 439 GALV.
23g	811220-4321	2	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	Nakretka sam. M12 =300316021 - fantom / NYLOC NUT M12 - USE 300316021 DIN 985 GALV.
23h	811220-6321	1	NUT NYLOC M20 - USE 300316016 DIN 985 GALV.	Nakretka sam. M20 =300316016 - fantom / NYLOC NUT M20 - USE 300316016 DIN 985 GALV.
23i	811241-2402	2	WASHER 10,5-20-2,0 DIN 125 GALV.	Podkladka 10,5-20-2,0 / WASHER 10,5-20-2,0 DIN 125 GALV.



2,1 M. PICKUP


FCT 1060
FCT 1060 MD

065

REF	PN	QTY	DESCRIPTION	USAGE
23j	811241-3403	4	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	Podkladka 13-25-2,5 DIN 125-A13, GALV / WASHER 13-25-2,5 DIN 125-A13, ST,GALV
24	813062-660X	1	GUARD	GUARD
24a	811213-3126	2	SET SCREW STEEL M10-16 - USE 300304028 DIN 933 GALV.	
24b	811241-2308	2	WASHER 11,5-23-1,5 DIN 522 GALV.	
24c	811242-3621	2	WASHER	
25	813065-200B	1	AUGER	AUGER
26	811338-0107	1	KEY	FLAT KEY 10-8-32
27	813068-856X	1	ROLLER	FRONT ROLLER
28	813068-407X	1	BEAM	INLET PLATE
28a	811215-3320	4	SCREW M10-30 Q 8.8 - USE 300304165 DIN 603 GALV.	
28b	811220-3321	4	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
28c	811241-2402	4	WASHER 10,5-20-2,0 DIN 125 GALV.	
29	811331-9930	2	SPH ROLLER BEARING	STEEL BEARING ?25 UCP2 205
30	812064-903X	2	SCRAPER	SCRAPER
31	813064-915X	1	ARM	ARM, LEFT
31a	811213-6522	1	SET SCREW STEEL M20-50 - USE 300304106 DIN 933 GALV.	
31b	811214-4123	1	SET SCREW STEEL M12-40 DIN 931 GALV.	
31c	811214-4226	1	SCREW STEEL M12-60 - USE 300304062 DIN 931 GALV.	
31d	811215-3424	2	SCREW M10-45 - USE 300304171 DIN 603 GALV.	
31e	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
31f	811220-4220	1	NUT	
31g	811220-4321	2	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
31h	811220-6321	1	NUT NYLOC M20 - USE 300316016 DIN 985 GALV.	
31i	811241-2402	2	WASHER 10,5-20-2,0 DIN 125 GALV.	
31j	811241-3403	4	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	



2,1 M. PICKUP

FCT 1060
FCT 1060 MD


065

REF	PN	QTY	DESCRIPTION	USAGE
32	812064-987X	1	ARM	LEVER ARM
33	812064-648X	1	ECCENTRIC	EXCENTRIC
34	812064-649X	1	PLATE	TIGHTENING PLATE
34a	811213-3224	2	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
35	812064-947X	1	SUPPORT	SUPPORT PLATE
36	812064-948X	1	SUPPORT	SUPPORT PLATE
37	811317-0991	2	HYDRAULIC CYLINDER	CYLINDER DVL 30-16-45
38	813064-952X	2	BRACKET	BRACKET
38a	811220-5222	1	NUT STEEL M16 H 8M/M DIN 439 GALV.	
38b	811241-4502	1	WASHER 17-30-3 STEEL Replaces 811241-3504 DIN 125 GALV.	
38c	811252-4202	1	COTTER PIN	
39	811311-1417	2	COUPLING	ANGLE COUPLING
40	811317-5020	1	HOSE	HOSE 1/4 -400
41	811317-5021	1	HOSE	HOSE 1/4 -2250
42	811311-8406	1	TEE	T-PIECE
43	811317-5017	1	HYDRAULIC HOSE	HYDRAULIC HOSE L=600
44	811311-1411	1	PIPE COUPLING	PIPE COUPLING
45	811317-0299	1	QUICK MALE COUPLING	QUICK CLUTCH 1/4
46	812112-978X	5	CLAMP	CLAMP
47	812010-171X	1	CLAMP	CLAMP

REF	FIGURE NUMBER	FIGURE NAME
064	064	064



2,1 M. PICKUP




067

REF	PN	QTY	DESCRIPTION	USAGE
1	813064-420X	1	SHAFT	PICK-UP SHAFT
2	813064-419X	4	TUBE	TUBE F/PICK-UP
2a	811251-4501	2	PIN	
2b	811251-6501	2	PIN 10-60 - DELTA-coating DIN1481	
3	812065-662X	8	SPRING	TENSION SPRING
4	811435-0027	48	TINE	PU TINE
4a	811214-2222	1	SCREW STEEL M8-50 - USE 300304160 DIN 931 GALV.	
4b	811220-2321	1	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
4c	811241-1202	1	WASHER 8,4-16-1,6 DIN 125-A8,4 ST. GALV VERZ. GELB CHROM GALV.	
5	813065-690X	4	ROLLER	ROLLER ASSY.
5a	811220-5222	1	NUT STEEL M16 H 8M/M DIN 439 GALV.	
5b	811255-1202	1	SNAP RING	
6	811435-0026	8	TINE	TINE
6a	811214-2222	1	SCREW STEEL M8-50 - USE 300304160 DIN 931 GALV.	
6b	811220-2321	1	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
6c	811241-1202	1	WASHER 8,4-16-1,6 DIN 125-A8,4 ST. GALV VERZ. GELB CHROM GALV.	
7	811331-9998	1	ROLLER	ROLLER
8	813065-135X	3	BRACKET	LAGER BRACKET
9	812065-131X	12	BUSHING	BUSH
10	812065-661X	1	SHAFT	SHAFT
10a	811251-5501	4	PIN	
10b	811251-7501	4	PIN 12-60 - DELTA-coating DIN1481	
11	813065-415X	1	SIDE PLATE	SIDE PLATE, RIGHT
11a	811213-3224	6	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
11b	811220-3321	6	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
12	813065-411X	1	SIDE PLATE	SIDE PLATE, LEFT



2,1 M. PICKUP




067

REF	PN	QTY	DESCRIPTION	USAGE
12a	811213-3224	6	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
12b	811220-3321	6	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
13	813062-255X	1	GUARD	GUARD
13a	811213-3222	2	SET SCREW STEEL M10-20 - USE 300304031 DIN 933 GALV.	
13b	811241-2308	2	WASHER 11,5-23-1,5 DIN 522 GALV.	
14	813065-238A	1	GUARD	GUARD
15	811421-6485	2	BEARING HALF	HALF OF BEARING HOUSING
16	811331-7503	2	BALL BEARING	BALL BEARING GRAE-NPPB 35
17	813065-640X	1	BEARING HOUSING	BEARING HOUSING
17a	811213-4422	2	SET SCREW STEEL M12-40 - USE 300304058 DIN 933 GALV.	
17b	811220-4122	2	NUT STEEL M12 - USE 300315003 DIN 934 GALV.	
18	812065-638X	1	TUBE	DISTANCE TUBE
19	812065-408X	1	TUBE	DISTANCE TUBE, LONG
20	813065-404X	1	BEARING HOUSING	BEARING HOUSING, LEFT
21	813065-184X	1	SPROCKET	SPROCKET WHEEL
22	811432-1197	1	TENSION SPRING	TENSION SPRING
22a	811252-4102	1	COTTER PIN 5-25 DIN 94 GALV.	
23	812063-059A	1	PAWL	PAWL
23a	811213-1126	1	SET SCREW	
23b	811214-2224	1	SCREW	
23c	811220-2321	1	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
24	812063-065X	1	SUPPORT	SUPPORT
24a	811214-2126	1	SCREW STEEL M8-45 - USE 7000550245 DIN 931 GALV.	
24b	811214-3122	2	SCREW STEEL M10-45 - USE 71301210450 DIN 931 GALV.	
25	812063-066X	2	ADJUSTER	FILLER
26	812065-236X	1	HUB	HUB
27	813750-772A	1	SPROCKET	SPROCKET WHEEL
27a	811313-1101	1	LUBE NIPPLE	
27b	811363-9044	1	JOINT	



2,1 M. PICKUP



067

p3



067

REF	PN	QTY	DESCRIPTION	USAGE
28	811335-4300	1	SPH ROLLER BEARING	BEARING GLISSA 35-39-50
29	812065-175X	1	RING	DISTANCE RING
30	813065-472X	1	REEL	PART FOR REEL
31	811331-9988	8	TIGHTENER	TIGHTENING RING
32	813065-214X	1	PLATE	GIRDER
32a	811220-3924	8	NUT M10 3.8.6.2 A2	
33	812064-760X	27	STRIPPER	STRIPPER
33a	811219-0603	3	SCREW M8-16 BN 13916 GALV	
34	812063-216X	1	GUARD	GUARD
35	812065-213X	1	PROFILE	INTERMEDIATE PIECE
35a	811213-2222	9	SET SCREW STEEL M8-20 - USE 300304153 DIN 933 GALV.	
35b	811220-2321	9	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	

080	p1
------------	-----------


080	p1
------------	-----------

080



080**p1****080**

REF	PN	QTY	DESCRIPTION	USAGE
1	814060-1800	1	DIA KIT, HARVESTER	AUTO-HITCH
2	812065-958X	1	WEAR PLATE	WEARING PLATE
3	813067-250X	1	HITCH	HITCH HOOK
4	813067-255A	1	GUIDE	GUIDE
4a	811213-5524	8	SET SCREW STEEL M16-50 Q 10,9 DIN 933 BLACK	
4b	811220-5323	8	NUT	
4c	811241-4503	8	WASHER 17,5-35-3 DIN 522 GALV.	
5	812067-254X	2	DOWEL	DOWEL
5a	811241-6409	1	WASHER 25,5-39-2,5	
5b	811251-4202	1	PIN	
6	812067-260X	1	DOWEL	DOWEL
6a	811254-4201	2	PIN SECU10 MM	
7	811317-0988	1	HYDRAULIC CYLINDER	CYLINDER 50-30-310
7a	811241-6409	4	WASHER 25,5-39-2,5	
8	811311-8560	2	RING	PACKING RING
9	811311-1411	2	PIPE COUPLING	PIPE COUPLING
10	812010-394X	2	NOZZLE	NOZZLE
11	811311-8603	2	COUPLING	ANGLE COUPLING
12	811317-0472	2	HOSE	HYDRAULIC HOSE L=7800
13	811393-0140	2	CAP	PROTECTION CAP BLUE
14	811317-0302	2	COUPLING	CONNECTION F/QUICK-COUPLING
15	811317-5011	2	HOSE	HOSE 1/4 -1500
16	811311-8534	2	SCREW	SCREWED CONNECTION
17	811317-9528	1	GASKET	SET OF GASKETS F/ 1317-0941
18	811317-9854	1	VALVE	VALVE
30	814120-0317	1	HITCH	COMBINATION DRIVE
31	813129-828X	1	DOWEL	COUPLING DOWEL
31a	811254-4201	1	PIN SECU10 MM	
31b	811433-0298	1	SPRING	
32	812129-718X	1	BRACKET	BRACKET
32a	811214-5224	2	SET SCREW STEEL M16-55 DIN 931 GALV.	
32b	811214-5322	4	SCREW	
32c	811220-5321	6	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	





				080		p2
080						
REF	PN	QTY	DESCRIPTION		USAGE	
33	812129-761X	1	SCREEN		SCREEN	
34	812129-719X	1	BRACKET		BRACKET	
REF	FIGURE NUMBER		FIGURE NAME			
002	002		002			

081


p1

081



081

REF	PN	QTY	DESCRIPTION	USAGE
1	814060-1224	1	COVER	EXTENSION
2	813064-846X	1	EXTENSION	EXTENSION
3	813068-671X	1	REINFORCEMENT	REINFORCEMENT-
3a	811215-2222	6	CARRIAGE BOLT M8-20 - USE 300304190 DIN 603 GALV.	
3b	811220-2321	6	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
3c	811241-1402	6	WASHER	
4	813068-674X	1	REINFORCEMENT	REINFORCEMENT-
4a	811215-2222	6	CARRIAGE BOLT M8-20 - USE 300304190 DIN 603 GALV.	
4b	811220-2321	6	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
4c	811241-1402	6	WASHER	
5	812279-821X	4	SUPPORT	SPRING CONSOLE
5a	811213-5622	1	SET SCREW STEEL M16-60 - USE 71301416605 DIN 933 GALV.	
5b	811220-5321	1	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
5c	811241-2506	4	WASHER 11-34-3 - USE 300332002 DIN 440 GALV.	
6	811432-6795	1	TENSION SPRING	TENSION SPRING
7	812068-930X	1	BRACKET	BRACKET
7a	811214-4126	2	SCREW STEEL M12-45 - USE 300304059 DIN 931 GALV.	
7b	811220-4321	2	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
7c	811241-3403	2	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
8	811392-0110	1	EYEBOLT M12-123 GALV	EYE BOLT M12-123
8a	811220-4321	1	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
8b	811241-3403	1	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
9	811311-8537	2	BRACKET	SUPPORT FOR TUBE
9a	811215-2620	1	SCREW	
9b	811220-2321	1	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	



081

p2


081

REF	PN	QTY	DESCRIPTION	USAGE
9c	811241-1402	1	WASHER	TOP PLATE
10	811311-8600	2	PLATE	

REF	FIGURE NUMBER	FIGURE NAME
002	002	002
009	009	009



Tilbehør - Zubehör - Accessories




082

REF	PN	QTY	DESCRIPTION	USAGE
1	814060-1407	1	KIT	WHEEL
2	812062-838X	1	BRACKET	BRACKET
2a	811213-5720	2	SCREW	
2b	811220-5124	4	NUT STEEL M16 Q10 DIN 934 GALV.	
2c	811220-5321	2	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
3	813062-839X	1	JACK	CASTOR JACK
3a	811254-3102	1	PIN	
4	812062-857X	2	WHEEL	WHEEL HOLDER
4a	811213-3222	2	SET SCREW STEEL M10-20 - USE 300304031 DIN 933 GALV.	
4b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
5	813062-853X	1	BRACKET	RIGHT WHEEL BRACKET
6	813068-846X	1	BRACKET	LEFT WHEEL BRACKET
7	812062-856X	2	PLATE	GUIDE PLATE
8	813062-841X	2	ARM	WHEEL ARM
9	811323-1110	1	RIM	RIM 2,50-6
9a	811220-5321	1	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
9b	811313-1301	1	LUBE NIPPLE	
10	811325-9030	1	HUB CAP	HUB CAP
11	811331-3101	1	BALL BEARING	BALL BEARING 6204
12	811325-9006	1	BALL BEARING	BALL BEARING 6005
13	811325-9029	2	TIGHTENER	TIGHTENING LAMELLA
14	811321-1311	2	TYRE/TIRE	TYRE 3,5-6
15	811322-1109	2	HOSE	TUBE 3.50-6

REF	FIGURE NUMBER	FIGURE NAME
060	060	060
064	064	064



FCT 1060
FCT 1060 MD




083

REF	PN	QTY	DESCRIPTION	USAGE
1	813064-846X	1	EXTENSION	EXTENSION
1a	811215-3226	4	SCREW M10-25 Q 8,8 - USE 7000601587 DIN 603 GALV.	
1b	811220-3321	4	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
1c	811241-2408	4	WASHER 10,5-30-2,5 - USE 300332043 DIN 9021 GALV.	
2	812064-838X	1	LOCKING PLATE	LOCKING PLATE
2a	811215-1123	12	SCREW M6-16 - USE 200215314 DIN 603 GALV.	
2b	811220-1323	12	NUT NYLOC M6 - USE 300316026 DIN 985 GALV.	
2c	811241-1407	12	WASHER	
3	811329-0105	2	WHEEL	WHEEL
4	812068-895X	1	DOWEL	DOWEL
4a	811254-3202	2	PIN QY-SECU5 MM DIN 11023	
5	813064-827X	1	RING	HOOP
5a	811215-3226	10	SCREW M10-25 Q 8,8 - USE 7000601587 DIN 603 GALV.	
5b	811220-3321	10	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
5c	811241-2402	10	WASHER 10,5-20-2,0 DIN 125 GALV.	
6	813065-115A	1	SUPPORT	SUPPORT, LEFT
6a	811214-3222	1	SCREW STEEL SCHREW M 10-50	
6b	811215-3320	2	SCREW M10-30 Q 8.8 - USE 300304165 DIN 603 GALV.	
6c	811220-3321	3	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
6d	811241-2402	4	WASHER 10,5-20-2,0 DIN 125 GALV.	
7	813065-090A	1	SUPPORT	SUPPORT
7a	811214-3222	1	SCREW STEEL SCHREW M 10-50	
7b	811215-3320	2	SCREW M10-30 Q 8.8 - USE 300304165 DIN 603 GALV.	
7c	811220-3321	3	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
7d	811241-2402	4	WASHER 10,5-20-2,0 DIN 125 GALV.	
8	813068-824X	1	REINFORCEMENT	REINFORCEMENT



FCT 1060
FCT 1060 MD




083

REF	PN	QTY	DESCRIPTION	USAGE
8a	811215-2220	11	SCREW QN-BOARD M8X20 DIN 603 8.8 GALV.	
8b	811220-2321	11	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
8c	811241-1502	11	WASHER 8,5-30-3 DIN 522 GALV.	
9	813068-827X	1	REINFORCEMENT	REINFORCEMENT
9a	811215-2220	11	SCREW QN-BOARD M8X20 DIN 603 8.8 GALV.	
9b	811220-2321	11	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
9c	811241-1502	11	WASHER 8,5-30-3 DIN 522 GALV.	
10	811311-8510	2	COUPLING	FITTINGS
11	811317-0832	2	HYDRAULIC HOSE	HYDRAULIC HOSE L=2550
12	813068-878X	1	EXTENSION	EXTENSIONER UPPER
13	812125-303X	2	STOP	STOP RING
13a	811213-3222	3	SET SCREW STEEL M10-20 - USE 300304031 DIN 933 GALV.	
13b	811241-2502	3	WASHER 10,5-22-3 DIN 522 GALV.	
13c	811242-3221	3	WASHER M10 DIN 7980 GALV.	
14	812060-985X	1	THRUST RING	THRUST RING
15	812064-895X	2	ECCENTRIC	EXCENTRIC
15a	811213-4422	2	SET SCREW STEEL M12-40 - USE 300304058 DIN 933 GALV.	
15b	811220-4321	2	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
16	812068-892X	1	FOOT	STOP
16a	811213-3224	4	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
16b	811241-2402	4	WASHER 10,5-20-2,0 DIN 125 GALV.	
17	812064-893X	2	SUPPORT	SUPPORT
17a	811213-2322	2	SET SCREW STEEL M8-30 - USE 300304156 DIN 933 GALV.	
17b	811220-2321	2	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
17c	811241-1202	2	WASHER 8,4-16-1,6 DIN 125-A8,4 ST. GALV VERZ. GELB CHROM GALV.	
18	813068-890A	1	EXTENSION	EXTENSIONER LOWEST



FCT 1060
FCT 1060 MD




083

REF	PN	QTY	DESCRIPTION	USAGE
18a	811313-2101	4	LUBE NIPPLE	
19	812064-883X	1	DOWEL	DOWEL ?25X330
19a	811241-6409	2	WASHER 25,5-39-2,5	
19b	811255-2203	2	SNAP RING QY-SNAP 25 MM OUTER - USE 300407009 - fantom DIN 471	
19c	811313-1101	2	LUBE NIPPLE	
20	812364-685X	1	DOWEL	DOWEL
20a	811241-5301	2	WASHER 20,2-34-1,5 DIN 522 GALV.	
20b	811251-3201	2	PIN 5-30 - DELTA-coating DIN1481	
23	812068-834X	1	SUPPORT	SUPPORT
23a	811213-4324	4	SET SCREW STEEL M12-35 - USE 300304057 DIN 933 GALV.	
23b	811220-4321	4	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
23c	811241-3403	8	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
24	813064-817X	1	FORK	SEAT, OUTER
24a	811213-3324	12	SET SCREW STEEL M10-35 - USE 300304035 DIN 933 GALV.	
24b	811220-3321	12	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
24c	811241-2402	24	WASHER 10,5-20-2,0 DIN 125 GALV.	
25	813064-876X	1	SUPPORT	SUPPORT FOR CHUTE
25a	811215-3222	12	SCREW M10-20 H-3 8.8 - USE 7000552510 DIN 603 GALV. - fantom	
25b	811220-3321	12	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
26	811393-0193	2	RUBBER BUMPER	RUBBERBUFFER 125-60-40
26a	811213-2422	2	SET SCREW STEEL M8-40	
26b	811220-2321	2	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
26c	811241-1202	4	WASHER 8,4-16-1,6 DIN 125-A8,4 ST. GALV VERZ. GELB CHROM GALV.	
27	812068-904X	1	COVER	COVER
29	811311-8537	5	BRACKET	SUPPORT FOR TUBE
30	811311-8600	4	PLATE	TOP PLATE




FCT 1060
FCT 1060 MD



REF	PN	QTY	DESCRIPTION	USAGE
31	811311-8534	2	SCREW	SCREWED CONNECTION
32	812068-676X	4	REINFORCEMENT	REINFORCEMENT
32a	811213-4422	3	SET SCREW STEEL M12-40 - USE 300304058 DIN 933 GALV.	
32b	811220-4321	3	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
32c	811241-3403	6	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	

REF	FIGURE NUMBER	FIGURE NAME
001	001	001
006	006	006
009	009	009
015	015	015
084	084	084

084




084

REF	PN	QTY	DESCRIPTION	USAGE
1	811317-3063	1	HYDRAULIC CYLINDER	CYLINDER
2	811311-8525	1	COUPLING	ANGLE COUPLING - L10
3	811311-1416	1	PIPE	PIPE STUB
4	811311-8620	1	COUPLING	ANGLE COUPLING
5	811311-8603	1	COUPLING	ANGLE COUPLING
6	811311-8406	1	TEE	T-PIECE
7	811317-0847	1	HOSE	HYDRAULIC HOSE L=350
8	812307-111X	1	NOZZLE	NOZZLE
9	811317-0858	2	HOSE	HYDRAULIC HOSE L=6000
10	811317-9536	1	GASKET KIT	SET OF GASKETS 1317-3037/63
11	811317-9854	1	VALVE	VALVE

085

p1

085




085

REF	PN	QTY	DESCRIPTION	USAGE
0	814230-6004	1	LAMP BASE	LIGHTING EQUIPMENT
1	813236-049X	1	LAMP	LIGHTING PLANT, RIGHT
2	813236-050X	1	LAMP	LIGHTING PLANT, LEFT
3	811391-0712	1	WIRE CONNECTOR	PLUG 7-POLES
4	813236-048X	1	CABLE	DISTRIBUTER CABLE
5	812236-033X	2	TUBE	TUBE HOLDER
6	812236-036X	2	TUBE	TUBE HOLDER

086

p1

086




086

REF	PN	QTY	DESCRIPTION	USAGE
0	814060-1225	1	EXTENSION	EXTENSION FOR CHUTE 300 MM
1	813068-361X	1	EXTENSION	EXTENSION FOR CHUTE
1a	811313-2101	4	LUBE NIPPLE	
2	812068-892X	1	FOOT	STOP
2a	811213-3224	4	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
2b	811241-2402	4	WASHER 10,5-20-2,0 DIN 125 GALV.	
3	812125-303X	2	STOP	STOP RING
3a	811213-3222	3	SET SCREW STEEL M10-20 - USE 300304031 DIN 933 GALV.	
3b	811241-2502	3	WASHER 10,5-22-3 DIN 522 GALV.	

REF	FIGURE NUMBER	FIGURE NAME
009	009	009

087



087

p1

087


REF	PN	QTY	DESCRIPTION	USAGE
0	814060-1808	1	DIA KIT, HARVESTER	LS KIT FOR FCT
1	811317-0305	1	COUPLING	QUICK CLUTCH LS 1/4
2	811311-1411	1	PIPE COUPLING	PIPE COUPLING
3	811311-8560	1	RING	PACKING RING
4	811317-0314	1	HYDRAULIC HOSE	HYDRAULIC HOSE L=6550
5	811393-0144	1	QUICK FEMALE COUPLING	PROTECTING PLUG RED
6	811393-0142	1	QUICK FEMALE COUPLING	PROTECTING PLUG RED
7	811317-0435	1	HYDRAULIC HOSE	HYDRAULIC HOSE L=1100
8	811317-0308	2	QUICK MALE COUPLING	QUICK CLUTCH 3/4
9	811311-8414	2	HYD CONNECTOR	SCREWED CONNECTION
10	811311-2620	2	HYD CONNECTOR	SOCKET
11	811311-8539	2	WASHER	GASKET
12	811311-8540	2	RING	TIGHTENING RING
13	811311-8510	1	COUPLING	FITTINGS
14	811311-8538	1	GASKET	GASKET
15	811311-2630	1	HYD CONNECTOR	NIPPLE

REF	FIGURE NUMBER	FIGURE NAME
015	015	015

088

p1

088




				088		p1
088						
REF	PN	QTY	DESCRIPTION		USAGE	
0	814060-0908	1	DIA KIT, HARVESTER		IL PRESSURE FILTER KIT	
1	811317-1046	1	HYDRAULIC OIL FILTER		IL PRESSURE FILTER	
2	811311-8539	2	WASHER		GASKET	
3	811311-8550	1	LUBE NIPPLE		NIPPLE	
REF	FIGURE NUMBER		FIGURE NAME			
015	015		015			

090

p1

090



090**p1****090**

REF	PN	QTY	DESCRIPTION	USAGE
0	814210-6006	1	KIT	WARNING TRIANGLE
1	811391-0504	1	WARNING TRIANGLE	WARNING TRIANGLE
2	601140180	1	SPADE TERMINAL	SPADE F/ SMV TRIANGLE
3	300008276	1	HOLDER	BOARD HOLDER
4	811241-1203	4	WASHER 6,5-13-1,2 G DIN 522 GALV.	WASHER 6,5-13-1,2
5	811220-1323	2	NUT NYLOC M6 - USE 300316026 DIN 985 GALV.	NYLOC NUT M6
6	811213-1222	2	SET SCREW STEEL M6-20 - USE 300304135 DIN 933 GALV.	STEEL SET SCREW M6-20
7	811241-1403	4	WASHER 9-16-2,0 DIN 1441 GALV.	WASHER 9-16-2,0
8	811220-2321	2	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	NYLOC NUT M8
9	811213-2224	2	SET SCREW STEEL M8-25 - USE 300304155 DIN 933 GALV.	STEEL SET SCREW M8-25