

SERVICE PARTS CATALOGUE

MODEL

**FCT 1260MD - International - Version A - 01-2018 - Serial No.:
B026840171022 (01/18 -)**

Print Date: 08/2024



All rights reserved by **CNH Industrial**.

The information contained in this catalogue is intended to be of a general nature only. **CNH Industrial** may at any time and from time to time, for technical or other necessary reasons, modify any of the details or specifications of the product described in this catalogue.

To be sure of getting accurate, detailed, and up-to-date information, an intending buyer should consult his nearest **CNH Industrial** dealer or distributor. The updated version of this Service Parts Catalog is available on ePARTS4.0, accessible through the Dealer Portal.

Single item numeration method used in this catalogue may not be used without written consent from **CNH Industrial**.


31.220.AD

01

p1

10/2014

VAR - 123782, 789101,987654 - PTO - D650

**STANDARD**

← 6

23

9

10

31.220.AD

01

p1

10/2014

VAR - 123782, 789101,987654 - PTO - D650

11

12

13

14

REF	FN	PART NUMBER	YR/SN	QTY	DESCRIPTION
1	1	86529340	20	1	SHAFT PTO, Incl 2 - 11
2	15	84014007		1	YOKE, Incl 4 -7 ← 7
3	16	NSS		1	NOT SERVICED SEPARATELY, SHAFT, 350mm, Incl In 1
4		84004292		1	KIT, Seal KIT, Incl 6, 7 ← 17
4		{84058743}		1	KIT, Seal KIT, Incl 6, 7
2				21	
18				22	
19					
1 - FOR ITALY ONLY ← 5					

MODELS

← 1

- 1 Model Number and Model Description
- 2 Reference - Figure call-out of the part number.
- 3 Parts supplied in repair kits per symbol reference.
- 4

31.220.AD

 Part illustrated on the **Page** or in the **Figure** indicated, or calls for **Variations or Details**. Indicates components shown in detail elsewhere in the catalogue under the figure number shown.
- 5 Footnote references
- 6 Figure notes
- 7

1

2

 Includes item(s) (See Description within partlist).
- 8 Orientation. (Arrow indicates front of the machine). 
- 9 Figure description.
- 10 General information of the figure.
- 11 Figure title number that aligns with the SRT. Standard Repair Time.
- 12 **Sequence** code within the assembly.
- 13 Page number within the sequence code.
- 14 **Date** of printing or updating of page (month-year).
- 15 **Note** - Relating to the Part Number. There is a key to symbols and abbreviations at the bottom of the text page.
- 16 Non-serviced parts.
- 17 Further description of the part to help confirm identification.
- 18 Not available as service part.
- 19 Part Number.
- 20 To be defined.
- 21 Total **Quantity** of the Part referred to in the page.
The quantity can be replaced by the following indications:
AR = quantity as requested.
- 22 Part **Description**.
- 23 Variant Codes

TABLE OF CONTENTS

001	001
002	002
003	003
005	005
007	007
009	009
011	011
012	012
013	013
014	014
015	015
016	016
017	017
018	018
020	020
030	030
031	031
032	032
040	040
041	041
042	042
043	043
044	044
050	050
060	060
080	080
081	081
082	082
083	083
084	084
085	085
086	086
087	087
088	088

SECTION INDEX


GENERAL

001	001
002	002
003	003
005	005
007	007
009	009
011	011
012	012
013	013
014	014
015	015
016	016
017	017
018	018
020	020
030	030
031	031
032	032
040	040
041	041
042	042
043	043
044	044
050	050
060	060
080	080
081	081
082	082
083	083
084	084
085	085
086	086
087	087
088	088

001

p1

001



001

p1


001

REF	PN	QTY	DESCRIPTION	USAGE
1	812065-593X	1	COVER	COVER PLATE
1a	811219-0603	6	SCREW M8-16 BN 13916 GALV	
2	813065-566X	1	DRAWBAR	DRAW BAR
2a	811165-0170	4	PLUG	
2b	811213-6628	9	SET SCREW STEEL M20-60 Q 10.9 DIN 933 GALV.	
2c	811220-6323	9	NUT NYLOC M20 Q10 DIN 985 GALV.	
2d	811241-5503	9	WASHER 21.0-42-3.5 ISO 7089 GALV.	
2e	811313-1101	2	LUBE NIPPLE	
3	812065-579X	1	COVER	COVER PLATE
3a	811219-0603	4	SCREW M8-16 BN 13916 GALV	
4	812750-737X	2	CLAMP	CLAMP
4a	811214-3122	2	SCREW STEEL M10-45 - USE 71301210450 DIN 931 GALV.	
4b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
4c	811241-2402	2	WASHER 10,5-20-2,0 DIN 125 GALV.	
5	812068-076X	1	PTO	PTO GUARD
5a	811213-3224	4	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
5b	811220-3321	4	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
5c	811241-2408	4	WASHER 10,5-30-2,5 - USE 300332043 DIN 9021 GALV.	
6	811340-9314	1	SPIDER	CENTRE CROSS
7	811340-7132	1	UNIVERSAL JOINT	UNIVERSAL JOINT
8	812066-371X	1	SHAFT	SHAFT
9	812065-571X	1	BEARING HALF	HALF OF BEARING HOUSING
9a	811213-4422	1	SET SCREW STEEL M12-40 - USE 300304058 DIN 933 GALV.	
9b	811220-4321	1	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
9c	811241-3403	1	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
9d	811313-1101	1	LUBE NIPPLE	

001

p2

001



001

p2


001

REF	PN	QTY	DESCRIPTION	USAGE
10	811331-7405	1	BALL BEARING Ball, 45mm ID x 85mm OD x 56.5mm W	BALL BEARING GE 45 KRRB
10a	811255-4202	1	SNAP RING SNAP 45 MM OUTER - USE 7000515145 - fantom DIN 471	
11	812066-377X	1	BEARING HALF	HALF OF BEARING HOUSING
11a	811213-4422	5	SET SCREW STEEL M12-40 - USE 300304058 DIN 933 GALV.	
11b	811220-4321	5	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
11c	811241-3403	5	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
11d	811313-1101	1	LUBE NIPPLE	
12	811331-4310	2	BALL BEARING	BALL BEARING 6310 RS1
13	813064-587X	1	BEARING HOUSING	BEARING HOUSING
13a	811213-5522	4	SET SCREW STEEL M16-50 - USE 300304094 DIN 933 GALV.	
13b	811220-5321	4	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
13c	811241-4505	4	WASHER 17-28-3 DIN 1441 GALV.	
13d	811255-8103	2	SNAP RING	
13e	811313-1101	1	LUBE NIPPLE	
14	812064-586X	1	SHAFT	SHAFT
15	812069-259X	1	HOSE	CLAMP
15a	811213-4224	4	SET SCREW STEEL M12-25 - USE 300304055 DIN 933 GALV.	
15b	811241-3403	4	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
16	812065-537A	1	DRAWBAR	COVER
16a	811219-0603	16	SCREW M8-16 BN 13916 GALV	
17	813066-359B	1	DRAWBAR	DRAWBAR FRONT
17a	811165-0161	16	PLUG	
17b	811220-4924	15	NUT	
18	813066-358X	1	COVER	COVER
18a	811213-4224	11	SET SCREW STEEL M12-25 - USE 300304055 DIN 933 GALV.	
18b	811241-3403	11	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
19	813068-397X	1	FOOT	JACK

001

p3

001



001

p3


001

REF	PN	QTY	DESCRIPTION	USAGE
19a	811213-4322	4	SET SCREW STEEL M12-30 - USE 300304056 DIN 933 GALV.	
19b	811220-4321	4	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
19c	811241-3403	4	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
21	812065-197X	1	RING	RING
21a	811214-5326	4	SCREW	
21b	811220-5321	4	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
21c	811241-4403	4	WASHER 17,5-35-2 DIN 522 GALV.	
22	812068-174X	1	DRAWBAR	DRAWBAR
22a	811213-6628	6	SET SCREW STEEL M20-60 Q 10.9 DIN 933 GALV.	
22b	811220-6323	6	NUT NYLOC M20 Q10 DIN 985 GALV.	
23	812065-575X	1	SUPPORT	SUPPORT
24	811165-0190	4	COVER	COVER
25	811165-0191	1	COVER	COVER
26	812063-167X	1	BRACKET	HOOP
26a	811241-2507	1	WASHER 13-29-3 DIN 6796 GALV.	
26b	811252-3102	1	COTTER PIN 4-25 DIN 94 GALV.	
27	811340-6453	1	PTO SHAFT	PTO SHAFT P600 1 3/4" Z20
28	811340-1451	1	DRAWBAR	PTO SHAFT PWE 675 1 3/4" Z20
29	811340-1467	1	PTO SHAFT	PTO SHAFT PWE 580 1 3/8" Z21
30	811340-1468	1	PTO SHAFT	PTO SHAFT PWE 580 1 3/8" Z6
31	811330-9035	1	HANDLE	HANDLE
33	812066-356X	2	PLATE	REAR PLATE
34	812065-375X	2	DOWEL	DOWEL
34a	811252-3102	2	COTTER PIN 4-25 DIN 94 GALV.	
35	810482690	2	REFLECTOR	REAR REFLECTOR
36	812068-072X	2	BRACKET	GUARD
36a	811213-3224	2	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
36b	811241-2402	2	WASHER 10,5-20-2,0 DIN 125 GALV.	
37	813068-073X	1	SUPPORT	FITTING
37a	811220-3922	4	NUT M10 1.8-3.2 cynk.	

001

p4

001



001


REF	PN	QTY	DESCRIPTION	USAGE
38	811340-6459	1	PTO SHAFT	PTO SHAFT

REF	FIGURE NUMBER	FIGURE NAME
040	040	040
041	041	041
042	042	042
043	043	043
044	044	044

002

p1

002




002

REF	PN	QTY	DESCRIPTION	USAGE
1	813069-198X	1	FRAME	FRAME
2	812060-619X	2	DOWEL	DOWEL
2a	811254-2102	1	PIN QN-FM-5 MM	
3	812065-559X	4	BUSHING	DISTANCE PIECE
4	813068-929X	2	HUB	HUB
4a	811213-5422	6	SET SCREW STEEL M16-40 - USE 300304092 DIN 933 GALV.	
4b	811241-4502	6	WASHER 17-30-3 STEEL Replaces 811241-3504 DIN 125 GALV.	
5	812066-369X	2	BRACKET	BRACKET
5a	811213-5522	7	SET SCREW STEEL M16-50 - USE 300304094 DIN 933 GALV.	
5b	811219-0325	2	SCREW M16-50 Q. 8.8 DIN 7991 GALV.	
5c	811241-4503	7	WASHER 17,5-35-3 DIN 522 GALV.	
6	813065-580A	1	GEAR	SWIVEL GEAR
6a	811214-5328	4	SET SCREW STEEL M16-90 - USE 300304097 DIN 931 GALV.	
6b	811241-4503	4	WASHER 17,5-35-3 DIN 522 GALV.	
7	812060-966X	AR1	BRACKET	BRACKET
7a	811213-4622	3	SET SCREW STEEL M12-60 DIN 933 GALV.	
7b	811214-4422	1	SCREW STEEL M12-100 - USE 300304051 DIN 931 GALV.	
7c	811215-4324	1	SCREW M12-35 - USE 100311035 DIN 603 GALV.	
7d	811220-4321	10	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
7e	811241-3403	30	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
7f	811241-3502	2	WASHER 13-42-3 DIN 522 GALV.	
8	811317-3036	1	HYDRAULIC CYLINDER	CYLINDER
9	812066-364X	2	BRACKET	BRACKET
9a	811213-4622	4	SET SCREW STEEL M12-60 DIN 933 GALV.	
9b	811220-4321	4	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
9c	811241-2407	8	WASHER 13-20-2 DIN 433 GALV.	

002

p2

002




002

REF	PN	QTY	DESCRIPTION	USAGE
10	813066-368X	2	SHAFT	SHAFT
10a	811213-4222	1	SET SCREW STEEL M12-20 - USE 300304054 DIN 933 GALV.	
10b	811242-4421	1	LOCK WASHER	
11	812060-964X	AR2	PULLEY	PULLEY
11a	811213-4622	1	SET SCREW STEEL M12-60 DIN 933 GALV.	
11b	811220-4321	1	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
12	812065-806X	2	HOSE CLAMP	HOOP
12a	811213-5422	2	SET SCREW STEEL M16-40 - USE 300304092 DIN 933 GALV.	
12b	811241-4304	2	WASHER	
14	811317-9535	1	GASKET KIT	SET OF GASKETS F. 1317-3036
15	814000-116V	1	WHEEL	WHEEL LEFT 500/50-17 6-HOLES
15a	811323-9326	6	WASHER	
15b	811323-9556	6	NUT M18-1,5	
16	811323-4404	1	RIM	RIM 16,0-17,0 6-HOLES
17	811321-6801	1	TYRE/TIRE	TYRE 500/50-17
18	814000-116H	1	WHEEL	WHEEL RIGHT 500/50-17 6-HOLES
18a	811323-9326	6	WASHER	
18b	811323-9556	6	NUT M18-1,5	
19	811335-5518	2	SPH ROLLER BEARING	PLAIN BEARING 50-55-20
20	812060-968X	AR1	BRACKET	BRACKET
20a	811213-4622	1	SET SCREW STEEL M12-60 DIN 933 GALV.	
20b	811214-4422	1	SCREW STEEL M12-100 - USE 300304051 DIN 931 GALV.	
20c	811220-4321	2	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
20d	811241-3403	7	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
20e	811241-3502	10	WASHER 13-42-3 DIN 522 GALV.	
22	812068-070X	AR1	BRACKET	BRACKET
22a	811214-4224	1	SCREW STEEL M12-55 - USE 200200026 DIN 931 GALV.	

002

p3

002




002

REF	PN	QTY	DESCRIPTION	USAGE
22b	811220-4321	1	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
22c	811241-3403	1	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
23	813064-162X	AR1	WIRE	WIRE
24	811392-0110	AR1	EYEBOLT M12-123 GALV	EYE BOLT M12-123
24a	811220-4321	1	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
24b	811241-3403	1	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
25	813065-155X	1	DOWEL	DOWEL
25a	811251-4502	2	PIN 6,0-60 - DELTA-coating DIN1481	
25b	811251-6505	2	PIN 10-65 - DELTA-coating DIN1481	
26	811432-6795	AR1	TENSION SPRING	TENSION SPRING
27	813228-238X	1	BUSHING	BUSH
27a	811241-9907	4	WASHER	
27b	811335-5504	2	SPH ROLLER BEARING	
28	812065-547X	1	DOWEL	DOWEL
28a	811251-5306	2	PIN 8,0-45 - DELTA-coating DIN1481	
32	811220-7126	1	LOCK NUT	LOCK NUT
39	812065-775X	1	GUARD	GUARD
39a	811213-3222	2	SET SCREW STEEL M10-20 - USE 300304031 DIN 933 GALV.	
40	812065-982X	2	FILLER CAP	FILLER
40a	811219-0603	2	SCREW M8-16 BN 13916 GALV	
41	812065-981X	1	BUSHING	DISTANCE BUSH
41a	811214-6722	1	SCREW	
41b	811220-6321	1	NUT NYLOC M20 - USE 300316016 DIN 985 GALV.	
42	810482690	1	REFLECTOR	REAR REFLECTOR
43	814000-1069	2	WHEEL	WHEEL 13.5/75-430.9 14 PR
43a	811323-9326	6	WASHER	
43b	811323-9556	6	NUT M18-1,5	
44	811323-4408	1	RIM	RIM 11 X 17 6 HOLES
45	811321-5801	1	TYRE/TIRE	TYRE 13.5/75-430.9 14PR
46	811392-0404	AR1	SHACKLE	SHACKLE 3/8"

002

p3

002




002

REF	FIGURE NUMBER	FIGURE NAME
001	001	001
030	030	030
050	050	050

003

p1


003



003

REF	PN	QTY	DESCRIPTION	USAGE
1	812062-451X	1	HANDLE	HANDLE
1a	811251-4103	1	PIN	
2	813069-104X	1	KIT	GRINDING DEVICE CPL
3	813062-592X	1	HOUSING	HOUSING ASSEMBLED
3a	811213-2322	2	SET SCREW STEEL M8-30 - USE 300304156 DIN 933 GALV.	
3b	811214-2224	2	SCREW	
3c	811220-2321	4	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
3d	811313-1101	1	LUBE NIPPLE	
4	812062-594X	1	SPROCKET	SPROCKET WHEEL
5	812062-593X	1	SPROCKET	SPROCKET WHEEL
6	813062-595X	1	SUPPORT	SUPPORT F/STONE
6a	811213-2222	4	SET SCREW STEEL M8-20 - USE 300304153 DIN 933 GALV.	
7	813062-596X	1	DISC	SHARPENING STONE
8	812062-463X	2	PLATE	END PLATE
9	812069-154X	2	GUIDE	GUIDE
9a	811219-0263	4	SCREW M10-20 ISO 7380 GALV.	
10	811343-0406	1	BAR	SPANNER NV 27
11	812060-969X	AR1	BRACKET	BRACKET
11a	811213-4322	1	SET SCREW STEEL M12-30 - USE 300304056 DIN 933 GALV.	
11b	811213-4622	1	SET SCREW STEEL M12-60 DIN 933 GALV.	
11c	811220-4321	2	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
11d	811241-3403	2	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
12	812062-672X	1	TUBE	TUBE
13	812062-450X	1	STOP	STOP
13a	811252-3101	3	COTTER PIN	
14	812062-449A	1	GUARD	GUARD
14a	811220-3922	2	NUT M10 1.8-3.2 cynk.	
15	812062-389X	1	STOP	STOP
15a	811252-3101	3	COTTER PIN	
16	812069-153X	2	PLATE	PLATE

003




003

REF	PN	QTY	DESCRIPTION	USAGE
16a	811213-3324	4	SET SCREW STEEL M10-35 - USE 300304035 DIN 933 GALV.	
16b	811241-2402	8	WASHER 10,5-20-2,0 DIN 125 GALV.	
17	811343-0407	1	BAR	SPANNER NV-30
18	812069-125X	1	BEARING HOUSING	PLATE
18a	811213-4622	2	SET SCREW STEEL M12-60 DIN 933 GALV.	
18b	811214-6328	2	SCREW	
18c	811220-4122	2	NUT STEEL M12 - USE 300315003 DIN 934 GALV.	
18d	811241-5301	2	WASHER 20,2-34-1,5 DIN 522 GALV.	
18e	811313-2101	1	LUBE NIPPLE	
19	812060-964X	AR1	PULLEY	PULLEY
20	811331-4104	2	BALL BEARING	BALL BEARING 6309
21	813064-059X	2	TIGHTENER	SEAL
21a	811339-5501	2	RING	
22	813064-802X	2	THREADED ROD	READED ROD RIGHT
23	813064-801X	2	THREADED ROD	READED ROD LEFT
24	812061-225A	1	SUPPORT	SUPPORT
24a	811213-3224	2	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
24b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
24c	811241-2402	2	WASHER 10,5-20-2,0 DIN 125 GALV.	
25	811331-3311	2	BALL BEARING	BALL BEARING 6206 RS
26	812062-422X	1	DOWEL	DOWEL
26a	811255-3201	1	SNAP RING QY-SNAP 30 MM OUTER - USE 300407011 - fantom DIN 471	
26b	811313-1101	1	LUBE NIPPLE	
27	813065-255X	1	BRACKET	BRACKET
28	812069-124X	1	BEARING HOUSING	BEARING HOUSING
28a	811213-4622	2	SET SCREW STEEL M12-60 DIN 933 GALV.	
28b	811214-6422	2	SET SCREW STEEL M20-100 - USE 300304109 DIN 931 GALV.	

003

p3


003



003

REF	PN	QTY	DESCRIPTION	USAGE
28c	811220-4122	2	NUT STEEL M12 - USE 300315003 DIN 934 GALV.	
28d	811241-5301	2	WASHER 20,2-34-1,5 DIN 522 GALV.	
28e	811313-2101	1	LUBE NIPPLE	
29	812067-847X	4	BUSHING	BUSH
30	812065-281X	1	BEVEL GEAR	BEVEL GEAR
30a	811251-5404	1	PIN 8-55 - DELTA-coating DIN1481	
31	813064-769B	1	ROTOR	ROTOR, 32 KNIVES;OUT ECO35299199
31	51640788	1	ROTOR	ROTOR, 32 KNIVES;IN ECO35299199
32	812064-096X	32	KNIFE BLADE	KNIFE BLADE
33	812064-732X	32	KNIFE	SUPPORT
35	811214-5333	64	BOLT	STEEL SCREW M18-80 10.9
36	811220-6119	64	NUT	STEEL NUT M18-1,5 10
37	812064-636B	1	BRACKET	BRACKET
37a	811219-0323	2	HEX SOC SCREW	
38	812064-637B	1	BRACKET	BRACKET
38a	811219-0323	2	HEX SOC SCREW	
39	813069-194X	1	TUBE	TUB
39a	811213-5427	6	SET SCREW STEEL M16-45 Q.10,9 - USE 71309416455 DIN 933 GALV.	
39b	811220-5323	6	NUT	
39c	811241-4605	6	WASHER 17-34-4 G	
40	812062-266B	1	SHEAR BAR	SHEARBAR
40a	811214-4425	8	SCREW	
40b	811241-3403	16	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
41	812062-392B	1	SCRAPER	STRIPPER
43	812067-811X	1	PULLEY	PULLEY
43a	811219-0244	6	HEX SOC SCREW	
43b	811242-3621	6	WASHER	
44	812067-817X	1	FLANGE	FLANGE F. PTO
44a	811213-2222	6	SET SCREW STEEL M8-20 - USE 300304153 DIN 933 GALV.	
45	811165-0113	1	RUBBER WASHER	WASHER RUBBER
46	812067-813X	1	PULLEY	PULLEY


003



003

REF	PN	QTY	DESCRIPTION	USAGE
46a	811219-0221	6	HEX SOC SCREW	
47	813067-812X	1	PULLEY	PULLEY
48	811362-1210	1	BELT	V-BELT SET (2 PCS.)
49	813069-940X	1	SHAFT	PTO-SHAFT G8
49a	811214-3122	6	SCREW STEEL M10-45 - USE 71301210450 DIN 931 GALV.	
49b	811219-0244	6	HEX SOC SCREW	
49c	811242-3621	6	WASHER	
50	812750-737X	2	CLAMP	CLAMP
50a	811213-3324	2	SET SCREW STEEL M10-35 - USE 300304035 DIN 933 GALV.	
50b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
51	812068-966X	1	GUARD	GUARD
51a	811213-3224	4	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
51b	811220-3321	4	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
51c	811241-2402	4	WASHER 10,5-20-2,0 DIN 125 GALV.	
52	812068-204X	1	BRACKET	BRACKET
53	812068-219X	1	BRACKET	BRACKET
53a	811213-5224	2	SET SCREW STEEL M16-25 - USE 300304091 DIN 933 GALV.	
53b	811241-4502	2	WASHER 17-30-3 STEEL Replaces 811241-3504 DIN 125 GALV.	
54	812068-218X	1	BRACKET	BRACKET
54a	811215-3226	2	SCREW M10-25 Q 8,8 - USE 7000601587 DIN 603 GALV.	
54b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
54c	811241-2402	2	WASHER 10,5-20-2,0 DIN 125 GALV.	
55	813060-337X	1	GAUGE	RANGE GAUGE
56	813064-754A	AR1	ROTOR	ROTOR, 24 KNIVES
57	812069-191X	1	BRACKET	CROSS BEAM
58	811214-3226	1	SET SCREW STEEL M10-60 - USE 300304197 DIN 931 GALV.	STEEL SCREW M10-60
58a	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	

003




003

REF	FIGURE NUMBER	FIGURE NAME
-----	---------------	-------------

005

p1

005




005

REF	PN	QTY	DESCRIPTION	USAGE
1	813069-184X	1	ROLLER	DRUM
2	813066-178X	2	BEARING HOUSING	BEARING HOUSE
3	811331-7405	4	BALL BEARING Ball, 45mm ID x 85mm OD x 56.5mm W	BALL BEARING GE 45 KRRB
4	812066-255X	1	BEARING HALF	HALF OF BEARING HOUSING
5	813066-175X	1	ARM	LEVERARM, RIGHT
5a	811213-3322	7	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
5b	811213-5624	1	SCREW	
5c	811220-3321	7	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
5d	811241-2402	7	WASHER 10,5-20-2,0 DIN 125 GALV.	
5e	811313-1101	1	LUBE NIPPLE	
5f	811313-2101	1	LUBE NIPPLE	
6	811392-0509	2	EYEBOLT	EYE BOLT M8-80
6a	811220-2321	1	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
6b	811241-1402	1	WASHER	
7	811432-5693	2	TENSION SPRING	TENSION SPRING
8	812066-199X	2	SPH ROLLER BEARING	BEARING
9	813069-188X	1	ROLLER	DRUM
9a	811219-0346	10	SCREW	
9b	811313-2101	2	LUBE NIPPLE	
10	812066-256X	1	BEARING HALF	HALF OF BEARING HOUSING
11	813066-176X	1	ARM	LEVERARM, LEFT
11a	811213-3322	7	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
11b	811213-5624	1	SCREW	
11c	811220-3321	7	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
11d	811241-2402	7	WASHER 10,5-20-2,0 DIN 125 GALV.	
11e	811313-1101	1	LUBE NIPPLE	
11f	811313-2101	1	LUBE NIPPLE	
12	812065-147X	2	WASHER	SPRING WASHER
13	812066-292X	2	ADJUSTER	FILLER
14	812066-240X	4	BEARING HALF	HALF OF BEARING HOUSING
15	811421-7592	4	BEARING HALF	HALF OF BEARING HOUSING

005

p2

005




005

REF	PN	QTY	DESCRIPTION	USAGE
16	812066-419X	1	ARM	LEVER ARM
16a	811213-3322	11	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
16b	811220-3321	11	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
16c	811313-1101	1	LUBE NIPPLE	
16d	811313-2101	1	LUBE NIPPLE	
17	811331-4505	2	BALL BEARING	BALL BEARING
18	812066-418X	1	ARM	LEVER ARM
18a	811213-3322	11	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
18b	811220-3321	11	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
18c	811241-2402	11	WASHER 10,5-20-2,0 DIN 125 GALV.	
18d	811313-1101	1	LUBE NIPPLE	
18e	811313-2101	1	LUBE NIPPLE	
19	812064-712X	1	WHEEL	CHAIN WHEEL
19a	811251-3601	1	PIN 5-70 - DELTA-coating DIN1481	
19b	811251-5602	1	PIN 8-70 - DELTA-coating DIN1481	
19c	811251-7602	1	PIN 13-70 - DELTA-coating DIN1481	
20	812068-033X	1	SPACER	DISTANCE PIECE
21	812068-035X	2	ARM	ARM
22	812068-034X	1	SPACER	DISTANCE PIECE
23	812067-837X	1	BUSHING	BUSH
23a	811213-4322	3	SET SCREW STEEL M12-30 - USE 300304056 DIN 933 GALV.	
23b	811213-4324	3	SET SCREW STEEL M12-35 - USE 300304057 DIN 933 GALV.	
23c	811241-9982	6	WASHER	
24	811399-0237	1	HANDLE	HANDLE
24a	811216-1126	2	SCREW	
24b	811220-1323	2	NUT NYLOC M6 - USE 300316026 DIN 985 GALV.	
24c	811241-1206	2	WASHER 6,4-18-1,6 - USE 300332052 DIN 9021 GALV.	
25	812067-863X	1	GUARD	GUARD UPPER

005

p3

005




005

REF	PN	QTY	DESCRIPTION	USAGE
25a	811213-3222	2	SET SCREW STEEL M10-20 - USE 300304031 DIN 933 GALV.	
25b	811241-2402	2	WASHER 10,5-20-2,0 DIN 125 GALV.	
26	812067-864X	1	GUARD	GUARD LOWER
26a	811215-3320	11	SCREW M10-30 Q 8.8 - USE 300304165 DIN 603 GALV.	
26b	811220-3321	11	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
26c	811220-3922	2	NUT M10 1.8-3.2 cynk.	
26d	811241-2402	11	WASHER 10,5-20-2,0 DIN 125 GALV.	
27	812067-865X	1	GUARD	SUPPORT
28	812068-997X	6	SHIM	SHIM
28a	811213-3322	1	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
28b	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
28c	811241-2402	1	WASHER 10,5-20-2,0 DIN 125 GALV.	
29	812067-836X	1	BUSHING	BUSH
29a	811213-4322	6	SET SCREW STEEL M12-30 - USE 300304056 DIN 933 GALV.	
29b	811241-9982	6	WASHER	
29c	811255-7102	1	SNAP RING SNAP 80 MM INNER - USE 71208001320 - fantom DIN 472	
29d	811313-1101	1	LUBE NIPPLE	
30	812068-087X	2	SUPPORT	BRACE
31	811338-0155	1	KEY	FLAT KEY
32	811338-0156	1	KEY	FLAT KEY
33	812067-764X	1	RING	TENSION RING
33a	811213-4424	1	SET SCREW STEEL M12-45 - USE 300304048 DIN 933 GALV.	
33b	811241-3702	1	WASHER	
34	811332-9907	1	COVER	COVER
35	811363-0238	1	CHAIN	ROLLER CHAIN 46 LINKS
35a	811363-9053	1	JOINT	
36	812069-132X	1	PIN	PIN
36a	811241-6605	2	WASHER 26-40-4 DIN 1441 GALV.	
36b	811251-6301	2	PIN 10-40 - DELTA-coating DIN1481	

005

p4

005




005

REF	PN	QTY	DESCRIPTION	USAGE
37	812067-839X	1	BRACKET	BRACKET
38	811432-2299	2	TENSION SPRING	TENSION SPRING
39	811220-2922	1	NUT	NUT M8
39a	811220-2122	1	NUT STEEL M8 - USE 300315018 DIN 934 GALV.	
40	811340-7145	1	COUPLING	COUPLING
40a	811213-4224	1	SET SCREW STEEL M12-25 - USE 300304055 DIN 933 GALV.	
40b	811241-3502	1	WASHER 13-42-3 DIN 522 GALV.	
41	812067-777X	1	FLANGE	FLANGE
41a	811219-0811	8	SCREW	
42	811391-0913	1	SOLENOID	EL-MAGNET
42a	811213-1122	3	SET SCREW STEEL M5-16 - USE 300304131 DIN 933 GALV.	
42b	811241-1104	3	WASHER 5,0-10,0-1,0 - USE 300332050 DIN 125 GALV.	
43	812064-198X	1	BUSHING	BUSH
44	811331-3301	1	BALL BEARING	BALL BEARING 6204 2RS
45	812064-196X	1	WHEEL	PROCKET WHEEL 12 ZAEHNE
45b	811255-4102	2	SNAP RING SNAP 47 MM INNER - USE 500053424 - fantom DIN 472	
46	813064-197X	2	SPROCKET	PROCKET WHEEL 12 ZAEHNE
46a	811214-3328	1	SCREW	
46b	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
46c	811241-2603	5	WASHER 10,5-25-4 DIN 7349 GALV.	
47	813067-723B	1	BUSHING	PAWL W. BUSHINGS
48	811335-6020	6	BUSHING	BUSH
49	812067-715X	1	LINK	CONNECTION LINK
50	811335-6021	1	BRONZE BUSHING	BUSH
51	813067-716X	1	SPRING	SPRING BRACKET
51a	811214-6724	2	SCREW	
51b	811220-6321	2	NUT NYLOC M20 - USE 300316016 DIN 985 GALV.	
51c	811241-5504	12	WASHER 21-37-3 - USE 300332034 DIN 125 GALV.	
52	812067-720X	1	PIN	DOWEL

005

p5

005




005

REF	PN	QTY	DESCRIPTION	USAGE
52a	811241-5201	4	WASHER 20,0-28-1 DIN 988 GALV.	
52b	811251-6306	1	PIN 10,0-40 - DELTA-coating DIN1481	
52c	811313-1101	1	LUBE NIPPLE	
53	811434-0108	104	SPRING	DISC SPRING 20,0-40-2,5
54	811241-9930	4	WASHER 63-80-1,0 DIN 988 BLACK	WASHER 63-80-1,0
55	812067-862X	1	RING	DISTANCE RING
56	813067-823X	1	BRACKET	SPRING BRACKET
56a	811213-4224	6	SET SCREW STEEL M12-25 - USE 300304055 DIN 933 GALV.	
56b	811241-3403	6	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
57	811331-9937	1	SPH ROLLER BEARING	BALL BEARING
58	812067-834X	1	PIN	DOWEL
58a	811241-7907	6	WASHER 30-42-1 DIN 988 GALV.	
58b	811255-3201	2	SNAP RING QY-SNAP 30 MM OUTER - USE 300407011 - fantom DIN 471	
58c	811313-1101	1	LUBE NIPPLE	
59	812067-816X	1	DISC	FRICTION DISC
59a	811255-5104	1	RING	
60	812067-835X	1	PLATE	CONNECTIONPLATE
60a	811213-4424	2	SET SCREW STEEL M12-45 - USE 300304048 DIN 933 GALV.	
60b	811220-4321	2	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
60c	811241-3102	8	WASHER	
60d	811241-3403	2	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
61	811332-9909	2	RING	NILOSRING
62	812067-843X	1	BRACKET	BRACKET F. CYLINDER
62a	811213-4324	6	SET SCREW STEEL M12-35 - USE 300304057 DIN 933 GALV.	
62b	811241-3403	6	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
63	811340-6461	2	AXLE	PTO-SHAFT
64	811340-6463	1	PTO	PTO-SHAFT

005

p6

005



005


REF	PN	QTY	DESCRIPTION	USAGE
65	812068-599X	2	BRACKET	BRACKET
65a	811213-3224	1	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
65b	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
65c	811241-2402	1	WASHER 10,5-20-2,0 DIN 125 GALV.	
66	812068-598X	2	LOCK	LOCK
67	811214-3226	1	SET SCREW STEEL M10-60 - USE 300304197 DIN 931 GALV.	STEEL SCREW M10-60
67a	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
68	811392-0507	2	EYEBOLT M10-110 GALV	EYE BOLT M10 GALV
68a	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
68b	811241-2402	1	WASHER 10,5-20-2,0 DIN 125 GALV.	
69	813067-722A	1	GEARBOX Gearbox without oil	GEARBOX

REF	FIGURE NUMBER	FIGURE NAME
002	002	002
003	003	003
031	031	031

007

p1

007




007

REF	PN	QTY	DESCRIPTION	USAGE
1	812067-844X	1	BRACKET	BRACKET
1a	811213-4324	4	SET SCREW STEEL M12-35 - USE 300304057 DIN 933 GALV.	
1b	811220-4321	4	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
1c	811241-3403	4	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
2	812065-836X	1	SCREW	SCREW
2a	811214-5530	1	SCREW	
2b	811220-6319	1	NUT M18 NYLOC 8 G - USE 71307218125 - fantom DIN 985 GALV.	
2c	811241-4504	2	WASHER	
3	811431-6693	1	SPRING	COMPRESSION SPRING
4	812065-835X	1	GUIDE	GUIDE
4a	811213-5422	2	SET SCREW STEEL M16-40 - USE 300304092 DIN 933 GALV.	
4b	811214-2226	1	SCREW STEEL M8-60 - USE 300304162 DIN 931 GALV.	
4c	811220-5122	2	NUT STEEL M16 - USE 300315006 DIN 934 GALV.	
4d	811241-4503	2	WASHER 17,5-35-3 DIN 522 GALV.	
4e	811313-1101	1	LUBE NIPPLE	
5	812067-846A	1	INDICATOR	INDICATOR
6	813065-838A	2	BUSHING	BUSH
7	812228-465X	2	DOWEL	DOWEL
7a	811241-5503	2	WASHER 21.0-42-3.5 ISO 7089 GALV.	
7b	811251-3202	2	PIN 5-36 - DELTA-coating DIN1481	
7c	811254-2101	2	SPRING 4 MM	
8	812065-955X	1	NUT	NUT
9	811317-3042	1	HYDRAULIC CYLINDER	CYLINDER
9a	811220-6122	2	NUT STEEL M20 - USE 300315009 DIN 934 GALV.	
11	811317-9538	1	GASKET	SET OF GASKETS F. 1317-3040/42
12	812068-947X	1	BRACKET	BRACKET
12a	811215-4424	4	CARRIAGE BOLT	

007

p2

007




007

REF	PN	QTY	DESCRIPTION	USAGE
12b	811220-4321	4	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
12c	811241-3403	4	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
13	812067-845X	1	TUBE	DISTANCE TUBE
13a	811214-5530	1	SCREW	
13b	811220-6319	1	NUT M18 NYLOC 8 G - USE 71307218125 - fantom DIN 985 GALV.	
13c	811241-4504	2	WASHER	
14	812061-245X	1	PLATE	STOP PLATE
14a	811213-2222	2	SET SCREW STEEL M8-20 - USE 300304153 DIN 933 GALV.	
14b	811220-2321	2	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
14c	811241-1202	2	WASHER 8,4-16-1,6 DIN 125-A8,4 ST. GALV VERZ. GELB CHROM GALV.	
15	813069-080X	1	GUARD	HOOP
15a	811213-4324	2	SET SCREW STEEL M12-35 - USE 300304057 DIN 933 GALV.	
15b	811220-4321	2	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
15c	811241-3403	2	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
16	811393-0186	3	RUBBER BLOCK	RUBBER BUFFER
16a	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
16b	811241-2402	1	WASHER 10,5-20-2,0 DIN 125 GALV.	
17	813068-952X	1	GUARD	GUARD, RH
18	812080-384X	1	HINGE	HINGE
18a	811213-3224	1	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
18b	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
18c	811241-2402	1	WASHER 10,5-20-2,0 DIN 125 GALV.	
19	812080-387X	3	RUBBER RING	RUBBER STRAP
20	811433-0315	1	SPRING	SPRING

007

p3

007




007

REF	PN	QTY	DESCRIPTION	USAGE
20a	811213-3222	2	SET SCREW STEEL M10-20 - USE 300304031 DIN 933 GALV.	
20b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
20c	811241-1206	2	WASHER 6,4-18-1,6 - USE 300332052 DIN 9021 GALV.	
21	812068-951X	1	BRACKET	BRACKET
22	812062-670X	1	PLATE	TIGHTENING PIECE
22a	811214-3322	2	SET SCREW STEEL M10-70 - USE 300304041 DIN 931 GALV.	
22b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
23	812068-957X	1	GUARD	BRACKET
23a	811213-3324	2	SET SCREW STEEL M10-35 - USE 300304035 DIN 933 GALV.	
23b	811215-4324	2	SCREW M12-35 - USE 100311035 DIN 603 GALV.	
23c	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
23d	811220-4321	2	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
23e	811241-2402	10	WASHER 10,5-20-2,0 DIN 125 GALV.	
23f	811241-3403	2	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
24	813068-958X	1	GUARD	BRACKET
24a	811213-4222	2	SET SCREW STEEL M12-20 - USE 300304054 DIN 933 GALV.	
24b	811220-4321	2	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
24c	811241-3403	6	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
25	811393-0162	4	RUBBER STRIP	RUBBER BACKING
26	812062-583X	1	DOWEL	DOWEL
26a	811220-3122	1	NUT STEEL M10 - USE 300315001 DIN 934 GALV.	
26b	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
27	812062-584X	1	SUPPORT	SUPPORT

007

p4

007




007

REF	PN	QTY	DESCRIPTION	USAGE
27a	811213-3322	1	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
27b	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
28	811431-1197	4	SPRING	COMPRESSION SPRING
29	812068-961X	2	GUARD	BRACKET
29a	811213-3324	2	SET SCREW STEEL M10-35 - USE 300304035 DIN 933 GALV.	
29b	811220-3922	2	NUT M10 1.8-3.2 cynk.	
29c	811241-2402	2	WASHER 10,5-20-2,0 DIN 125 GALV.	
30	812068-963X	2	GUARD	LOCK
30a	811214-1122	2	SCREW STEEL M6-40 - USE 7000540240 DIN 931 GALV.	
30b	811220-1323	2	NUT NYLOC M6 - USE 300316026 DIN 985 GALV.	
30c	811241-1201	4	WASHER	
31	811399-0237	4	HANDLE	HANDLE
31a	811216-1126	2	SCREW	
31b	811220-1323	2	NUT NYLOC M6 - USE 300316026 DIN 985 GALV.	
31c	811241-1206	2	WASHER 6,4-18-1,6 - USE 300332052 DIN 9021 GALV.	
32	812068-962X	1	SUPPORT	BRACKET
33	811393-0100	1	TIP	RUBBER TIP
34	812068-964X	2	SUPPORT	GUIDE
34a	811215-1123	2	SCREW M6-16 - USE 200215314 DIN 603 GALV.	
34b	811220-1323	2	NUT NYLOC M6 - USE 300316026 DIN 985 GALV.	
34c	811241-1201	2	WASHER	
35	813069-164X	1	COVER	COVER WLD
35a	811213-3322	2	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
35b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
35c	811241-2402	2	WASHER 10,5-20-2,0 DIN 125 GALV.	
36	813069-166X	1	COVER	COVER WLD

007

p5

007




007

REF	PN	QTY	DESCRIPTION	USAGE
36a	811213-3322	4	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
36b	811220-3321	4	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
36c	811241-2402	4	WASHER 10,5-20-2,0 DIN 125 GALV.	
37	813069-168X	1	COVER	COVER WLD
37a	811213-1222	4	SET SCREW STEEL M6-20 - USE 300304135 DIN 933 GALV.	
37b	811220-1924	4	NUT M6 2.6-3.5 A2	
37c	811241-1201	4	WASHER	
38	812068-967X	1	GUARD	GUARD
38a	811213-3322	1	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
38b	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
38c	811241-2402	2	WASHER 10,5-20-2,0 DIN 125 GALV.	
39	813068-984X	1	SUPPORT	SUPPORT F. GUARD
39a	811213-4422	4	SET SCREW STEEL M12-40 - USE 300304058 DIN 933 GALV.	
39b	811220-4321	4	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
39c	811241-3403	4	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
40	812068-990X	1	BRACKET	HOOP F. HOSES
40a	811213-3322	4	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
40b	811220-3321	4	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
40c	811241-2402	4	WASHER 10,5-20-2,0 DIN 125 GALV.	
41	812068-992X	1	GUARD	GUARD
41a	811213-3322	5	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
41b	811241-2402	5	WASHER 10,5-20-2,0 DIN 125 GALV.	
42	812068-995X	1	GUARD	GUARD LH
42a	811213-3322	5	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
42b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	

007

p6

007




007

REF	PN	QTY	DESCRIPTION	USAGE
42c	811241-2402	5	WASHER 10,5-20-2,0 DIN 125 GALV.	
43	813068-945X	1	GUARD	BRACKET
43a	811215-3226	4	SCREW M10-25 Q 8,8 - USE 7000601587 DIN 603 GALV.	
43b	811220-3321	4	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
43c	811241-2402	4	WASHER 10,5-20-2,0 DIN 125 GALV.	
44	811399-0504	2	HYDRAULIC CYLINDER	GASCYLINDER
44a	811220-2321	2	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
45	812068-980A	1	GUARD	GUARD LH
45a	811213-3222	3	SET SCREW STEEL M10-20 - USE 300304031 DIN 933 GALV.	
45b	811220-3321	3	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
45c	811220-3922	3	NUT M10 1.8-3.2 cynk.	
45d	811241-2402	3	WASHER 10,5-20-2,0 DIN 125 GALV.	
46	811399-0503	2	HYDRAULIC CYLINDER	GASCYLINDER
46a	811220-2321	2	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
47	813069-173A	1	COVER	COVER
47a	811215-2224	2	SCREW M8-25 - USE 300304191 DIN 603 GALV.	
47b	811215-4424	2	CARRIAGE BOLT	
47c	811220-2321	2	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
47d	811220-3922	2	NUT M10 1.8-3.2 cynk.	
47e	811220-4122	2	NUT STEEL M12 - USE 300315003 DIN 934 GALV.	
47f	811220-4321	2	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
47g	811241-1503	2	WASHER 9-28-3 DIN 440R GALV.	
47h	811241-3403	2	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
48	813068-938X	1	GUARD	GUARD
48a	811213-3423	2	SET SCREW	
48b	811220-3122	2	NUT STEEL M10 - USE 300315001 DIN 934 GALV.	

007

p7

007




007

REF	PN	QTY	DESCRIPTION	USAGE
48c	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
48d	811241-2402	6	WASHER 10,5-20-2,0 DIN 125 GALV.	
49	812750-737X	1	CLAMP	CLAMP
49a	811213-3224	2	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
49b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
50	812069-170X	1	COVER	COVER REAR
50a	811213-3222	3	SET SCREW STEEL M10-20 - USE 300304031 DIN 933 GALV.	
50b	811220-3321	3	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
50c	811241-2402	6	WASHER 10,5-20-2,0 DIN 125 GALV.	
51	812069-163X	1	TOOL BOX	TOOLBOX
51a	811215-3226	4	SCREW M10-25 Q 8,8 - USE 7000601587 DIN 603 GALV.	
51b	811220-3321	4	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
51c	811241-2402	4	WASHER 10,5-20-2,0 DIN 125 GALV.	
52	812068-894X	1	COVER	COVER
53	812068-989X	2	STEP	FOOTBOARD
53a	811213-4422	4	SET SCREW STEEL M12-40 - USE 300304058 DIN 933 GALV.	
53b	811220-4321	4	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
53c	811241-3403	4	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
54	811393-0131	1	HOSE PROTECTION	PLASTIC MOULDING
55	812080-469X	5	BUSHING	BUSH
55a	811213-3322	1	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
55b	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
55c	811241-2402	1	WASHER 10,5-20-2,0 DIN 125 GALV.	
56	812068-979A	1	GUARD	GUARD REAR
56a	811213-3222	6	SET SCREW STEEL M10-20 - USE 300304031 DIN 933 GALV.	

007

p8

007




007

REF	PN	QTY	DESCRIPTION	USAGE
56b	811220-3321	6	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
56c	811241-2402	12	WASHER 10,5-20-2,0 DIN 125 GALV.	
57	812068-042X	4	SUPPORT	BRACKET
57a	811213-5422	2	SET SCREW STEEL M16-40 - USE 300304092 DIN 933 GALV.	
57b	811220-5321	2	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
57c	811241-4502	4	WASHER 17-30-3 STEEL Replaces 811241-3504 DIN 125 GALV.	
58	812068-043X	2	REINFORCEMENT	REINFORCEMENT
58a	811215-1123	6	SCREW M6-16 - USE 200215314 DIN 603 GALV.	
58b	811220-1323	6	NUT NYLOC M6 - USE 300316026 DIN 985 GALV.	
58c	811241-1201	6	WASHER	
59	812068-999X	1	SUPPORT	SUPPORT F. HOSES
60	810482690	1	REFLECTOR	REAR REFLECTOR
61	812068-178X	1	BRACKET	BRACKET
61a	811214-2222	2	SCREW STEEL M8-50 - USE 300304160 DIN 931 GALV.	
61b	811220-2321	2	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
61c	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
61d	811241-1403	4	WASHER 9-16-2,0 DIN 1441 GALV.	
61e	811241-3509	3	WASHER 13-37-3 - USE 300332044 DIN 9021 GALV.	
62	812069-162X	1	PLATE	BACK PLATE
62a	811215-2124	12	SCREW M8-15 DIN 603 8.8 GALV.	
62b	811220-2321	12	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
62c	811241-1403	12	WASHER 9-16-2,0 DIN 1441 GALV.	
63	812068-203X	1	BRACKET	BRACKET
63a	811213-4324	4	SET SCREW STEEL M12-35 - USE 300304057 DIN 933 GALV.	
63b	811220-4321	4	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	

007

p9

007



007


REF	PN	QTY	DESCRIPTION	USAGE
63c	811241-3403	4	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
64	812068-220X	2	COVER	COVER; (SN Break) Before 2680102007
64a	811213-3222	4	SET SCREW STEEL M10-20 - USE 300304031 DIN 933 GALV.	
64b	811220-3321	4	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
64c	811241-2402	8	WASHER 10,5-20-2,0 DIN 125 GALV.	
64.1	812068-220A	1	COVER	COVER; (SN Break) After 2680102108
64.1a	811213-3222	1	SET SCREW STEEL M10-20 - USE 300304031 DIN 933 GALV.	
64.1b	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
64.1c	811241-2402	1	WASHER 10,5-20-2,0 DIN 125 GALV.	
65	812066-075X	1	DOWEL	DOWEL
65a	811241-5503	2	WASHER 21.0-42-3.5 ISO 7089 GALV.	
65b	811251-3202	2	PIN 5-36 - DELTA-coating DIN1481	
66	811393-0110	1	RUBBER BUSHING	RUBBER BUFFER
66a	811213-3124	1	SET SCREW	
66b	811241-2402	1	WASHER 10,5-20-2,0 DIN 125 GALV.	

REF	FIGURE NUMBER	FIGURE NAME
002	002	002
005	005	005

009

p1

009




009**p1****009**

REF	PN	QTY	DESCRIPTION	USAGE
1	813066-412A	1	SIDE PLATE	SIDE PLATE, LEFT
1a	811219-0307	2	SCREW M12-30	
1b	811220-4321	2	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
1c	811241-3403	2	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
2	813066-411A	1	SIDE PLATE	SIDE PLATE, RIGHT
2a	811219-0307	2	SCREW M12-30	
2b	811220-4321	2	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
2c	811241-3403	2	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
3	811393-0183	2	RUBBER BUSHING	RUBBER BUFFER
3a	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
3b	811241-2402	1	WASHER 10,5-20-2,0 DIN 125 GALV.	
4	812069-175X	1	PLATE	BOTTOMPLATE
4a	811213-3322	4	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
4b	811220-3321	4	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
4c	811241-2402	8	WASHER 10,5-20-2,0 DIN 125 GALV.	
5	812080-469X	1	BUSHING	BUSH
5a	811213-3224	1	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
5b	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
5c	811241-2402	1	WASHER 10,5-20-2,0 DIN 125 GALV.	
6	812067-860X	1	BUSHING	BUSH
6a	811214-4123	1	SET SCREW STEEL M12-40 DIN 931 GALV.	
6b	811241-2505	1	WASHER 12,5-32-3 DIN 522 GALV.	
7	813066-192X	2	BEARING HOUSING	BEARING HOUSE
8	811331-7405	3	BALL BEARING Ball, 45mm ID x 85mm OD x 56.5mm W	BALL BEARING GE 45 KRRB
9	811421-7592	2	BEARING HALF	HALF OF BEARING HOUSING
10	811432-5693	2	TENSION SPRING	TENSION SPRING
11	813064-288B	1	TUBE	CROSS TUBE

009

p2

009




009

REF	PN	QTY	DESCRIPTION	USAGE
11a	811213-5322	4	SET SCREW STEEL M16-30 - USE 300304208 DIN 933 GALV.	
12	811392-0507	2	EYEBOLT M10-110 GALV	EYE BOLT M10 GALV
12a	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
12b	811241-2402	1	WASHER 10,5-20-2,0 DIN 125 GALV.	
13	812064-361X	2	PLATE	STRIKER PLATE
14	812063-153X	1	CLAMP	CLAMP
14a	811214-3120	2	SCREW SruBa M10-40 =300304036 - fantom / STEEL M10-40 - USE 300304036 DIN 931 GALV.	
14b	811242-3621	2	WASHER	
15	812068-063X	1	BRACKET	BRACKET
15a	811213-3224	2	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
15b	811242-3621	2	WASHER	
16	813068-068X	1	SUPPORT	SCREWHOLDER
16a	811220-3321	6	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
16b	811241-2402	6	WASHER 10,5-20-2,0 DIN 125 GALV.	
17	811421-7599	1	BEARING HALF	HALF OF BEARING HOUSING
18	811421-7597	1	BEARING HOUSING	HALF OF BEARING HOUSING
19	812069-177X	1	ROLLER	ROLLER
20	811331-3305	2	BALL BEARING	BALL BEARING 6209 2RS
21	813068-060X	1	FLANGE	FLANGE LH.
22	812069-178X	1	SHAFT	SHAFT FOR MAGNETIC BAR
22a	811313-1101	1	LUBE NIPPLE	
23	812064-657X	4	BRACKET	DISTANCE BUSH
24	813068-058X	1	FLANGE	FLANGE RH
25	812069-099X	1	BAR	MAGNET TROUGH
25a	811214-2122	4	SCREW STEEL M8-35 - USE 7000550235 DIN 931 GALV.	
25b	811241-1402	4	WASHER	
26	813068-036X	1	ARM	ROCKER ARM
26a	811251-5504	2	PIN 8-65 - DELTA-coating DIN1481	
27	811317-3017	1	HYDRAULIC CYLINDER	CYLINDER
28	813068-088X	1	LOCK	LOCK

009

p3

009




009

REF	PN	QTY	DESCRIPTION	USAGE
29	812065-375X	1	DOWEL	DOWEL
29a	811254-2101	2	SPRING 4 MM	
30	812068-914X	1	DOWEL	DOWEL
30a	811241-4403	2	WASHER 17,5-35-2 DIN 522 GALV.	
30b	811241-4503	2	WASHER 17,5-35-3 DIN 522 GALV.	
30c	811252-5299	2	COTTER PIN	
31	812068-913X	1	FOOT	STOP
32	812068-996X	1	SPINDLE	SPINDLE
32a	811251-6302	2	PIN	
33	813060-767X	1	HANDLE	HANDLE
34	812060-694A	2	BUSHING	BUSH
34a	811251-4302	1	PIN	
34b	811251-6302	1	PIN	
35	812069-180X	1	ROLLER	ROLLER PA6
36	813068-052X	1	SHAFT	FLANGE LH.
37	813068-054X	1	SHAFT	FLANGE RH.
38	812010-187A	1	DOWEL	DOWEL
38a	811252-4202	2	COTTER PIN	
39	811250-3601	1	BOLT	COTTER BOLT B20 H11-60
39a	811254-2101	1	SPRING 4 MM	
40	812060-691X	1	PLATE	COUPLING PLATE
41	811432-7799	2	TORSION SPRING	TENSION SPRING
42	812221-137X	1	NUT	NUT
43	812063-546X	1	BRACKET	BRACKET
44	812062-374X	1	DOWEL	DOWEL
44a	811251-5407	2	PIN	
45	812067-861X	1	BRACKET	BRACKET
45a	811213-3722	2	SCREW	
45b	811220-3122	4	NUT STEEL M10 - USE 300315001 DIN 934 GALV.	
46	811391-9061	1	SENSOR	REED SENSOR
46a	811391-9079	2	NUT	
47	811340-6462	1	PTO SHAFT	PTO-SHAFT
48	811391-0914	1	RING	MAGNET RING
48a	811214-4123	1	SET SCREW STEEL M12-40 DIN 931 GALV.	

009

p4

009




009

REF	PN	QTY	DESCRIPTION	USAGE
48b	811216-1226	1	SCREW	
48c	811220-1321	1	NUT NYLOC M4 DIN 985-8 GALV.	
48d	811241-1101	1	WASHER 4,3-12-1 GALV. - USE 200213143 DIN 9021 GALV.	
48e	811241-6904	1	WASHER 25-35-1 DIN 988 GALV.	
49	811391-0923	1	MAGNET	MAGNET
50	811331-3302	1	BALL BEARING	BALL BEARING
51	811311-8439	1	PIPE COUPLING	PIPE COUPLING M6-?6
52	812068-048A	1	GUARD	GUARD
52a	811220-3922	2	NUT M10 1.8-3.2 cynk.	
53	812068-047A	1	GUARD	GUARD
53a	811214-2326	1	DOWEL	
53b	811219-0404	2	BOLT	
53c	811220-2321	1	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
53d	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
53e	811241-1402	2	WASHER	
53f	811241-2402	1	WASHER 10,5-20-2,0 DIN 125 GALV.	
54	812068-049A	1	GUARD	GUARD
54a	811213-3222	1	SET SCREW STEEL M10-20 - USE 300304031 DIN 933 GALV.	
54b	811220-3922	1	NUT M10 1.8-3.2 cynk.	
54c	811241-2402	2	WASHER 10,5-20-2,0 DIN 125 GALV.	
55	811214-3226	1	SET SCREW STEEL M10-60 - USE 300304197 DIN 931 GALV.	STEEL SCREW M10-60
55a	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
56	811219-0333	44	SCREW	ALLEN SCREW C-SUNK M10-40
58	812064-724X	1	GEAR	SPROCKET 30 ZAEHNE
58a	811241-9917	1	WASHER	
58b	811241-9925	7	WASHER 45-55-1 DIN 988 BLACK	
58c	811255-4202	1	SNAP RING SNAP 45 MM OUTER - USE 7000515145 - fantom DIN 471	
59	811331-9986	2	SEALING RING	SEALING RING
60	811391-9091	1	CABLE	CABLE F. MAGNET TROUGH
61	811391-0921	1	CONNECTING LINK	SCREWED CONNECTION

009

p4

009




005

011

p1

011




011

REF	PN	QTY	DESCRIPTION	USAGE
1	813068-363X	1	COVER	CHUTE
1a	811213-3322	2	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
1b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
1c	811241-2402	2	WASHER 10,5-20-2,0 DIN 125 GALV.	
2	813064-970A	1	CHUTE	CHUTE
3	812125-303X	2	STOP	STOP RING
3a	811213-3222	3	SET SCREW STEEL M10-20 - USE 300304031 DIN 933 GALV.	
3b	811241-2502	3	WASHER 10,5-22-3 DIN 522 GALV.	
4	813068-655X	1	CONNECTING BLOCK	CONNECTING PIECE
5	813068-364X	1	FLAP	CHUTE
5a	811213-3322	2	SET SCREW STEEL M10-30 - USE 300304034 DIN 933 GALV.	
5b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
5c	811241-2402	2	WASHER 10,5-20-2,0 DIN 125 GALV.	
6	812067-434X	1	SPACER	DISTANCE RAIL
6a	811220-4321	5	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
6b	811241-3403	5	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
7	812068-999X	1	SUPPORT	SUPPORT F. HOSES
8	812750-737X	1	CLAMP	CLAMP
8a	811213-3224	2	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
8b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
9	813069-172X	1	HOUSING	HOUSING WLD
9a	811214-5224	2	SET SCREW STEEL M16-55 DIN 931 GALV.	
9b	811220-5321	2	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
10	812060-985X	1	THRUST RING	THRUST RING
11	813064-411X	5	CLAMP	LOCK CLAMP
12	812125-264X	1	HANDLE	HANDLE

011

p2

011




011

REF	PN	QTY	DESCRIPTION	USAGE
12a	811214-2122	1	SCREW STEEL M8-35 - USE 7000550235 DIN 931 GALV.	
12b	811220-2321	1	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
13	812125-267X	1	DOWEL	DOWEL
14	812060-230X	1	RING	HOOP
14a	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
14b	811434-0101	8	SPRING	
15	813064-160X	1	ROD	STOP ROD
15a	811220-4322	3	LOCK NUT	
15b	811241-2202	3	WASHER 12-15-1.5 DIN 522 GALV.	
15c	811241-3402	1	WASHER 14-40-2 DIN 522 GALV.	
15d	811254-2101	1	SPRING 4 MM	
16	813064-161X	1	ROD	STOP ROD
16a	811241-2202	1	WASHER 12-15-1.5 DIN 522 GALV.	
17	811432-2296	2	TENSION SPRING	SPRING
18	812068-682X	1	SUPPORT	BRACKET
19	812125-546X	4	BUSHING	BUSH
20	811317-3039	1	HYDRAULIC CYLINDER	CYLINDER
20a	811214-5321	2	SCREW STEEL M16-70 8.8 G DIN 931 GALV.	
20b	811220-5321	2	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
20c	811241-4502	2	WASHER 17-30-3 STEEL Replaces 811241-3504 DIN 125 GALV.	
21	811317-9537	1	GASKET KIT	SET OF GASKETS F. 1317-3039
22	811311-8537	7	BRACKET	SUPPORT FOR TUBE
23	811311-8600	5	PLATE	TOP PLATE
23a	811214-1222	1	SCREW	
23b	811220-1323	1	NUT NYLOC M6 - USE 300316026 DIN 985 GALV.	
23c	811241-1207	1	WASHER 6,4-12-1,6 - USE 300332038 DIN 125 GALV.	
24	812064-978X	1	WEAR PLATE	WEAR PLATE UPPER
24a	811215-3222	9	SCREW M10-20 H-3 8.8 - USE 7000552510 DIN 603 GALV. - fantom	

011

p3

011




011

REF	PN	QTY	DESCRIPTION	USAGE
24b	811220-3321	9	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
24c	811241-2402	9	WASHER 10,5-20-2,0 DIN 125 GALV.	
25	812064-979X	3	WEAR PLATE	WEAR PLATE LOWEST
25a	811215-3222	5	SCREW M10-20 H-3 8.8 - USE 7000552510 DIN 603 GALV. - fantom	
25b	811220-3321	5	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
25c	811241-2402	5	WASHER 10,5-20-2,0 DIN 125 GALV.	
26	812068-699X	1	GUARD	COVER PLATE
26a	811219-0603	4	SCREW M8-16 BN 13916 GALV	
27	813063-606X	1	LEVER	LEVER
27a	811220-4321	5	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
27b	811241-3403	5	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
28	813068-691X	1	BRACKET	BRACKET FOR MOTOR
28a	811213-4324	3	SET SCREW STEEL M12-35 - USE 300304057 DIN 933 GALV.	
28b	811220-4321	3	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
28c	811241-3403	3	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
29	813225-564X	2	SPROCKET	SPROCKET WHEEL 14 TEETH
29a	811214-5321	1	SCREW STEEL M16-70 8.8 G DIN 931 GALV.	
29b	811241-4503	4	WASHER 17,5-35-3 DIN 522 GALV.	
30	813068-696X	1	PLATE	TIGHTENING BRACKET
31	812111-769X	1	TOOTH	BEVEL GEAR 10 TEETH
31a	811213-2126	1	SET SCREW STEEL M8-15 - USE 300304152 DIN 933 GALV.	
31b	811241-1502	1	WASHER 8,5-30-3 DIN 522 GALV.	
32	811363-0259	1	CHAIN	ROLLER CHAIN 75 LINK
32a	811363-9044	1	JOINT	
32b	811363-9046	1	CHAIN LINK	
33	813068-694X	1	BRACKET	TIGHTENING BRACKET
33a	811213-4622	2	SET SCREW STEEL M12-60 DIN 933 GALV.	

011

p4

011




011

REF	PN	QTY	DESCRIPTION	USAGE
33b	811214-4126	2	SCREW STEEL M12-45 - USE 300304059 DIN 931 GALV.	
33c	811220-4122	2	NUT STEEL M12 - USE 300315003 DIN 934 GALV.	
33d	811241-3403	2	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
34	812068-698X	1	BRACKET	BRACKET
34a	811213-4322	2	SET SCREW STEEL M12-30 - USE 300304056 DIN 933 GALV.	
34b	811241-3403	2	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
35	812066-093A	1	CLAMP	LOCK FOR CHAIN
35a	811213-4424	2	SET SCREW STEEL M12-45 - USE 300304048 DIN 933 GALV.	
35b	811220-4321	2	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
35c	811241-3403	2	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
36	811317-0314	2	HYDRAULIC HOSE	HYDRAULIC HOSE L=6550
37	813064-821X	1	BRACKET	BRACKET
37a	811215-3226	6	SCREW M10-25 Q 8,8 - USE 7000601587 DIN 603 GALV.	
37b	811220-3321	6	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
37c	811241-2402	6	WASHER 10,5-20-2,0 DIN 125 GALV.	
38	812064-927X	1	COVER	COVER
38a	811220-2321	2	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
38b	811241-1202	2	WASHER 8,4-16-1,6 DIN 125-A8,4 ST. GALV VERZ. GELB CHROM GALV.	
39	812064-834X	2	GUIDE	GUIDE ROD
39a	811241-3506	2	WASHER 15-28-3 DIN 1441 GALV.	
39b	811252-4202	2	COTTER PIN	
40	811317-9545	2	CLUTCH	NOZZLE

011

p4

011




012




011

REF	FIGURE NUMBER	FIGURE NAME
012	012	012




012

REF	PN	QTY	DESCRIPTION	USAGE
1	812064-955X	1	BRAKE	HYDRAULIC MOTOR W. BRAKE
2	811316-0141	1	VALVE	SHIFTER VALVE
3	811311-8539	2	WASHER	GASKET
4	811311-1409	2	PIPE COUPLING	PIPE COUPLING
5	811311-8560	2	RING	PACKING RING
7	811311-8603	3	COUPLING	ANGLE COUPLING
8	811311-1411	2	PIPE COUPLING	PIPE COUPLING
9	811317-0847	1	HOSE	HYDRAULIC HOSE L=350
10	811317-0836	3	HOSE	HYDRAULIC HOSE L=4000
11	811311-8534	1	SCREW	SCREWED CONNECTION




013

REF	PN	QTY	DESCRIPTION	USAGE
3	811317-1048	1	HYDRAULIC VALVE	VALVE BLOCK - NON MD
3a	811213-1120	4	SET SCREW	
3b	811242-1221	4	WASHER M6 DIN 7980 GALV.	
4	811311-8534	14	SCREW	SCREWED CONNECTION
5	811311-8535	1	PIPE	PIPE STUB
6	811311-8406	2	TEE	T-PIECE
9	811311-8550	1	LUBE NIPPLE	NIPPLE
12	811311-8715	1	HYD CONNECTOR	SCREWED CONNECTION
13	811311-1416	1	PIPE	PIPE STUB
14	811317-0305	1	COUPLING	QUICK CLUTCH LS 1/4
15	811317-0302	2	COUPLING	CONNECTION F/QUICK-COUPLING
16	811311-1417	2	COUPLING	ANGLE COUPLING
17	811393-0139	1	CAP	PROTECTION CAP RED
18	811311-8539	4	WASHER	GASKET
19	811317-0757	1	VALVE	NON-RETURN VALVE
21	811393-0140	1	CAP	PROTECTION CAP BLUE
22	811317-3036	1	HYDRAULIC CYLINDER	CYLINDER
23	811317-3039	1	HYDRAULIC CYLINDER	CYLINDER
23a	811317-9547	1	NOZZLE	
24	811317-3017	1	HYDRAULIC CYLINDER	CYLINDER
25	811391-0983	1	BOX	CONTROL BOX FCT W. PLUG
26	811317-3042	1	HYDRAULIC CYLINDER	CYLINDER
28	811317-0991	2	HYDRAULIC CYLINDER	CYLINDER DVL 30-16-45
30	811317-0299	1	QUICK MALE COUPLING	QUICK CLUTCH 1/4
35	811317-9401	2	COIL	COIL
36	811317-1029	1	COIL	VALVE COIL
38	811317-5057	2	HOSE	HYDRAULIC HOSE L = 7600
38a	811220-2922	3	NUT	
39	811391-9098	1	CABLE	CABLE
40	811317-1052	1	HYDRAULIC VALVE	HYDRAULIC BLOCK W. LS
41	811317-0891	1	HOSE	HOSE ?6X10-600
42	811317-0435	1	HYDRAULIC HOSE	HYDRAULIC HOSE L=1100
43	811317-1029	1	COIL	VALVE COIL
44	811317-0896	1	HYDRAULIC HOSE	HYDRAULIC HOSE L=740
45	811317-0849	1	HYDRAULIC HOSE	HYDRAULIC HOSE L=2860
46	811311-1411	2	PIPE COUPLING	PIPE COUPLING



013

REF	PN	QTY	DESCRIPTION	USAGE
47	811311-8562	5	PLUG	PLUG
48	811317-0327	2	HOSE	HYDRAULIC HOSE L=2350
49	811317-0848	1	HOSE	HYDRAULIC HOSE L=500
50	811317-5017	3	HYDRAULIC HOSE	HYDRAULIC HOSE L=600
53	811317-0847	2	HOSE	HYDRAULIC HOSE L=350
55	811317-0836	3	HOSE	HYDRAULIC HOSE L=4000
56	811317-0314	2	HYDRAULIC HOSE	HYDRAULIC HOSE L=6550
57	811317-5054	1	HYDRAULIC HOSE	HYDRAULIC HOSE L=2800
60	811391-9080	3	RING	MOUNTING F. STEERING
61	811311-8613	1	TUBE	SUPPORT FOR TUBE
61a	811214-2222	1	SCREW STEEL M8-50 - USE 300304160 DIN 931 GALV.	
61b	811311-8612	1	PLATE	
62	811311-8537	2	BRACKET	SUPPORT FOR TUBE
62a	811214-1124	1	SET SCREW STEEL M6-35 GALV. DIN 931 GALV.	
62b	811311-8600	1	PLATE	
63	812069-129X	1	BRACKET	BRACKET F. HYDRAULIC
64	812069-130X	1	BRACKET	BRACKET
66	811391-0985	1	CONTROL	CONTROL BOX METAL DETECTOR
67	812068-991X	1	SUPPORT	HOLDER
68	812068-992X	1	GUARD	GUARD
69	811311-8538	2	GASKET	GASKET
70	811391-0988	1	CABLE EXTENSION	CABLE W. PLUG
71	811391-9083	3	SWITCH	SWITCH MOM-OFF-MOM
71a	812068-932X	1	COVER	
72	811391-9085	1	SWITCH	SWITCH MOM-OFF-ON
72a	812068-922X	1	COVER	
73	811391-9088	1	JOYSTICK	JOYSTICK W. BUTTON
74	811391-9089	1	STEERING BOX	STEERING BOX F. 1391-0983
75	811391-9090	1	PLATE	BOX F. 1391-0983
76	811317-9549	1	HOUSING	INLETMODULE
77	811317-9553	1	ADJUSTER	MOTORMODULE AJUST. 9L
78	811317-9550	1	HYDRAULIC CYLINDER	CYLINDERMODULE 9L
79	811317-9555	1	HYDRAULIC CYLINDER	CYL.MODULE JUST. 4L
80	811311-2630	2	HYD CONNECTOR	NIPPLE




013

REF	PN	QTY	DESCRIPTION	USAGE
81	811317-9552	1	MODULE	SPEC. MODUL W. EKSTRA PORT
82	811317-9551	3	MOTOR-PUMP	MOTORMODUL 4L
84	811317-9557	1	BOLT	SET OF BOLTS
85	811219-0274	3	SCREW	STEEL SCREW M8-16
86	811311-8205	4	SCREW	SCREWED CONNECTION
87	811311-8639	1	HYD CONNECTOR	SWIVEL RUN TEE
88	811311-1226	1	TEE	TEE
89	811311-8569	1	HYD CONNECTOR	SCREWED CONNECTION
90	810699500	4	TUBE	PROTECTIVE TUBE

REF	FIGURE NUMBER	FIGURE NAME
002	002	002
012	012	012


014



014

REF	PN	QTY	DESCRIPTION	USAGE
1	811363-0131	1	CHAIN	ROLLER CHAIN 53 LINKS
1a	811363-9044	1	JOINT	
1b	811363-9046	1	CHAIN LINK	
2	811363-0252	1	CHAIN	ROLLER CHAIN 123 LINKS
2a	811363-9074	1	LINK	
2b	811363-9075	1	CHAIN LINK	
3	811363-0249	1	CHAIN	ROLLER CHAIN 109 LINKS
3a	811363-9074	1	LINK	
3b	811363-9075	1	CHAIN LINK	
4	812064-453X	2	SPROCKET	SPROCKET WHEEL 14 TEETH
4a	811241-5201	2	WASHER 20,0-28-1 DIN 988 GALV.	
4b	811255-4102	1	SNAP RING SNAP 47 MM INNER - USE 500053424 - fantom DIN 472	
5	813063-221X	1	SPROCKET	SPROCKET WHEEL, 28 TEETH
5a	811255-3202	2	SNAP RING SNAP 35 MM OUTER - USE 200215288 - fantom DIN 471	
6	813065-169X	1	SPROCKET	SPROCKET WHEEL 20-TEETH
7	812065-702X	1	SPROCKET	SPROCKET WHEEL 36 TEETH
7a	811241-8202	9	WASHER 36-52-1,5 DIN 522 GALV.	
8	812067-832X	1	SHAFT	SHAFT
10	811331-4306	2	BALL BEARING	BALL BEARING 6308 RS
11	811255-4201	1	SNAP RING SNAP 40 MM OUTER - USE 7000515140 - fantom DIN 471	SNAP RING 40 MM OUTER
12	812065-897X	1	WHEEL	CHAIN WHEEL Z=25
12a	811241-7802	1	WASHER 37-52-6 DIN 1441 GALV.	
12b	811241-8202	2	WASHER 36-52-1,5 DIN 522 GALV.	
12c	811241-8705	5	WASHER	
14	811331-4103	1	BALL BEARING	BALL BEARING 6308
15	813064-455X	2	SPROCKET	SPROCKET WHEEL 14 TEETH
15a	811241-4403	3	WASHER 17,5-35-2 DIN 522 GALV.	
15b	811241-4503	3	WASHER 17,5-35-3 DIN 522 GALV.	
16	812060-938X	1	BUSHING	BUSH
17	813065-183X	1	SPROCKET	SPROCKET WHEEL 20-TEETH CPL.
17a	811219-0813	1	SCREW	
17b	811220-5321	1	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	


014



014


REF	PN	QTY	DESCRIPTION	USAGE
17c	811241-4502	5	WASHER 17-30-3 STEEL Replaces 811241-3504 DIN 125 GALV.	
18	811331-3301	2	BALL BEARING	BALL BEARING 6204 2RS
19	811255-4102	1	SNAP RING SNAP 47 MM INNER - USE 500053424 - fantom DIN 472	SNAP RING 47 MM INNER
20	813065-166X	1	BRACKET	BRACKET
21	812064-186X	1	SUPPORT	SUPPORT
21a	811213-5422	1	SET SCREW STEEL M16-40 - USE 300304092 DIN 933 GALV.	
21b	811219-0334	1	SCREW	
21c	811220-5321	1	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
21d	811241-4502	1	WASHER 17-30-3 STEEL Replaces 811241-3504 DIN 125 GALV.	
22	811331-3306	2	BALL BEARING	BALL BEARING 6207 2RS
25	812062-929X	1	TIGHTENER	TIGHTENING PIECE
25a	811213-3722	1	SCREW	
25b	811220-3122	1	NUT STEEL M10 - USE 300315001 DIN 934 GALV.	
26	812060-281X	1	TIGHTENER	TIGHTENING PIECE
26a	811213-3524	1	SCREW	
26b	811220-3122	1	NUT STEEL M10 - USE 300315001 DIN 934 GALV.	
27	811214-5424	1	SCREW	STEEL SCREW M16-110
27a	811220-5321	1	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
28	812065-994X	AR1	SPROCKET	SPROCKET WHEEL 30 TEETH
29	811363-0241	AR1	CHAIN	ROLLER CHAIN 5 LINKS
29a	811363-9044	1	JOINT	
29b	811363-9046	1	CHAIN LINK	
31	812064-720X	AR1	SPROCKET	SPROCKET WHEEL, 21 TEETH
32	811254-3101	1	PIN	SPRING PIN 6 MM
33	811215-5724	1	SCREW	CARRIAGE SCREW M16-90
33a	811220-5321	1	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	

014



014


REF	FIGURE NUMBER	FIGURE NAME
015	015	015
016	016	016
017	017	017



015

REF	PN	QTY	DESCRIPTION	USAGE
1	812069-159X	1	PLATE	TOPPLATE
2	812062-668X	1	SUPPORT	SUPPORT
3	812064-944X	1	GUARD	GUARD
4	812068-196X	1	COVER	COVER
5	812064-193X	1	TIGHTENER	TIGHTENING
6	812069-119X	1	PLATE	PLATE
7	812064-199X	1	SUPPORT	SUPPORT
8	812069-117X	1	BOTTOM	BOTTOM
9	812069-123X	1	SCRAPER	SCRABER
10	812064-490X	1	GUARD	GUIDE PLATE, RIGHT
11	812069-158X	1	PLATE	BOTTOM
12	812064-491X	1	GUARD	GUARD PLATE, LEFT
13	812065-719X	1	PLATE	BOTTOM, LEFT
14	812065-724X	1	STRIPPER	STRIPPER, LEFT
15	812069-118X	1	PROFILE	INTERMEDIATE PIECE
16	813064-180A	1	SIDE PLATE	SIDE PLATE. RIGHT
17	813062-550X	1	TUBE	BEARING TUBE
18	812069-157X	1	BOTTOM	BOTTOMPLATE EXPANDER
19	813067-829X	1	SUPPORT	BEARING TUBE
20	813064-175B	1	SIDE PLATE	SIDE PLATE, LEFT
21	813069-160A	1	FRAME	FRAME
22	812064-195A	1	GUARD	GUARD
24	812068-438X	6	BRACKET	BRACKET
26	812064-647X	1	FOOT	STOP
27	813065-166X	1	BRACKET	BRACKET
28	812062-753X	1	BRACKET	BRACKET
29	812064-191X	1	FOOT	STOP
30	812062-754X	1	FORK	FORK
31	813062-757X	1	STOP	STOP
32	811325-2101	3	TYRE/TIRE	BALLOON WHEEL 190-150-5
33	811323-9397	1	TUBE	TUBE
34	811323-9405	2	BALL BEARING	BALL BEARING 6205 Z
35	811323-9073	2	WASHER	TIGHTENING WASHER
36	811323-9396	2	LINING	LINING
37	813069-141X	1	GUARD	HOOP
38	812069-140X	2	TUBE	TUBE


015



015

REF	PN	QTY	DESCRIPTION	USAGE
39	811311-8662	2	TUBE	TUBE HOLDER d.28
40	812068-231X	2	BRACKET	PLATE
41	812068-690X	1	BRACKET	BRACKET
42	811391-0605	1	REFLECTOR	REFLECTION WHITE
43	811399-0237	2	HANDLE	HANDLE
44	812069-074X	1	NET	NET F. PICKUP
45	812068-499X	2	BRACKET	BRACKET
46	811254-3201	2	PIN SECU8 MM	SECURING PIN 8 MM
47	812010-171X	1	CLAMP	CLAMP
48	812112-978X	9	CLAMP	CLAMP
99	813889-160X	1	DECAL	TRANSFER F/PU FCT
22a	811165-0190	1	COVER	
5a	811213-2126	2	SET SCREW STEEL M8-15 - USE 300304152 DIN 933 GALV.	
15a	811213-2222	10	SET SCREW STEEL M8-20 - USE 300304153 DIN 933 GALV.	
4a	811213-3222	4	SET SCREW STEEL M10-20 - USE 300304031 DIN 933 GALV.	
1a	811213-3224	6	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
3a	811213-3224	3	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
2a	811213-3423	1	SET SCREW	
37a	811213-4324	2	SET SCREW STEEL M12-35 - USE 300304057 DIN 933 GALV.	
17a	811213-5324	2	SET SCREW STEEL M16-35 - USE 300304081 DIN 933 GALV.	
19a	811213-5324	6	SET SCREW STEEL M16-35 - USE 300304081 DIN 933 GALV.	
24a	811213-5324	1	SET SCREW STEEL M16-35 - USE 300304081 DIN 933 GALV.	
16a	811213-5424	6	SET SCREW QY-Sruba M16-45 =300304093 - fantom / STEEL M16-45 - USE 300304093 DIN 933 GALV.	


015



015


REF	PN	QTY	DESCRIPTION	USAGE
17b	811213-5424	2	SET SCREW QY-Sruba M16-45 =300304093 - fantom / STEEL M16-45 - USE 300304093 DIN 933 GALV.	
20a	811213-5424	6	SET SCREW QY-Sruba M16-45 =300304093 - fantom / STEEL M16-45 - USE 300304093 DIN 933 GALV.	
29a	811213-5424	1	SET SCREW QY-Sruba M16-45 =300304093 - fantom / STEEL M16-45 - USE 300304093 DIN 933 GALV.	
30a	811214-5324	1	SCREW STEEL M16-75 DIN 931 GALV.	
7a	811214-5326	1	SCREW	
32a	811214-5626	1	SCREW STEEL M16-220 - USE 200215449 DIN 931 GALV.	
40a	811215-1123	2	SCREW M6-16 - USE 200215314 DIN 603 GALV.	
10a	811215-2222	4	CARRIAGE BOLT M8-20 - USE 300304190 DIN 603 GALV.	
12a	811215-2222	4	CARRIAGE BOLT M8-20 - USE 300304190 DIN 603 GALV.	
18a	811215-2222	3	CARRIAGE BOLT M8-20 - USE 300304190 DIN 603 GALV.	
1b	811215-3222	11	SCREW M10-20 H-3 8.8 - USE 7000552510 DIN 603 GALV. - fantom	
6a	811215-3222	11	SCREW M10-20 H-3 8.8 - USE 7000552510 DIN 603 GALV. - fantom	
8a	811215-3222	5	SCREW M10-20 H-3 8.8 - USE 7000552510 DIN 603 GALV. - fantom	
9a	811215-3222	3	SCREW M10-20 H-3 8.8 - USE 7000552510 DIN 603 GALV. - fantom	
11a	811215-3222	4	SCREW M10-20 H-3 8.8 - USE 7000552510 DIN 603 GALV. - fantom	
13a	811215-3222	6	SCREW M10-20 H-3 8.8 - USE 7000552510 DIN 603 GALV. - fantom	
14a	811215-3222	9	SCREW M10-20 H-3 8.8 - USE 7000552510 DIN 603 GALV. - fantom	

015



015


REF	PN	QTY	DESCRIPTION	USAGE
7b	811215-3226	2	SCREW M10-25 Q 8,8 - USE 7000601587 DIN 603 GALV.	
43a	811216-1126	2	SCREW	
42a	811216-1156	1	SCREW M5-15 DIN 7985 GALV.	
19b	811219-0234	5	HEX SOC SCREW	
6b	811219-0263	11	SCREW M10-20 ISO 7380 GALV.	
26a	811219-0334	1	SCREW	
39a	811219-0344	2	SCREW	
26b	811219-0812	1	SCREW	
42b	811220-1322	1	NUT NYLOC M5 - USE 300316025 DIN 985 GALV.	
39b	811220-1323	2	NUT NYLOC M6 - USE 300316026 DIN 985 GALV.	
40b	811220-1323	2	NUT NYLOC M6 - USE 300316026 DIN 985 GALV.	
43b	811220-1323	2	NUT NYLOC M6 - USE 300316026 DIN 985 GALV.	
5b	811220-2321	2	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
10b	811220-2321	4	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
12b	811220-2321	4	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
15b	811220-2321	10	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
18b	811220-2321	3	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
1c	811220-3321	11	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
2b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
6c	811220-3321	11	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
7c	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
8b	811220-3321	5	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	



015


REF	PN	QTY	DESCRIPTION	USAGE
9b	811220-3321	3	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
11b	811220-3321	4	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
13b	811220-3321	6	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
14b	811220-3321	9	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
19c	811220-3321	5	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
1d	811220-3922	1	NUT M10 1.8-3.2 cynk.	
3b	811220-3922	3	NUT M10 1.8-3.2 cynk.	
4b	811220-3922	2	NUT M10 1.8-3.2 cynk.	
6d	811220-3922	11	NUT M10 1.8-3.2 cynk.	
22b	811220-3922	2	NUT M10 1.8-3.2 cynk.	
16b	811220-3924	2	NUT M10 3.8.6.2 A2	
20b	811220-3924	2	NUT M10 3.8.6.2 A2	
37b	811220-4321	2	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
31a	811220-5122	1	NUT STEEL M16 - USE 300315006 DIN 934 GALV.	
7d	811220-5321	1	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
17c	811220-5321	4	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
19d	811220-5321	6	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
24b	811220-5321	1	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
30b	811220-5321	1	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
32b	811220-5321	1	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
10c	811241-1202	4	WASHER 8,4-16-1,6 DIN 125-A8,4 ST. GALV VERZ. GELB CHROM GALV.	
12c	811241-1202	4	WASHER 8,4-16-1,6 DIN 125-A8,4 ST. GALV VERZ. GELB CHROM GALV.	

015




015

REF	PN	QTY	DESCRIPTION	USAGE
15c	811241-1202	20	WASHER 8,4-16-1,6 DIN 125-A8,4 ST. GALV VERZ. GELB CHROM GALV.	
18c	811241-1202	3	WASHER 8,4-16-1,6 DIN 125-A8,4 ST. GALV VERZ. GELB CHROM GALV.	
42c	811241-1205	1	WASHER 5,3-15-1,2 G - USE 300332073 - fantom DIN 9021 GALV.	
43c	811241-1206	2	WASHER 6,4-18-1,6 - USE 300332052 DIN 9021 GALV.	
39c	811241-1207	2	WASHER 6,4-12-1,6 - USE 300332038 DIN 125 GALV.	
40c	811241-1207	2	WASHER 6,4-12-1,6 - USE 300332038 DIN 125 GALV.	
5c	811241-1402	2	WASHER	
1e	811241-2402	17	WASHER 10,5-20-2,0 DIN 125 GALV.	
2c	811241-2402	2	WASHER 10,5-20-2,0 DIN 125 GALV.	
3c	811241-2402	3	WASHER 10,5-20-2,0 DIN 125 GALV.	
4c	811241-2402	4	WASHER 10,5-20-2,0 DIN 125 GALV.	
6e	811241-2402	6	WASHER 10,5-20-2,0 DIN 125 GALV.	
7e	811241-2402	2	WASHER 10,5-20-2,0 DIN 125 GALV.	
8c	811241-2402	5	WASHER 10,5-20-2,0 DIN 125 GALV.	
9c	811241-2402	3	WASHER 10,5-20-2,0 DIN 125 GALV.	
11c	811241-2402	4	WASHER 10,5-20-2,0 DIN 125 GALV.	
13c	811241-2402	6	WASHER 10,5-20-2,0 DIN 125 GALV.	
14c	811241-2402	9	WASHER 10,5-20-2,0 DIN 125 GALV.	
19e	811241-2402	5	WASHER 10,5-20-2,0 DIN 125 GALV.	
2d	811241-2506	1	WASHER 11-34-3 - USE 300332002 DIN 440 GALV.	
37c	811241-3403	4	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
16c	811241-4502	6	WASHER 17-30-3 STEEL Replaces 811241-3504 DIN 125 GALV.	
20c	811241-4502	6	WASHER 17-30-3 STEEL Replaces 811241-3504 DIN 125 GALV.	
7f	811241-5802	1	WASHER 19-45-6 DIN 9021 GALV.	
29b	811242-5421	1	WASHER	
26c	811313-1101	1	LUBE NIPPLE	




REF	PN	QTY	DESCRIPTION	USAGE
32c	811313-1301	1	LUBE NIPPLE	
17d	811313-2101	1	LUBE NIPPLE	
1f	811393-0121	4	NUT	
38a	811393-0125	2	TIP	

016




016

REF	PN	QTY	DESCRIPTION	USAGE
1	812062-533X	1	BUSHING	BUSH
1a	811214-5326	1	SCREW	
1b	811220-5321	1	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
1c	811241-4502	1	WASHER 17-30-3 STEEL Replaces 811241-3504 DIN 125 GALV.	
2	813064-988X	1	ARM	LEVER ARM
3	811421-6491	2	BEARING HALF	HALF OF BEARING HOUSING
4	811331-7503	2	BALL BEARING	BALL BEARING GRAE-NPPB 35
5	812228-275X	2	BEARING HALF	HALF OF BEARING HOUSING
6	813062-218X	2	TIGHTENER	TIGHTENING
6a	811220-3321	6	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
7	811340-7134	1	CLUTCH	DISC COUPLING
8	811341-9164	1	FLANGE	FLANGE
8a	811213-3324	3	SET SCREW STEEL M10-35 - USE 300304035 DIN 933 GALV.	
9	811341-9566	2	PLATE	FRICTION PLATE
10	811341-9631	1	RING	RALE
11	811341-9557	1	PLATE	PRESSURE PLATE
12	811341-9591	1	SPRING	DISC SPRING
13	811399-0204	2	RING	DISTANCE RING
14	811340-9183	1	FLANGE	FLANGE
15	812062-251A	1	SPROCKET	SPROCKET WHEEL 28-TEETH
16	812062-647X	1	THRUST WASHER	THRUST WASHER
16a	811213-4322	1	SET SCREW STEEL M12-30 - USE 300304056 DIN 933 GALV.	
16b	811242-4421	2	LOCK WASHER	
17	813064-983X	2	BRACKET	BRACKET
17a	811213-4324	3	SET SCREW STEEL M12-35 - USE 300304057 DIN 933 GALV.	
17b	811220-4321	3	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
17c	811241-3403	3	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
18	813064-915X	1	ARM	ARM, LEFT



016


REF	PN	QTY	DESCRIPTION	USAGE
18a	811213-6522	1	SET SCREW STEEL M20-50 - USE 300304106 DIN 933 GALV.	
18b	811215-3424	2	SCREW M10-45 - USE 300304171 DIN 603 GALV.	
18c	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
18d	811220-6321	1	NUT NYLOC M20 - USE 300316016 DIN 985 GALV.	
19	813064-914X	1	ARM	ARM, RIGHT
19a	811213-6522	1	SET SCREW STEEL M20-50 - USE 300304106 DIN 933 GALV.	
19b	811215-3424	2	SCREW M10-45 - USE 300304171 DIN 603 GALV.	
19c	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
19d	811220-6321	1	NUT NYLOC M20 - USE 300316016 DIN 985 GALV.	
20	813068-410X	1	BEAM	FEEDER PLATE
20a	811215-3320	4	SCREW M10-30 Q 8.8 - USE 300304165 DIN 603 GALV.	
20b	811220-3321	4	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
20c	811241-2402	4	WASHER 10,5-20-2,0 DIN 125 GALV.	
21	812062-677X	1	GUARD	GUARD
22	812064-650X	1	SUPPORT	SUPPORTING IRON
22a	811219-0286	2	SCREW	
22b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
23	812064-918X	2	SUPPORT	UPPER FITTINGS
23a	811214-4126	1	SCREW STEEL M12-45 - USE 300304059 DIN 931 GALV.	
23b	811214-4226	1	SCREW STEEL M12-60 - USE 300304062 DIN 931 GALV.	
23c	811220-4220	1	NUT	
23d	811220-4321	2	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
23e	811241-3403	4	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	



016

REF	PN	QTY	DESCRIPTION	USAGE
24	813062-660X	1	GUARD	GUARD
24a	811213-3126	2	SET SCREW STEEL M10-16 - USE 300304028 DIN 933 GALV.	
24b	811241-2402	2	WASHER 10,5-20-2,0 DIN 125 GALV.	
25	813069-125X	1	AUGER	AUGER WLD
25a	811241-8202	5	WASHER 36-52-1,5 DIN 522 GALV.	
25b	811255-3202	1	SNAP RING SNAP 35 MM OUTER - USE 200215288 - fantom DIN 471	
25c	811338-0107	1	KEY	
26	812712-544X	2	BUSHING	BUSH
27	811331-9930	2	SPH ROLLER BEARING	STEEL BEARING ?25 UCP2 205
27a	811215-3424	2	SCREW M10-45 - USE 300304171 DIN 603 GALV.	
27b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
27c	811241-2402	2	WASHER 10,5-20-2,0 DIN 125 GALV.	
28	812064-903X	2	SCRAPER	SCRAPER
29	813069-143X	1	ROLLER	FRONT ROLLER
30	812064-947X	1	SUPPORT	SUPPORT PLATE
37	812064-987X	1	ARM	LEVER ARM
38	812064-648X	1	ECCENTRIC	EXCENTRIC
39	812064-649X	1	PLATE	TIGHTENING PLATE
39a	811213-3224	2	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
40	812064-948X	1	SUPPORT	SUPPORT PLATE
41	811317-0991	2	HYDRAULIC CYLINDER	CYLINDER DVL 30-16-45
41a	811213-5424	1	SET SCREW QY-Sruba M16-45 =300304093 - fantom / STEEL M16-45 - USE 300304093 DIN 933 GALV.	
41b	811220-5321	1	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
42	813064-952X	2	BRACKET	BRACKET, incl 43
42a	811220-5222	1	NUT STEEL M16 H 8M/M DIN 439 GALV.	
42b	811241-4502	1	WASHER 17-30-3 STEEL Replaces 811241-3504 DIN 125 GALV.	
42c	811252-4202	1	COTTER PIN	

016




016

p4


016

REF	PN	QTY	DESCRIPTION	USAGE
43	51642171	2	SEAL KIT	SEAL KIT, Incl in 42;IN ECO35300807




017

REF	PN	QTY	DESCRIPTION	USAGE
1	813069-105X	1	REEL	PICK UP SHAFT
1a	811251-5402	1	PIN	
1b	811251-7402	1	PIN	
3	812065-710X	8	SPRING	HOLDER F/SPRING
4	811435-0027	64	TINE	PU TINE
4a	811214-2222	1	SCREW STEEL M8-50 - USE 300304160 DIN 931 GALV.	
4b	811220-2321	1	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
4c	811241-1202	1	WASHER 8,4-16-1,6 DIN 125-A8,4 ST. GALV VERZ. GELB CHROM GALV.	
5	813065-690X	8	ROLLER	ROLLER ASSY.
5a	811220-5222	1	NUT STEEL M16 H 8M/M DIN 439 GALV.	
6	811435-0026	8	TINE	TINE
6a	811214-2222	1	SCREW STEEL M8-50 - USE 300304160 DIN 931 GALV.	
6b	811220-2321	1	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
6c	811241-1202	1	WASHER 8,4-16-1,6 DIN 125-A8,4 ST. GALV VERZ. GELB CHROM GALV.	
7	811331-9998	8	ROLLER	ROLLER
8	813065-135X	4	BRACKET	LAGER BRACKET
8a	811251-5501	2	PIN	
8b	811251-7501	2	PIN 12-60 - DELTA-coating DIN1481	
9	812065-131X	16	BUSHING	BUSH
10	812069-115X	1	SHAFT	SHAFT
11	813065-711X	1	SIDE PLATE	SIDE PLATE, RIGHT
11a	811213-4324	3	SET SCREW STEEL M12-35 - USE 300304057 DIN 933 GALV.	
11b	811220-4321	3	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
12	813065-411X	1	SIDE PLATE	SIDE PLATE, LEFT
12a	811213-4324	3	SET SCREW STEEL M12-35 - USE 300304057 DIN 933 GALV.	




017

REF	PN	QTY	DESCRIPTION	USAGE
12b	811220-4321	3	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
13	813062-255X	1	GUARD	GUARD
13a	811213-3222	2	SET SCREW STEEL M10-20 - USE 300304031 DIN 933 GALV.	
13b	811241-2402	2	WASHER 10,5-20-2,0 DIN 125 GALV.	
14	813065-238A	1	GUARD	GUARD
14a	811220-5222	2	NUT STEEL M16 H 8M/M DIN 439 GALV.	
15	811421-6485	2	BEARING HALF	HALF OF BEARING HOUSING
15a	811313-2101	1	LUBE NIPPLE	
16	811331-7503	3	BALL BEARING	BALL BEARING GRAE-NPPB 35
17	813064-435X	1	BEARING HOUSING	HALF OF BEARING HOUSING
18	813064-436X	1	BEARING HALF	HALF OF BEARING HOUSING
18a	811313-2101	1	LUBE NIPPLE	
19	812065-742X	2	TUBE	DISTANCE TUBE
20	813065-404X	2	BEARING HOUSING	BEARING HOUSING, LEFT
20a	811213-5522	2	SET SCREW STEEL M16-50 - USE 300304094 DIN 933 GALV.	
20b	811220-5122	2	NUT STEEL M16 - USE 300315006 DIN 934 GALV.	
21	813065-184X	1	SPROCKET	SPROCKET WHEEL
22	811432-1197	1	TENSION SPRING	TENSION SPRING
22a	811252-4102	1	COTTER PIN 5-25 DIN 94 GALV.	
23	812063-059A	1	PAWL	PAWL
23a	811214-2126	1	SCREW STEEL M8-45 - USE 7000550245 DIN 931 GALV.	
23b	811220-2321	1	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
24	812063-065X	1	SUPPORT	SUPPORT
24a	811214-3122	2	SCREW STEEL M10-45 - USE 71301210450 DIN 931 GALV.	
24b	811220-3321	2	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
25	812063-066X	2	ADJUSTER	FILLER
26	812065-236X	1	HUB	HUB
27	813750-772A	1	SPROCKET	SPROCKET WHEEL



017


REF	PN	QTY	DESCRIPTION	USAGE
27a	811313-1101	1	LUBE NIPPLE	
28	811335-4300	1	SPH ROLLER BEARING	BEARING GLISSA 35-39-50
29	812065-175X	1	RING	DISTANCE RING
29a	811241-8202	3	WASHER 36-52-1,5 DIN 522 GALV.	
30	813066-374X	2	SPOOL	ANTI WINDING IRON
30a	811214-2222	1	SCREW STEEL M8-50 - USE 300304160 DIN 931 GALV.	
30b	811220-2321	1	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
30c	811241-1202	1	WASHER 8,4-16-1,6 DIN 125-A8,4 ST. GALV VERZ. GELB CHROM GALV.	
31	813066-378X	2	ANTI-WRAP PLATE	ANTI WINDING IRON
31a	811214-2222	1	SCREW STEEL M8-50 - USE 300304160 DIN 931 GALV.	
31b	811220-2321	1	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
31c	811241-1202	1	WASHER 8,4-16-1,6 DIN 125-A8,4 ST. GALV VERZ. GELB CHROM GALV.	
32	813069-112X	1	PROFILE	GIRDER
33	812064-760X	35	STRIPPER	STRIPPER
33a	811219-0603	3	SCREW M8-16 BN 13916 GALV	
34	812063-216X	1	GUARD	GUARD
34a	811213-3224	1	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
34b	811241-2402	1	WASHER 10,5-20-2,0 DIN 125 GALV.	
36	811255-1202	1	SNAP RING	SNAP RING 17 MM OUTER
38	811331-9988	2	TIGHTENER	TIGHTENING RING
39	813069-110X	4	TUBE	TUBE WLD
39a	811251-4501	2	PIN	
39b	811251-6501	2	PIN 10-60 - DELTA-coating DIN1481	
40	813069-076X	4	TUBE	TUBE
40a	811251-4501	2	PIN	
40b	811251-6501	2	PIN 10-60 - DELTA-coating DIN1481	
41	812069-116X	8	BRACKET	HOLDER F/SPRING



018

REF	PN	QTY	DESCRIPTION	USAGE
1	813068-686X	1	SUPPORT	BRACKET F. LIGHT, RH
1a	811215-4328	2	SCREW M12-30 Q. 8.8 - USE 300304180 DIN 603 GALV.	
1b	811220-4321	2	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
1c	811241-3403	2	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
2	813068-687X	1	SUPPORT	BRACKET F. LIGHT, LH
2a	811215-4328	2	SCREW M12-30 Q. 8.8 - USE 300304180 DIN 603 GALV.	
2b	811215-4330	2	SCREW M12-35 Q. 8.8 - USE 100311035 DIN 603 GALV.	
2c	811220-4321	4	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
2d	811241-3403	4	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
3	812068-689X	1	SPACER	DISTANCEPIECE
4	812068-125X	2	SUPPORT	BRACKET F. LIGHT
5	810661380	4	PLATE	INTERMEDIATE PLATE
5a	811215-2224	2	SCREW M8-25 - USE 300304191 DIN 603 GALV.	
5b	811220-2321	2	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
5c	811241-1403	2	WASHER 9-16-2,0 DIN 1441 GALV.	
6	811311-8648	4	BRACKET	SUPPORT FOR TUBE
9	811391-0501	2	REFLECTOR	REFLECTOR
11	811391-0605	1	REFLECTOR	REFLECTION WHITE
12	812068-223X	2	PLATE	PLATE
13	811391-0982	1	ELECTRIC CABLE	LIGHTING EQ. FRANCE
13a	811216-1156	4	SCREW M5-15 DIN 7985 GALV.	
13b	811220-1322	8	NUT NYLOC M5 - USE 300316025 DIN 985 GALV.	
13c	811241-1205	16	WASHER 5,3-15-1,2 G - USE 300332073 - fantom DIN 9021 GALV.	
14	814210-6006	1	KIT	WARNING TRIANGLE
15	601140180	1	SPADE TERMINAL	SPADE F/ SMV TRIANGLE
16	300008276	1	HOLDER	BOARD HOLDER

018




018

REF	PN	QTY	DESCRIPTION	USAGE
16a	811213-2224	2	SET SCREW STEEL M8-25 - USE 300304155 DIN 933 GALV.	WARNING TRIANGLE
16b	811220-2321	2	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
16c	811241-1403	4	WASHER 9-16-2,0 DIN 1441 GALV.	
17	811391-0504	1	WARNING TRIANGLE	
17a	811213-1222	2	SET SCREW STEEL M6-20 - USE 300304135 DIN 933 GALV.	
17b	811220-1323	2	NUT NYLOC M6 - USE 300316026 DIN 985 GALV.	
17c	811241-1203	4	WASHER 6,5-13-1,2 G DIN 522 GALV.	

REF	FIGURE NUMBER	FIGURE NAME
007	007	007

020




020

REF	PN	QTY	DESCRIPTION	USAGE
0	813890-109X	1	DECAL	STICKERS FCT 1260
1	81PR80-0841	1	INSTRUCTION	READ INSTRUCTION MANUAL
2	81PR80-0842	1	DECAL	STOP THE ENGINE
3	81PR80-0811	1	WARNING DECAL	WARNING: CHILDREN
4	81PR80-0805	1	DECAL	1000 RPM CCW
5	81PR80-0416	1	DECAL	DECAL OIL LEVEL
6	81PR80-0826	1	DECAL	WARNING: CHAIN DRIVE
7	81PR80-0735	1	DECAL	DECAL TRANSPORT
8	81PR80-1069	1	DECAL	TORQUE 40 KGM
9	81PR80-0814	2	DECAL	WARNING: OIL UNDER PRESSURE
10	81PR80-0832	1	DECAL	STICKER MAX 210 BAR
11	81PR80-0293	2	WARNING DECAL	STICKER WARNING
12	81PR80-0752	1	DECAL	DECAL +/-
13	81PR80-0837	1	DECAL	PTO SHAFT/ROTOR
14	81PR80-0819	3	DECAL	STICKER ILL OF LOCK
15	81PR80-0821	4	DECAL	WARNING: ROTATING PARTS
16	81PR80-0823	3	DECAL	WARNING: REMEMBER GUARD
17	81PR80-0824	1	DECAL	WARNING: ROTATING ROLLERS
18	81PR80-0861	1	DECAL	WARNING: ELECTRIC CABLES
19	81PR80-8209	2	DECAL	KONGSKILDE LOGO
20	81PR80-8205	2	DECAL	JF-ORIGIN
21	81PR80-8411	2	DECAL	KONGSKILDE LOGO FCT 1260
22	81PR80-8410	1	DECAL	WING DECAL FCT
23	81PR80-0826	2	DECAL	WARNING: CHAIN DRIVE
24	81PR80-0824	1	DECAL	WARNING: ROTATING ROLLERS
25	81PR80-0522	1	DECAL	HARE & TURTLE

030


p1

030




030

REF	PN	QTY	DESCRIPTION	USAGE
1	811315-9118	4	PLUG	PLUG
2	811315-9167	2	PLUG	AIR ESCAPE PLUG
3	811315-9418	1	WASHER	WASHER 99,7
4	811315-9358	2	SPH ROLLER BEARING	BEARING 30309
5	811315-9132	3	WASHER	DISTANCE WASHER
6	811315-9360	1	GEAR	CROWN WHEEL
7	811315-9409	2	HOSE	HOUSE
8	811315-9120	4	COVER	COVER
9	811315-9272	1	PLATE	PLATE
10	811315-9417	1	SHAFT	SHAFT
11	811315-9661	1	GAUGE	DISTANCE RING
12	811315-9314	1	FITTING	TIGHT-FITTING WASHER
13	811315-9412	2	BALL BEARING	BALL BEARING
14	811311-2201	2	PLUG	PLUG
15	811315-9663	2	OIL SEAL	OIL TIGHTENING RING
16	811213-3224	36	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	STEEL SET SCREW M10-25
17	811315-9420	1	SHAFT	SHAFT
18	811315-9664	1	RING	OIL TIGHTENING RING
19	811315-9366	2	ROLLER CAGE BEARING	ROLLER BEARING, LONE 30210
20	811315-9414	2	EXTENSION	EXTENSION
21	811315-9370	1	BEVEL PINION	BEVEL PINION WHEEL
22	811315-9365	2	SPH ROLLER BEARING	BEARING 30310
23	811315-9356	3	SHIM KIT	SET AF WASHERS
24	811315-9421	2	GEAR	GEAR
25	811315-9416	1	SNAP RING	SNAP RING 45
26	811315-9384	1	SET OF WASHERS	SET AF WASHERS
27	811315-9315	2	COTTER PIN	COTTER PIN B4-60
28	811315-9359	2	NUT	NUT
30	811315-9410	2	COVER	COVER
31	811315-9367	1	SHAFT	SHAFT
32	811315-9665	1	RING	OIL TIGHTENING RING 60X90X8




031

REF	PN	QTY	DESCRIPTION	USAGE
1	813067-781X	1	HOUSING	HOUSE
2	812067-754A	2	WHEEL	SPURWHEEL M5-Z48
3	812067-755A	2	WHEEL	SPURWHEEL M5-Z30
4	812067-756A	1	WHEEL	SPURWHEEL M3-Z76
5	812067-753A	3	WHEEL	SPURWHEEL M5-Z34
6	812067-759A	1	WHEEL	SPURWHEEL M5-Z38
7	812067-760A	1	WHEEL	SPURWHEEL M5-Z25
8	812067-792X	1	HUB	HUB
9	812067-761A	1	WHEEL	SPURWHEEL M5-Z43
10	812067-757A	1	SHAFT	SHAFT ?45, M3, Z20
11	812067-758A	2	SHAFT	SHAFT ?45
12	811241-9907	16	WASHER	WASHER 50-60-1,0
13	811255-5202	5	SNAP RING	SNAP RING 50 MM OUTER
14	811255-4202	3	SNAP RING SNAP 45 MM OUTER - USE 7000515145 - fantom DIN 471	SNAP RING 45 MM OUTER
15	811331-3105	9	BALL BEARING	BALL BEARING 6209
16	811255-7101	10	SNAP RING SNAP 85 MM INNER DIN 472	SNAP RING 85 MM INNER
17	811332-5802	5	OIL SEAL	OIL SEAL M 45-85-10
18	812067-752X	4	RING	WINDING RING
19	811335-6018	2	FLANGE	BUSH
20	812067-794X	2	RING	DISTANCE RING
21	812067-770A	1	SHAFT	SHAFT ?45
22	811331-4102	3	BALL BEARING	BALL BEARING 6307
23	811255-7102	4	SNAP RING SNAP 80 MM INNER - USE 71208001320 - fantom DIN 472	SNAP RING 80 MM INNER
24	812067-769A	1	SHAFT	SHAFT ?35
25	811241-8905	3	WASHER 40-50-1,0 DIN 988 BLACK	WASHER 40-50-1,0
26	811255-4201	2	SNAP RING SNAP 40 MM OUTER - USE 7000515140 - fantom DIN 471	SNAP RING 40 MM OUTER
27	811255-3202	2	SNAP RING SNAP 35 MM OUTER - USE 200215288 - fantom DIN 471	SNAP RING 35 MM OUTER
29	812067-768A	1	SHAFT	SHAFT ?45
31	812067-772X	1	RING	DISTANCE RING
32	811219-0280	6	SCREW	ALLEN SCREW M6-65
33	812067-771A	1	SHAFT	SHAFT ?40
34	812067-773X	1	RING	DISTANCE RING



031

REF	PN	QTY	DESCRIPTION	USAGE
35	811331-9935	1	SPH ROLLER BEARING	BALLBEARING
36	811241-9204	7	WASHER	SUPPORT WASHER 65-85-1,0
37	811255-8107	1	SNAP RING	SNAP RING 120-4
41	811332-4402	1	SEAL	OIL SEAL M40-52-6
42	812067-778A	1	FLANGE	FLANGE HUB
43	811331-9936	1	BEARING ASSY	BALL BEARING
45	813067-803X	1	FORK	FORK
46	812067-805X	1	SHAFT	SHAFT
48	811255-5104	1	RING	SNAP RING 55-2,0
49	812067-808X	1	BUSHING	BUSH, RH
50	812067-807X	1	BUSHING	BUSH, LH
51	811313-1101	1	LUBE NIPPLE	GREASE NIPPLE
52	811317-1028	1	O-RING	O-RING 46-2
54	811251-5303	1	PIN 8-40 - DELTA-coating DIN1481	SPECIAL PIN 8-40
55	811254-3102	1	PIN	SPRING PIN 8-55
60	811335-6019	2	BUSHING	BUSH
61	811332-9907	4	COVER	COVER
62	811332-9908	5	COVER	COVER
63	811255-5205	1	SNAP RING	SNAP RING 65-2,5
65	811317-1027	3	O-RING	O-RING 25-2
67	811241-9934	20	RING 65-85-0.5 DIN 988 BLACK	SHIM RING 65-85-0.5
68	812067-824X	1	HANDLE	HANDLE
69	811241-9925	2	WASHER 45-55-1 DIN 988 BLACK	WASHER 45-55-1
70	811332-9910	1	RING	OIL TIGHTENING RING
71	811241-9924	3	WASHER 45-55-1 DIN 988 GALV.	WASHER 45-55-1
72	811241-9913	4	WASHER 63,0-80-0,5 S DIN 988 BLACK	WASHER 63-80-0,5
73	811311-8525	1	COUPLING	ANGLE COUPLING - L10
74	811317-0522	1	PLUG	FILTER PLUG
75	811311-1214	3	PLUG	PLUG
76	811317-1042	1	LEVEL INDICATOR	LIQUID INDICATOR
79	812067-801X	2	COVER	COVER
79a	811213-3224	16	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
79b	811241-2402	16	WASHER 10,5-20-2,0 DIN 125 GALV.	
80	813067-748X	1	COVER	COVER




031

p3

031

REF	PN	QTY	DESCRIPTION	USAGE
80a	811213-3224	12	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
80b	811241-2402	12	WASHER 10,5-20-2,0 DIN 125 GALV.	


032



032

REF	PN	QTY	DESCRIPTION	USAGE
3	811315-9658	1	SHAFT	INPUT SHAFT
17	811331-9932	4	ROLLER CAGE BEARING	ROLLER BEARING
18	811331-3104	2	BALL BEARING	BALL BEARING 6207
19	811331-3106	2	BALL BEARING	BALL BEARING 6208
20	811331-3308	2	BALL BEARING	BALL BEARING 6210-2RS
38	811315-9582	2	BEARING ASSY	CYLINDER BEARING
99	811315-9659	1	SEAL KIT	SEALING KIT

040



040

p1


040

REF	PN	QTY	DESCRIPTION	USAGE
4	811342-3045	1	HOSE PROTECTION	PROTECTION TUBE, OUTER
5	811342-3046	1	HOSE PROTECTION	PROTECTION TUBE, INNER
11	811340-9008	1	YOKE	CLUTCH FORK (20)
12	811340-9085	1	YOKE	YOKE 1 3/8 (21)
13	811340-9084	1	YOKE	YOKE 1 3/4 (6)
14	811340-9175	1	YOKE	YOKE 1 3/8 (6)
15	811340-9209	1	YOKE	YOKE 8-32-38 (8)
21	811340-9314	2	SPIDER	CENTRE CROSS
25	811501-0120	1	TUBE	PROFILE TUBE SIZE S5H 1500 MM
26	811342-1611	1	TUBE	PROFIL TUBE S6-410
51	811340-9218	2	RING	SLIDE RING
60	811340-9206	1	SPRING	SPRING
61	811340-9207	4	PLOW DISC	FRICTION DISC
62	811341-9644	1	ROLLER	SUPPORTING ROLLER

041

p1

041




041

p1

041


REF	PN	QTY	DESCRIPTION	USAGE
21	811340-9314	2	SPIDER	CENTRE CROSS
60	811341-9731	2	KEY	KEY
61	811340-9596	2	LEAF SPRING	LEAF SPRING

042




042

REF	PN	QTY	DESCRIPTION	USAGE
4	811342-3096	1	TUBE	OUTER GUARDHALF
5	811342-3097	1	TUBE	INNER GUARDHALF
11	811340-9408	1	YOKE	YOKE 1 3/4 (20)
21	811340-9333	2	CROSS	CROSS AND BEARINGS
36	811340-9314	1	SPIDER	CENTRE CROSS
57	811340-9218	1	RING	SLIDE RING
60	811340-9206	1	SPRING	SPRING
61	811340-9207	4	PLOW DISC	FRICTION DISC
62	811341-9644	1	ROLLER	SUPPORTING ROLLER



043

REF	PN	QTY	DESCRIPTION	USAGE
4	811342-3094	1	GUARD	OUTER GUARD HALF
5	811342-3095	1	GUARD	INNER GUARD HALF
11	811340-1450	1	AXLE	PTO SHAFT PWE 580 SPGF25SW
21	811340-9332	1	SPIDER	CROSS AND BEARING KIT CPL
22	811340-9293	3	LUBE NIPPLE	LUBRICATION FITTING SPEC.
23	811340-9476	4	WASHER	WASHER
24	811340-9318	1	YOKE	COUPLING FORK
25	811340-9224	1	SPIDER	CROSS
27	811340-9320	1	YOKE	INBOARD YOKE
29	811501-0126	1	TUBE	PROFIL TUBE SIZE S4GA 1400MM
30	811501-0127	1	TUBE	PROFIL TUBE WITH GREASE NIP.
32	811340-9024	1	YOKE	GROOVE FORK
52	811341-9411	14	SCREW	SCREW
53	811341-9648	1	SCREW	RING
54	811341-9618	1	SPH ROLLER BEARING	BEARING RING
57	811340-9334	1	RING	BEARING RING PG25
60	811340-9335	1	SPRING	SPRINGPACKET
61	811340-9207	4	PLOW DISC	FRICTION DISC
62	811341-9644	1	ROLLER	SUPPORTING ROLLER





044

REF	PN	QTY	DESCRIPTION	USAGE
4	811342-3094	1	GUARD	OUTER GUARD HALF
5	811342-3095	1	GUARD	INNER GUARD HALF
11	811340-9316	1	YOKE	QS-YOKE CPLT.
21	811340-9332	1	SPIDER	CROSS AND BEARING KIT CPL
22	811340-9293	3	LUBE NIPPLE	LUBRICATION FITTING SPEC.
23	811340-9476	4	WASHER	WASHER
24	811340-9318	1	YOKE	COUPLING FORK
25	811340-9224	1	SPIDER	CROSS
27	811340-9320	1	YOKE	INBOARD YOKE
29	811501-0126	1	TUBE	PROFIL TUBE SIZE S4GA 1400MM
30	811501-0127	1	TUBE	PROFIL TUBE WITH GREASE NIP.
32	811340-9024	1	YOKE	GROOVE FORK
34	811340-9227	1	CROSS	CROSS
52	811341-9411	14	SCREW	SCREW
53	811341-9648	1	SCREW	RING
54	811341-9618	1	SPH ROLLER BEARING	BEARING RING
57	811340-9334	1	RING	BEARING RING PG25
60	811340-9335	1	SPRING	SPRINGPACKET
61	811340-9207	4	PLOW DISC	FRICTION DISC
62	811341-9644	1	ROLLER	SUPPORTING ROLLER

050

p1

050



050

p1


050

REF	PN	QTY	DESCRIPTION	USAGE
1	811324-8314	1	HUB	HUB

060

p1

060



060

p1


060

REF	PN	QTY	DESCRIPTION	USAGE
1	811399-0386	1	MANIFOLD	CENTRAL LUBRICATION MD
1a	811165-0130	20	CABLE TIE	
1b	811219-0318	2	SCREW	
1c	811220-1322	2	NUT NYLOC M5 - USE 300316025 DIN 985 GALV.	
1d	811241-1405	4	WASHER R5,5-18-2 DIN 440 GALV.	
2	811399-0387	1	MANIFOLD	CENTRAL LUBRICATION NON-MD
3	811311-8437	17	PIPE COUPLING	PIPE COUPLING M10-?6
4	811311-8439	13	PIPE COUPLING	PIPE COUPLING M6-?6
5	811311-8440	4	HYD CONNECTOR	M6 KNEE
6	811313-2101	3	LUBE NIPPLE	GREASE NIPPLE

080

p1

080




080**p1****080**

REF	PN	QTY	DESCRIPTION	USAGE
1	814750-9005	1	WHEEL	WHEEL
2	813750-854X	1	GUARD	GUARD
3	813750-856X	1	WHEEL	WHEEL HOLDER, RIGHT
3a	811213-5424	4	SET SCREW QY-Sruba M16-45 =300304093 - fantom / STEEL M16-45 - USE 300304093 DIN 933 GALV.	
3b	811242-5421	4	WASHER	
4	813750-857X	1	WHEEL	WHEEL HOLDER, LEFT
4a	811213-5424	4	SET SCREW QY-Sruba M16-45 =300304093 - fantom / STEEL M16-45 - USE 300304093 DIN 933 GALV.	
4b	811242-5421	4	WASHER	
5	813060-940X	2	WHEEL	WHEEL
5a	811214-5626	1	SCREW STEEL M16-220 - USE 200215449 DIN 931 GALV.	
5b	811220-5321	1	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
6	811323-2105	1	RIM	RIM 4,50-6
7	811323-9396	2	LINING	LINING
8	811325-9028	1	TUBE	DISTANCE TUBE
9	811331-3302	2	BALL BEARING	BALL BEARING
10	811323-9073	2	WASHER	TIGHTENING WASHER
11	811321-1308	1	TYRE/TIRE	TYRE 140-6/6 PLY
12	811322-1104	1	TUBE	TUBE
13	813750-853X	1	GUARD	GUARD

081


p1

081




081

REF	PN	QTY	DESCRIPTION	USAGE
1	814060-1800	1	DIA KIT, HARVESTER	AUTO-HITCH
2	812065-958X	1	WEAR PLATE	WEARING PLATE
3	813067-250X	1	HITCH	HITCH HOOK
4	813067-255A	1	GUIDE	GUIDE
4a	811213-5524	8	SET SCREW STEEL M16-50 Q 10,9 DIN 933 BLACK	
4b	811220-5323	8	NUT	
4c	811241-4503	8	WASHER 17,5-35-3 DIN 522 GALV.	
5	812067-254X	2	DOWEL	DOWEL
5a	811241-6409	1	WASHER 25,5-39-2,5	
5b	811251-4202	1	PIN	
6	812067-260X	1	DOWEL	DOWEL
6a	811254-4201	2	PIN SECU10 MM	
7	811317-0988	1	HYDRAULIC CYLINDER	CYLINDER 50-30-310
7a	811241-6409	4	WASHER 25,5-39-2,5	
8	811311-8560	2	RING	PACKING RING
9	811311-1411	2	PIPE COUPLING	PIPE COUPLING
10	812010-394X	2	NOZZLE	NOZZLE
11	811311-8603	2	COUPLING	ANGLE COUPLING
12	811317-0472	2	HOSE	HYDRAULIC HOSE L=7800
13	811393-0140	2	CAP	PROTECTION CAP BLUE
14	811317-0302	2	COUPLING	CONNECTION F/QUICK-COUPLING
15	811317-5011	2	HOSE	HOSE 1/4 -1500
16	811311-8525	2	COUPLING	ANGLE COUPLING - L10
17	811317-9528	1	GASKET	SET OF GASKETS F/ 1317-0941
18	811317-9854	1	VALVE	VALVE
30	814120-0317	1	HITCH	COMBINATION DRIVE
31	813129-828X	1	DOWEL	COUPLING DOWEL
31a	811254-4201	1	PIN SECU10 MM	
31b	811433-0298	1	SPRING	
32	812129-718X	1	BRACKET	BRACKET
32a	811214-5224	2	SET SCREW STEEL M16-55 DIN 931 GALV.	
32b	811214-5322	4	SCREW	
32c	811220-5321	6	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	




				081		p2
081						
REF	PN	QTY	DESCRIPTION		USAGE	
33	812129-761X	1	SCREEN		SCREEN	
34	812129-719X	1	BRACKET		BRACKET	
REF	FIGURE NUMBER		FIGURE NAME			
002	002		002			




082

REF	PN	QTY	DESCRIPTION	USAGE
1	812125-303X	2	STOP	STOP RING
1a	811213-3222	3	SET SCREW STEEL M10-20 - USE 300304031 DIN 933 GALV.	
1b	811241-2502	3	WASHER 10,5-22-3 DIN 522 GALV.	
1c	811242-3221	3	WASHER M10 DIN 7980 GALV.	
2	813068-890A	1	EXTENSION	EXTENSIONER LOWEST
2a	811313-2101	4	LUBE NIPPLE	
3	813068-878X	1	EXTENSION	EXTENSIONER UPPER
4	812064-895X	2	ECCENTRIC	EXCENTRIC
4a	811213-4422	2	SET SCREW STEEL M12-40 - USE 300304058 DIN 933 GALV.	
4b	811220-4321	2	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
5	812064-883X	1	DOWEL	DOWEL ?25X330
5a	811241-6409	2	WASHER 25,5-39-2,5	
5b	811255-2203	2	SNAP RING QY-SNAP 25 MM OUTER - USE 300407009 - fantom DIN 471	
5c	811313-1101	2	LUBE NIPPLE	
6	812064-893X	2	SUPPORT	SUPPORT
6a	811213-3224	2	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
6b	811241-2402	2	WASHER 10,5-20-2,0 DIN 125 GALV.	
7	812068-892X	1	FOOT	STOP
7a	811213-3224	4	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
7b	811241-2402	4	WASHER 10,5-20-2,0 DIN 125 GALV.	
8	812364-685X	1	DOWEL	DOWEL
8a	811241-5301	2	WASHER 20,2-34-1,5 DIN 522 GALV.	
8b	811251-3201	2	PIN 5-30 - DELTA-coating DIN1481	
9	813068-824X	1	REINFORCEMENT	REINFORCEMENT
9a	811215-2222	13	CARRIAGE BOLT M8-20 - USE 300304190 DIN 603 GALV.	
9b	811220-2321	13	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
9c	811241-1502	13	WASHER 8,5-30-3 DIN 522 GALV.	
10	813068-827X	1	REINFORCEMENT	REINFORCEMENT



082


REF	PN	QTY	DESCRIPTION	USAGE
10a	811215-2222	13	CARRIAGE BOLT M8-20 - USE 300304190 DIN 603 GALV.	LOCKING PLATE
10b	811220-2321	13	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
10c	811241-1502	13	WASHER 8,5-30-3 DIN 522 GALV.	
11	812064-838X	1	LOCKING PLATE	
11a	811215-1123	12	SCREW M6-16 - USE 200215314 DIN 603 GALV.	
11b	811220-1323	12	NUT NYLOC M6 - USE 300316026 DIN 985 GALV.	HOOP
11c	811241-1407	12	WASHER	
12	813064-827X	1	RING	
12a	811215-3226	10	SCREW M10-25 Q 8,8 - USE 7000601587 DIN 603 GALV.	
12b	811220-3321	10	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
12c	811241-2402	10	WASHER 10,5-20-2,0 DIN 125 GALV.	SUPPORT, LEFT
13	813065-115A	1	SUPPORT	
13a	811214-3222	1	SCREW STEEL SCHREW M 10-50	
13b	811215-3320	2	SCREW M10-30 Q 8.8 - USE 300304165 DIN 603 GALV.	
13c	811220-3321	3	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
14	813065-090A	1	SUPPORT	SUPPORT
14a	811214-3222	1	SCREW STEEL SCHREW M 10-50	
14b	811215-3320	2	SCREW M10-30 Q 8.8 - USE 300304165 DIN 603 GALV.	
14c	811220-3321	3	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
15	812068-895X	1	DOWEL	
15a	811254-3202	2	PIN QY-SECU5 MM DIN 11023	WHEEL
16	811329-0105	2	WHEEL	
17	813064-846X	1	EXTENSION	
17a	811215-3226	4	SCREW M10-25 Q 8,8 - USE 7000601587 DIN 603 GALV.	
17b	811220-3321	4	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	



082


REF	PN	QTY	DESCRIPTION	USAGE
17c	811241-2408	4	WASHER 10,5-30-2,5 - USE 300332043 DIN 9021 GALV.	
18	813064-817X	1	FORK	SEAT, OUTER
18a	811213-3324	4	SET SCREW STEEL M10-35 - USE 300304035 DIN 933 GALV.	
18b	811241-2402	4	WASHER 10,5-20-2,0 DIN 125 GALV.	
19	813064-876X	2	SUPPORT	SUPPORT FOR CHUTE
19a	811215-3222	12	SCREW M10-20 H-3 8.8 - USE 7000552510 DIN 603 GALV. - fantom	
19b	811220-3321	12	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
19c	811241-2402	12	WASHER 10,5-20-2,0 DIN 125 GALV.	
20	811393-0193	2	RUBBER BUMPER	RUBBERBUFFER 125-60-40
20a	811213-2422	2	SET SCREW STEEL M8-40	
20b	811220-2321	2	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
20c	811241-1202	4	WASHER 8,4-16-1,6 DIN 125-A8,4 ST. GALV VERZ. GELB CHROM GALV.	
21	811311-8534	2	SCREW	SCREWED CONNECTION
22	811317-0444	2	HOSE	HYDRAULIC HOSE L=2100
23	811311-8537	2	BRACKET	SUPPORT FOR TUBE
24	811311-8510	2	COUPLING	FITTINGS
25	813068-821X	1	EXTENSION	EXTENSION
26	811214-3530	4	SCREW	STEEL SCREW M10-220
26a	811220-3321	1	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
26b	811241-2402	2	WASHER 10,5-20-2,0 DIN 125 GALV.	

REF	FIGURE NUMBER	FIGURE NAME
002	002	002
011	011	011
083	083	083



083

REF	PN	QTY	DESCRIPTION	USAGE
1	811317-3063	1	HYDRAULIC CYLINDER	CYLINDER
2	811311-8525	1	COUPLING	ANGLE COUPLING - L10
3	811311-1416	1	PIPE	PIPE STUB
4	811311-8620	1	COUPLING	ANGLE COUPLING
5	811311-8603	1	COUPLING	ANGLE COUPLING
6	811311-8406	1	TEE	T-PIECE
7	811317-0847	1	HOSE	HYDRAULIC HOSE L=350
8	812307-111X	1	NOZZLE	NOZZLE
9	811317-0315	2	HOSE	HYDRAULIC HOSE L=5680
10	811317-9536	1	GASKET KIT	SET OF GASKETS F. 1317-3037/1317-3063
11	811317-9854	1	VALVE	VALVE




084

p1

084

REF	PN	QTY	DESCRIPTION	USAGE
1	812279-821X	4	SUPPORT	SPRING CONSOLE
1a	811213-5622	1	SET SCREW STEEL M16-60 - USE 71301416605 DIN 933 GALV.	
1b	811220-5321	1	NUT NYLOC M16 - USE 300316023 DIN 985 GALV.	
1c	811241-2506	4	WASHER 11-34-3 - USE 300332002 DIN 440 GALV.	
1d	811241-4505	1	WASHER 17-28-3 DIN 1441 GALV.	
2	811432-6795	2	TENSION SPRING	TENSION SPRING
3	813064-846X	1	EXTENSION	EXTENSION
3a	811215-2222	12	CARRIAGE BOLT M8-20 - USE 300304190 DIN 603 GALV.	
3b	811220-2321	12	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
3c	811241-1402	12	WASHER	
4	813068-674X	1	REINFORCEMENT	REINFORCEMENT
5	813068-671X	1	REINFORCEMENT	REINFORCEMENT
7	811317-0896	4	HYDRAULIC HOSE	HYDRAULIC HOSE L=740
8	811311-8510	2	COUPLING	FITTINGS
9	811311-8537	2	BRACKET	SUPPORT FOR TUBE
9a	811215-2620	1	SCREW	
9b	811220-2321	1	NUT NYLOC M8 - USE 300316027 DIN 985 GALV.	
9c	811241-1402	1	WASHER	
10	811311-8600	2	PLATE	TOP PLATE

REF	FIGURE NUMBER	FIGURE NAME
002	002	002
011	011	011



085


REF	PN	QTY	DESCRIPTION	USAGE
1	814060-1809	1	DRAWBAR	DRAWBAR ADAPTOR F. WW
2	812068-175X	1	DRAWBAR	DRAWBAR
2a	811213-6628	6	SET SCREW STEEL M20-60 Q 10.9 DIN 933 GALV.	
2b	811220-6323	6	NUT NYLOC M20 Q10 DIN 985 GALV.	
3	812066-356X	2	PLATE	REAR PLATE
4	812068-122X	1	BRACKET	REAR CONSOLE
4a	811215-4328	1	SCREW M12-30 Q. 8.8 - USE 300304180 DIN 603 GALV.	
4b	811220-4321	1	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
4c	811241-3403	1	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
5	812068-123X	1	BRACKET	FRONT CONSOLE
5a	811215-4328	3	SCREW M12-30 Q. 8.8 - USE 300304180 DIN 603 GALV.	
5b	811220-4321	3	NUT NYLOC M12 - USE 300316021 DIN 985 GALV.	
5c	811241-3403	3	WASHER 13-25-2,5 DIN 125-A13, ST,GALV	
6	813068-119X	2	BRACKET	BRACKET
6a	811213-3224	12	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
6b	811220-3321	12	NUT NYLOC M10 - USE 300316020 DIN 985 GALV.	
6c	811241-2402	12	WASHER 10,5-20-2,0 DIN 125 GALV.	
10	811340-1451	1	DRAWBAR	PTO SHAFT PWE 675 1 3/4" Z20
11	811340-1467	1	PTO SHAFT	PTO SHAFT PWE 580 1 3/8" Z21
12	811340-1468	1	PTO SHAFT	PTO SHAFT PWE 580 1 3/8" Z6

REF	FIGURE NUMBER	FIGURE NAME
001	001	001
042	042	042
043	043	043
044	044	044

086

p1

086




086

REF	PN	QTY	DESCRIPTION	USAGE
0	814060-1225	1	EXTENSION	EXTENSION FOR CHUTE 300 MM
1	813068-361X	1	EXTENSION	EXTENSION FOR CHUTE
1a	811313-2101	4	LUBE NIPPLE	
2	812068-892X	1	FOOT	STOP
2a	811213-3224	4	SET SCREW STEEL M10-25 - USE 300304032 DIN 933 GALV.	
2b	811241-2402	4	WASHER 10,5-20-2,0 DIN 125 GALV.	
3	812125-303X	2	STOP	STOP RING
3a	811213-3222	3	SET SCREW STEEL M10-20 - USE 300304031 DIN 933 GALV.	
3b	811241-2502	3	WASHER 10,5-22-3 DIN 522 GALV.	

REF	FIGURE NUMBER	FIGURE NAME
011	011	011

087



087


REF	PN	QTY	DESCRIPTION	USAGE
0	814060-1808	1	DIA KIT, HARVESTER	LS KIT FOR FCT
1	811317-0305	1	COUPLING	QUICK CLUTCH LS 1/4
2	811311-1411	2	PIPE COUPLING	PIPE COUPLING
3	811311-8560	2	RING	PACKING RING
4	811317-0314	1	HYDRAULIC HOSE	HYDRAULIC HOSE L=6550
5	811393-0144	1	QUICK FEMALE COUPLING	PROTECTING PLUG RED
6	811393-0142	1	QUICK FEMALE COUPLING	PROTECTING PLUG RED
7	811317-0435	1	HYDRAULIC HOSE	HYDRAULIC HOSE L=1100
8	811317-0308	2	QUICK MALE COUPLING	QUICK CLUTCH 3/4
9	811311-8414	2	HYD CONNECTOR	SCREWED CONNECTION
10	811311-2620	2	HYD CONNECTOR	SOCKET
11	811311-8539	2	WASHER	GASKET
12	811311-8540	2	RING	TIGHTENING RING
13	811311-8510	1	COUPLING	FITTINGS

REF	FIGURE NUMBER	FIGURE NAME
013	013	013

088	p1
------------	-----------

088	p1
------------	-----------

088



				088		p1
088						
REF	PN	QTY	DESCRIPTION		USAGE	
0	814060-0908	1	DIA KIT, HARVESTER		IL PRESSURE FILTER KIT	
1	811317-1046	1	HYDRAULIC OIL FILTER		IL PRESSURE FILTER	
2	811311-8539	2	WASHER		GASKET	
3	811311-8550	1	LUBE NIPPLE		NIPPLE	
REF	FIGURE NUMBER		FIGURE NAME			
013	013		013			